ISO/IEC JTC1 SC22 WG14 N1225

Date: 2007-03-28

Reference number of document: ISO/IEC TR 24731-1

Committee identification: ISO/IEC JTC1 SC22 WG14

SC22 Secretariat: ANSI

Information Technology —

Programming languages, their environments and system software interfaces —

Extensions to the C Library, —

Part I: Bounds-checking interfaces —

Document type: Technical Report Type 2

Document subtype: n/a

Document stage: (5) Publication Stage

Document language: E

Copyright notice

This ISO/IEC document is a working draft or committee draft and is copyright-protected by ISO/IEC.

Requests for permission to reproduce this document for the purpose of selling it should be addressed as shown below or to ISO's member body in the country of the requester:

ISO copyright office Case postale 56 CH-1211 Geneva 20 Tel. +41 22 749 01 11 Fax +41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Reproduction for sales purposes may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

Contents

Fo	rewo	ord	V			
In	Introductionv					
1.	Sco	pe	1			
2.	. Normative references1					
3.	Terms, definitions, and symbols2					
4.	Conformance					
	Predefined macro names					
6	Lib	rary	3			
٠.		Introduction				
	0.1	6.1.1 Standard headers				
		6.1.2 Reserved identifiers				
		6.1.3 Use of errno				
		6.1.4 Runtime-constraint violations				
	6.2	Errors <erro.h></erro.h>				
		Common definitions <stddef.h></stddef.h>				
		Integer types <stdint.h></stdint.h>				
		Input/output <stdio.h></stdio.h>				
	0.5	6.5.1 Operations on files				
		•	10			
		6.5.3 Formatted input/output functions	13			
		6.5.4 Character input/output functions	26			
	6.6	General utilities <stdlib.h></stdlib.h>	28			
		6.6.1 Runtime-constraint handling	28			
		6.6.2 Communication with the environment	30			
		6.6.3 Searching and sorting utilities	31			
		6.6.4 Multibyte/wide character conversion functions	34			
		6.6.5 Multibyte/wide string conversion functions	35			
	6.7	String handling <string.h></string.h>	39			
		6.7.1 Copying functions	39			
		6.7.2 Concatenation functions	43			
		6.7.3 Search functions	45			
		6.7.4 Miscellaneous functions	47			
	6.8	Date and time <time.h></time.h>	49			
		6.8.1 Components of time	49			
		6.8.2 Time conversion functions	49			
	6.9	Extended multibyte and wide character utilities <wchar.h></wchar.h>	53			
		6.9.1 Formatted wide character input/output functions	53			
		6.9.2 General wide string utilities	64			

6.9.3 Extended multibyte/wide character conversion utilities	73
Bibliography	78
Index	79

Foreword

- ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
- 2 Technical Reports are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft Technical Reports adopted by the joint technical committee are circulated to national bodies for voting. Publication as a Technical Report requires approval by at least 75% of the member bodies casting a vote.
- 3 The main task of technical committees is to prepare International Standards, but in exceptional circumstances a technical committee may propose the publication of a Technical Report of one of the following types:
 - type 1, when the required support cannot be obtained for the publication of an International Standard, despite repeated efforts;
 - type 2, when the subject is still under technical development or where for any other reason there is the future but not immediate possibility of an agreement on an International Standard:
 - type 3, when a technical committee has collected data of a different kind from that which is normally published as an International Standard ("state of the art", for example).
- 4 Technical Reports of types 1 and 2 are subject to review within three years of publication, to decide whether they can be transformed into International Standards. Technical Reports of type 3 do not necessarily have to be reviewed until the data they provide are considered to be no longer valid or useful.
- 5 ISO/IEC TR 24731, which is a Technical Report of type 2, was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 22, *Programming languages, their environments and system software interfaces*.

Introduction

- Traditionally, the C Library has contained many functions that trust the programmer to provide output character arrays big enough to hold the result being produced. Not only do these functions not check that the arrays are big enough, they frequently lack the information needed to perform such checks. While it is possible to write safe, robust, and error-free code using the existing library, the library tends to promote programming styles that lead to mysterious failures if a result is too big for the provided array.
- A common programming style is to declare character arrays large enough to handle most practical cases. However, if these arrays are not large enough to handle the resulting strings, data can be written past the end of the array overwriting other data and program structures. The program never gets any indication that a problem exists, and so never has a chance to recover or to fail gracefully.
- Worse, this style of programming has compromised the security of computers and networks. Buffer overflows can often be exploited to run arbitrary code with the permissions of the vulnerable (defective) program.
- 4 If the programmer writes runtime checks to verify lengths before calling library functions, then those runtime checks frequently duplicate work done inside the library functions, which discover string lengths as a side effect of doing their job.
- This Technical Report provides alternative functions for the C library that promote safer, more secure programming. The functions verify that output buffers are large enough for the intended result and return a failure indicator if they are not. Data is never written past the end of an array. All string results are null terminated.
- This Technical Report also addresses another problem that complicates writing robust code: functions that are not reentrant because they return pointers to static objects owned by the function. Such functions can be troublesome since a previously returned result can change if the function is called again, perhaps by another thread.

1. Scope

- This Technical Report specifies a series of extensions of the programming language C, specified by International Standard ISO/IEC 9899:1999. These extensions can be useful in the mitigation of security vulnerabilities in programs, and consist of a new predefined macro, and new functions, macros, and types declared or defined in existing standard headers.
- International Standard ISO/IEC 9899:1999 provides important context and specification for this Technical Report. Clauses 3 and 4 of this Technical Report should be read as if they were merged into Clauses 3 and 4 of ISO/IEC 9899:1999. Clause 5 of this Technical Report should be read as if it were merged into Subclause 6.10.8 of ISO/IEC 9899:1999. Clause 6 of this Technical Report should be read as if it were merged into the parallel structure of named Subclauses of Clause 7 of ISO/IEC 9899:1999. Statements made in ISO/IEC 9899:1999, whether about the language or library, apply to this Technical Report unless a corresponding section of this Technical Report states otherwise. In particular, Subclause 7.1.4 ("Use of library functions") of ISO/IEC 9899:1999 applies to this Technical Report.

2. Normative references

- 1 The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.
- 2 ISO/IEC 9899:1999, *Programming Languages* C.
- 3 ISO/IEC 9899:1999/Cor 1:2001, Programming Languages C Technical Corrigendum 1.
- 4 ISO/IEC 9899:1999/Cor 2:2004, Programming Languages C Technical Corrigendum 2.
- 5 ISO 31–11:1992, Quantities and units Part 11: Mathematical signs and symbols for use in the physical sciences and technology.
- 6 ISO/IEC 2382–1:1993, Information technology Vocabulary Part 1: Fundamental terms.

3. Terms, definitions, and symbols

For the purposes of this document, the terms and definitions given in ISO/IEC 9899:1999, ISO/IEC 2382–1, and the following apply. Other terms are defined where they appear in *italic* type. Mathematical symbols not defined in this Technical Report are to be interpreted according to ISO 31–11.

3.1

1 runtime-constraint

requirement on a program when calling a library function

- NOTE 1 Despite the similar terms, a runtime-constraint is not a kind of constraint as defined by ISO/IEC 9899:1999 Subclause 3.8, and need not be diagnosed at translation time.
- 3 NOTE 2 Implementations shall verify that the runtime-constraints for a library function are not violated by the program. See Subclause 6.1.4.

4. Conformance

If a "shall" or "shall not" requirement that appears outside of a constraint or runtimeconstraint is violated, the behavior is undefined.

5. Predefined macro names

1 The following macro name is conditionally defined by the implementation:

__STDC_LIB_EXT1__ The integer constant 200509L, intended to indicate conformance to this Technical Report. (1)

©ISO/IEC 2007 — All rights reserved

¹⁾ The intention is that this will remain an integer constant of type **long int** that is increased with each revision of this Technical Report.

6. Library

6.1 Introduction

6.1.1 Standard headers

- The functions, macros, and types declared or defined in Clause 6 and its subclauses are not declared or defined by their respective headers if __**STDC_WANT_LIB_EXT1**__ is defined as a macro which expands to the integer constant **0** at the point in the source file where the appropriate header is included.
- The functions, macros, and types declared or defined in Clause 6 and its subclauses are declared and defined by their respective headers if __**STDC_WANT_LIB_EXT1**__ is defined as a macro which expands to the integer constant 1 at the point in the source file where the appropriate header is included.²⁾
- It is implementation-defined whether the functions, macros, and types declared or defined in Clause 6 and its subclauses are declared or defined by their respective headers if ___STDC_WANT_LIB_EXT1__ is not defined as a macro at the point in the source file where the appropriate header is included.³⁾
- Within a preprocessing translation unit, __**STDC_WANT_LIB_EXT1**__ shall be defined identically for all inclusions of any headers from Clause 6. If __**STDC_WANT_LIB_EXT1**__ is defined differently for any such inclusion, the implementation shall issue a diagnostic as if a preprocessor error directive was used.

²⁾ Future revisions of this Technical Report may define meanings for other values of __STDC_WANT_LIB_EXT1__.

³⁾ Subclause 7.1.3 of ISO/IEC 9899:1999 reserves certain names and patterns of names that an implementation may use in headers. All other names are not reserved, and a conforming implementation may not use them. While some of the names defined in Clause 6 and its subclauses are reserved, others are not. If an unreserved name is defined in a header when STDC WANT LIB EXT1 is not defined, then the implementation is not conforming.

6.1.2 Reserved identifiers

- Each macro name in any of the following subclauses is reserved for use as specified if it is defined by any of its associated headers when included; unless explicitly stated otherwise (see ISO/IEC 9899:1999 Subclause 7.1.4).
- All identifiers with external linkage in any of the following subclauses are reserved for use as identifiers with external linkage if any of them are used by the program. None of them are reserved if none of them are used.
- 3 Each identifier with file scope listed in any of the following subclauses is reserved for use as a macro name and as an identifier with file scope in the same name space if it is defined by any of its associated headers when included.

6.1.3 Use of errno

An implementation may set **errno** for the functions defined in this Technical Report, but is not required to.

6.1.4 Runtime-constraint violations

- Most functions in this Technical Report include as part of their specification a list of runtime-constraints. These runtime-constraints are requirements on the program using the library.⁴⁾
- Implementations shall verify that the runtime-constraints for a function are not violated by the program. If a runtime-constraint is violated, the implementation shall call the currently registered runtime-constraint handler (see set_constraint_handler_s
 in stdlib.h>). Multiple runtime-constraint violations in the same call to a library function result in only one call to the runtime-constraint handler. It is unspecified which one of the multiple runtime-constraint violations cause the handler to be called.
- If the runtime-constraints section for a function states an action to be performed when a runtime-constraint violation occurs, the function shall perform the action before calling the runtime-constraint handler. If the runtime-constraints section lists actions that are prohibited when a runtime-constraint violation occurs, then such actions are prohibited to the function both before calling the handler and after the handler returns.
- 4 The runtime-constraint handler might not return. If the handler does return, the library function whose runtime-constraint was violated shall return some indication of failure as given by the returns section in the function's specification.

⁴⁾ Although runtime-constraints replace many cases of undefined behavior from International Standard ISO/IEC 9899:1999, undefined behavior still exists in this Technical Report. Implementations are free to detect any case of undefined behavior and treat it as a runtime-constraint violation by calling the runtime-constraint handler. This license comes directly from the definition of undefined behavior.

6.2 Errors <errno.h>

- 1 The header **<errno.h>** defines a type.
- 2 The type is

errno_t

which is type int.⁵⁾

⁵⁾ As a matter of programming style, **errno_t** may be used as the type of something that deals only with the values that might be found in **errno**. For example, a function which returns the value of **errno** might be declared as having the return type **errno_t**.

6.3 Common definitions < stddef.h>

- 1 The header **<stddef.h>** defines a type.
- 2 The type is

6

rsize_t

which is the type **size_t**.⁶⁾

⁶⁾ See the description of the RSIZE_MAX macro in <stdint.h>.

6.4 Integer types <stdint.h>

- 1 The header **<stdint.h>** defines a macro.
- 2 The macro is

RSIZE_MAX

which expands to a value⁷⁾ of type **size_t**. Functions that have parameters of type **rsize_t** consider it a runtime-constraint violation if the values of those parameters are greater than **RSIZE_MAX**.

Recommended practice

- Extremely large object sizes are frequently a sign that an object's size was calculated incorrectly. For example, negative numbers appear as very large positive numbers when converted to an unsigned type like size_t. Also, some implementations do not support objects as large as the maximum value that can be represented by type size_t.
- For those reasons, it is sometimes beneficial to restrict the range of object sizes to detect programming errors. For implementations targeting machines with large address spaces, it is recommended that RSIZE_MAX be defined as the smaller of the size of the largest object supported or (SIZE_MAX >> 1), even if this limit is smaller than the size of some legitimate, but very large, objects. Implementations targeting machines with small address spaces may wish to define RSIZE_MAX as SIZE_MAX, which means that there is no object size that is considered a runtime-constraint violation.

⁷⁾ The macro **RSIZE_MAX** need not expand to a constant expression. ©ISO/IEC 2007 — All rights reserved

6.5 Input/output <stdio.h>

- 1 The header **<stdio.h>** defines several macros and two types.
- 2 The macros are

```
L_tmpnam_s
```

which expands to an integer constant expression that is the size needed for an array of **char** large enough to hold a temporary file name string generated by the **tmpnam_s** function;

```
TMP_MAX_S
```

which expands to an integer constant expression that is the maximum number of unique file names that can be generated by the tmpnam_s function.

3 The types are

```
errno_t
```

which is type int; and

rsize_t

which is the type **size_t**.

6.5.1 Operations on files

6.5.1.1 The tmpfile_s function

Synopsis

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <stdio.h>
errno_t tmpfile_s(FILE * restrict * restrict streamptr);
```

Runtime-constraints

- 2 **streamptr** shall not be a null pointer.
- 3 If there is a runtime-constraint violation, **tmpfile** s does not attempt to create a file.

Description

The **tmpfile_s** function creates a temporary binary file that is different from any other existing file and that will automatically be removed when it is closed or at program termination. If the program terminates abnormally, whether an open temporary file is removed is implementation-defined. The file is opened for update with **"wb+"** mode with the meaning that mode has in the **fopen_s** function (including the mode's effect on exclusive access and file permissions).

If the file was created successfully, then the pointer to **FILE** pointed to by **streamptr** will be set to the pointer to the object controlling the opened file. Otherwise, the pointer to **FILE** pointed to by **streamptr** will be set to a null pointer.

Recommended practice

It should be possible to open at least **TMP_MAX_S** temporary files during the lifetime of the program (this limit may be shared with **tmpnam_s**) and there should be no limit on the number simultaneously open other than this limit and any limit on the number of open files (**FOPEN_MAX**).

Returns

The **tmpfile_s** function returns zero if it created the file. If it did not create the file or there was a runtime-constraint violation, **tmpfile_s** returns a non-zero value.

6.5.1.2 The tmpnam_s function

Synopsis

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <stdio.h>
errno_t tmpnam_s(char *s, rsize_t maxsize);
```

Runtime-constraints

2 s shall not be a null pointer. **maxsize** shall be less than or equal to **RSIZE_MAX**. **maxsize** shall be greater than the length of the generated file name string.

Description

- The tmpnam_s function generates a string that is a valid file name and that is not the same as the name of an existing file.⁸⁾ The function is potentially capable of generating TMP_MAX_S different strings, but any or all of them may already be in use by existing files and thus not be suitable return values. The lengths of these strings shall be less than the value of the L_tmpnam_s macro.
- 4 The **tmpnam_s** function generates a different string each time it is called.

⁸⁾ Files created using strings generated by the tmpnam_s function are temporary only in the sense that their names should not collide with those generated by conventional naming rules for the implementation. It is still necessary to use the remove function to remove such files when their use is ended, and before program termination. Implementations should take care in choosing the patterns used for names returned by tmpnam_s. For example, making a thread id part of the names avoids the race condition and possible conflict when multiple programs run simultaneously by the same user generate the same temporary file names.

- It is assumed that **s** points to an array of at least **maxsize** characters. This array will be set to generated string, as specified below.
- The implementation shall behave as if no library function except **tmpnam** calls the **tmpnam** s function.⁹⁾

Recommended practice

After a program obtains a file name using the **tmpnam_s** function and before the program creates a file with that name, the possibility exists that someone else may create a file with that same name. To avoid this race condition, the **tmpfile_s** function should be used instead of **tmpnam_s** when possible. One situation that requires the use of the **tmpnam_s** function is when the program needs to create a temporary directory rather than a temporary file.

Returns

- 8 If no suitable string can be generated, or if there is a runtime-constraint violation, the tmpnam_s function writes a null character to s[0] (only if s is not null and maxsize is greater than zero) and returns a non-zero value.
- 9 Otherwise, the **tmpnam_s** function writes the string in the array pointed to by **s** and returns zero.

Environmental limits

10 The value of the macro **TMP MAX** S shall be at least 25.

6.5.2 File access functions

6.5.2.1 The fopen_s function

Synopsis

Runtime-constraints

2 None of **streamptr**, **filename**, or **mode** shall be a null pointer.

⁹⁾ An implementation may have **tmpnam** call **tmpnam_s** (perhaps so there is only one naming convention for temporary files), but this is not required.

If there is a runtime-constraint violation, **fopen_s** does not attempt to open a file. Furthermore, if **streamptr** is not a null pointer, **fopen_s** sets ***streamptr** to the null pointer.

Description

- 4 The **fopen_s** function opens the file whose name is the string pointed to by **filename**, and associates a stream with it.
- The **mode** string shall be as described for **fopen**, with the addition that modes starting with the character 'w' or 'a' may be preceded by the character 'u', see below:

uw	truncate to zero length or create text file for writing, default permissions
ua	append; open or create text file for writing at end-of-file, default permissions
uwb	truncate to zero length or create binary file for writing, default permissions
uab	append; open or create binary file for writing at end-of-file, default
	permissions
uw+	truncate to zero length or create text file for update, default permissions
ua+	append; open or create text file for update, writing at end-of-file, default
	permissions

uw+b or **uwb+** truncate to zero length or create binary file for update, default

permissions

ua+b or **uab+** append; open or create binary file for update, writing at end-of-file,

default permissions

- To the extent that the underlying system supports the concepts, files opened for writing shall be opened with exclusive (also known as non-shared) access. If the file is being created, and the first character of the mode string is not 'u', to the extent that the underlying system supports it, the file shall have a file permission that prevents other users on the system from accessing the file. If the file is being created and first character of the mode string is 'u', then by the time the file has been closed, it shall have the system default file access permissions.¹⁰⁾
- If the file was opened successfully, then the pointer to **FILE** pointed to by **streamptr** will be set to the pointer to the object controlling the opened file. Otherwise, the pointer to **FILE** pointed to by **streamptr** will be set to a null pointer.

Returns

8 The **fopen_s** function returns zero if it opened the file. If it did not open the file or if there was a runtime-constraint violation, **fopen_s** returns a non-zero value.

¹⁰⁾ These are the same permissions that the file would have been created with by **fopen**.

6.5.2.2 The freopen_s function

Synopsis

Runtime-constraints

- 2 None of **newstreamptr**, **mode**, and **stream** shall be a null pointer.
- If there is a runtime-constraint violation, **freopen_s** neither attempts to close any file associated with **stream** nor attempts to open a file. Furthermore, if **newstreamptr** is not a null pointer, **fopen_s** sets *newstreamptr to the null pointer.

Description

- The **freopen_s** function opens the file whose name is the string pointed to by **filename** and associates the stream pointed to by **stream** with it. The **mode** argument has the same meaning as in the **fopen_s** function (including the mode's effect on exclusive access and file permissions).
- If **filename** is a null pointer, the **freopen_s** function attempts to change the mode of the stream to that specified by **mode**, as if the name of the file currently associated with the stream had been used. It is implementation-defined which changes of mode are permitted (if any), and under what circumstances.
- The **freopen_s** function first attempts to close any file that is associated with **stream**. Failure to close the file is ignored. The error and end-of-file indicators for the stream are cleared.
- 7 If the file was opened successfully, then the pointer to **FILE** pointed to by **newstreamptr** will be set to the value of **stream**. Otherwise, the pointer to **FILE** pointed to by **newstreamptr** will be set to a null pointer.

Returns

8 The **freopen_s** function returns zero if it opened the file. If it did not open the file or there was a runtime-constraint violation, **freopen_s** returns a non-zero value.

6.5.3 Formatted input/output functions

1 Unless explicitly stated otherwise, if the execution of a function described in this subclause causes copying to take place between objects that overlap, the objects take on unspecified values.

6.5.3.1 The fprintf_s function

Synopsis

Runtime-constraints

- Neither stream nor format shall be a null pointer. The %n specifier¹¹⁾ (modified or not by flags, field width, or precision) shall not appear in the string pointed to by format. Any argument to fprintf_s corresponding to a %s specifier shall not be a null pointer.
- If there is a runtime-constraint violation, ¹²⁾ the **fprintf_s** function does not attempt to produce further output, and it is unspecified to what extent **fprintf_s** produced output before discovering the runtime-constraint violation.

Description

4 The **fprintf_s** function is equivalent to the **fprintf** function except for the explicit runtime-constraints listed above.

Returns

5 The **fprintf_s** function returns the number of characters transmitted, or a negative value if an output error, encoding error, or runtime-constraint violation occurred.

¹¹⁾ It is not a runtime-constraint violation for the characters **%n** to appear in sequence in the string pointed at by **format** when those characters are not a interpreted as a **%n** specifier. For example, if the entire format string was **%%n**.

¹²⁾ Because an implementation may treat any undefined behavior as a runtime-constraint violation, an implementation may treat any unsupported specifiers in the string pointed to by **format** as a runtime-constraint violation.

6.5.3.2 The fscanf_s function

Synopsis

Runtime-constraints

- 2 Neither **stream** nor **format** shall be a null pointer. Any argument indirected though in order to store converted input shall not be a null pointer.
- If there is a runtime-constraint violation, ¹³⁾ the **fscanf_s** function does not attempt to perform further input, and it is unspecified to what extent **fscanf_s** performed input before discovering the runtime-constraint violation.

Description

- The fscanf_s function is equivalent to fscanf except that the c, s, and [conversion specifiers apply to a pair of arguments (unless assignment suppression is indicated by a *). The first of these arguments is the same as for fscanf. That argument is immediately followed in the argument list by the second argument, which has type rsize_t and gives the number of elements in the array pointed to by the first argument of the pair. If the first argument points to a scalar object, it is considered to be an array of one element. 14)
- 5 A matching failure occurs if the number of elements in a receiving object is insufficient to hold the converted input (including any trailing null character).

¹³⁾ Because an implementation may treat any undefined behavior as a runtime-constraint violation, an implementation may treat any unsupported specifiers in the string pointed to by **format** as a runtime-constraint violation.

¹⁴⁾ If the format is known at translation time, an implementation may issue a diagnostic for any argument used to store the result from a c, s, or [conversion specifier if that argument is not followed by an argument of a type compatible with rsize_t. A limited amount of checking may be done if even if the format is not known at translation time. For example, an implementation may issue a diagnostic for each argument after format that has of type pointer to one of char, signed char, unsigned char, or void that is not followed by an argument of a type compatible with rsize_t. The diagnostic could warn that unless the pointer is being used with a conversion specifier using the hh length modifier, a length argument must follow the pointer argument. Another useful diagnostic could flag any non-pointer argument following format that did not have a type compatible with rsize t.

Returns

The **fscanf_s** function returns the value of the macro **EOF** if an input failure occurs before any conversion or if there is a runtime-constraint violation. Otherwise, the **fscanf_s** function returns the number of input items assigned, which can be fewer than provided for, or even zero, in the event of an early matching failure.

7 EXAMPLE 1 The call:

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <stdio.h>
/* ... */
int n, i; float x; char name[50];
n = fscanf_s(stdin, "%d%f%s", &i, &x, name, (rsize_t) 50);
```

with the input line:

```
25 54.32E-1 thompson
```

will assign to \mathbf{n} the value 3, to \mathbf{i} the value 25, to \mathbf{x} the value 5.432, and to \mathbf{name} the sequence $\mathbf{thompson} \setminus \mathbf{0}$.

8 EXAMPLE 2 The call:

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <stdio.h>
/* ... */
int n; char s[5];
n = fscanf_s(stdin, "%s", s, sizeof s);
```

with the input line:

hello

will assign to \mathbf{n} the value 0 since a matching failure occurred because the sequence $\mathbf{hello} \setminus \mathbf{0}$ requires an array of six characters to store it.

6.5.3.3 The printf_s function

Synopsis

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <stdio.h>
int printf_s(const char * restrict format, ...);
```

Runtime-constraints

2 **format** shall not be a null pointer. The **%n** specifier¹⁵⁾ (modified or not by flags, field width, or precision) shall not appear in the string pointed to by **format**. Any argument

¹⁵⁾ It is not a runtime-constraint violation for the characters **%n** to appear in sequence in the string pointed at by **format** when those characters are not a interpreted as a **%n** specifier. For example, if the entire format string was **%%n**.

to **printf_s** corresponding to a **%s** specifier shall not be a null pointer.

If there is a runtime-constraint violation, the **printf_s** function does not attempt to produce further output, and it is unspecified to what extent **printf_s** produced output before discovering the runtime-constraint violation.

Description

4 The **printf_s** function is equivalent to the **printf** function except for the explicit runtime-constraints listed above.

Returns

5 The **printf_s** function returns the number of characters transmitted, or a negative value if an output error, encoding error, or runtime-constraint violation occurred.

6.5.3.4 The scanf_s function

Synopsis

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <stdio.h>
int scanf_s(const char * restrict format, ...);
```

Runtime-constraints

- 2 **format** shall not be a null pointer. Any argument indirected though in order to store converted input shall not be a null pointer.
- If there is a runtime-constraint violation, the **scanf_s** function does not attempt to perform further input, and it is unspecified to what extent **scanf_s** performed input before discovering the runtime-constraint violation.

Description

4 The scanf_s function is equivalent to fscanf_s with the argument stdin interposed before the arguments to scanf_s.

Returns

The **scanf_s** function returns the value of the macro **EOF** if an input failure occurs before any conversion or if there is a runtime-constraint violation. Otherwise, the **scanf_s** function returns the number of input items assigned, which can be fewer than provided for, or even zero, in the event of an early matching failure.

6.5.3.5 The snprintf_s function

Synopsis

Runtime-constraints

- Neither s nor format shall be a null pointer. n shall neither equal zero nor be greater than RSIZE_MAX. The %n specifier¹⁶⁾ (modified or not by flags, field width, or precision) shall not appear in the string pointed to by format. Any argument to snprintf_s corresponding to a %s specifier shall not be a null pointer. No encoding error shall occur.
- If there is a runtime-constraint violation, then if **s** is not a null pointer and **n** is greater than zero and less than **RSIZE_MAX**, then the **snprintf_s** function sets **s[0]** to the null character.

Description

- 4 The **snprintf_s** function is equivalent to the **snprintf** function except for the explicit runtime-constraints listed above.
- 5 The **snprintf_s** function, unlike **sprintf_s**, will truncate the result to fit within the array pointed to by **s**.

Returns

The **snprintf_s** function returns the number of characters that would have been written had **n** been sufficiently large, not counting the terminating null character, or a negative value if a runtime-constraint violation occurred. Thus, the null-terminated output has been completely written if and only if the returned value is nonnegative and less than **n**.

¹⁶⁾ It is not a runtime-constraint violation for the characters **%n** to appear in sequence in the string pointed at by **format** when those characters are not a interpreted as a **%n** specifier. For example, if the entire format string was **%%n**.

6.5.3.6 The sprintf_s function

Synopsis

Runtime-constraints

- Neither **s** nor **format** shall be a null pointer. **n** shall neither equal zero nor be greater than **RSIZE_MAX**. The number of characters (including the trailing null) required for the result to be written to the array pointed to by **s** shall not be greater than **n**. The **n** specifier (modified or not by flags, field width, or precision) shall not appear in the string pointed to by **format**. Any argument to **sprintf_s** corresponding to a **s** specifier shall not be a null pointer. No encoding error shall occur.
- If there is a runtime-constraint violation, then if **s** is not a null pointer and **n** is greater than zero and less than **RSIZE_MAX**, then the **sprintf_s** function sets **s[0]** to the null character.

Description

- 4 The **sprintf_s** function is equivalent to the **sprintf** function except for the parameter **n** and the explicit runtime-constraints listed above.
- 5 The **sprintf_s** function, unlike **snprintf_s**, treats a result too big for the array pointed to by **s** as a runtime-constraint violation.

Returns

If no runtime-constraint violation occurred, the **sprintf_s** function returns the number of characters written in the array, not counting the terminating null character. If an encoding error occurred, **sprintf_s** returns a negative value. If any other runtime-constraint violation occurred, **sprintf_s** returns zero.

¹⁷⁾ It is not a runtime-constraint violation for the characters **%n** to appear in sequence in the string pointed at by **format** when those characters are not a interpreted as a **%n** specifier. For example, if the entire format string was **%%n**.

6.5.3.7 The sscanf_s function

Synopsis

Runtime-constraints

- 2 Neither **s** nor **format** shall be a null pointer. Any argument indirected though in order to store converted input shall not be a null pointer.
- If there is a runtime-constraint violation, the **sscanf_s** function does not attempt to perform further input, and it is unspecified to what extent **sscanf_s** performed input before discovering the runtime-constraint violation.

Description

The **sscanf_s** function is equivalent to **fscanf_s**, except that input is obtained from a string (specified by the argument **s**) rather than from a stream. Reaching the end of the string is equivalent to encountering end-of-file for the **fscanf_s** function. If copying takes place between objects that overlap, the objects take on unspecified values.

Returns

The **sscanf_s** function returns the value of the macro **EOF** if an input failure occurs before any conversion or if there is a runtime-constraint violation. Otherwise, the **sscanf_s** function returns the number of input items assigned, which can be fewer than provided for, or even zero, in the event of an early matching failure.

6.5.3.8 The vfprintf_s function

Synopsis

Runtime-constraints

Neither stream nor format shall be a null pointer. The %n specifier¹⁸⁾ (modified or not by flags, field width, or precision) shall not appear in the string pointed to by format. Any argument to vfprintf s corresponding to a %s specifier shall not be a

null pointer.

If there is a runtime-constraint violation, the **vfprintf_s** function does not attempt to produce further output, and it is unspecified to what extent **vfprintf_s** produced output before discovering the runtime-constraint violation.

Description

4 The **vfprintf_s** function is equivalent to the **vfprintf** function except for the explicit runtime-constraints listed above.

Returns

5 The **vfprintf_s** function returns the number of characters transmitted, or a negative value if an output error, encoding error, or runtime-constraint violation occurred.

6.5.3.9 The vfscanf_s function

Synopsis

Runtime-constraints

- 2 Neither **stream** nor **format** shall be a null pointer. Any argument indirected though in order to store converted input shall not be a null pointer.
- If there is a runtime-constraint violation, the **vfscanf_s** function does not attempt to perform further input, and it is unspecified to what extent **vfscanf_s** performed input before discovering the runtime-constraint violation.

Description

The **vfscanf_s** function is equivalent to **fscanf_s**, with the variable argument list replaced by **arg**, which shall have been initialized by the **va_start** macro (and possibly subsequent **va_arg** calls). The **vfscanf_s** function does not invoke the **va** end macro. ¹⁹⁾

¹⁸⁾ It is not a runtime-constraint violation for the characters **%n** to appear in sequence in the string pointed at by **format** when those characters are not a interpreted as a **%n** specifier. For example, if the entire format string was **%%n**.

Returns

The **vfscanf_s** function returns the value of the macro **EOF** if an input failure occurs before any conversion or if there is a runtime-constraint violation. Otherwise, the **vfscanf_s** function returns the number of input items assigned, which can be fewer than provided for, or even zero, in the event of an early matching failure.

6.5.3.10 The vprintf_s function

Synopsis

Runtime-constraints

- format shall not be a null pointer. The %n specifier²⁰⁾ (modified or not by flags, field width, or precision) shall not appear in the string pointed to by format. Any argument to vprintf_s corresponding to a %s specifier shall not be a null pointer.
- If there is a runtime-constraint violation, the **vprintf_s** function does not attempt to produce further output, and it is unspecified to what extent **vprintf_s** produced output before discovering the runtime-constraint violation.

Description

4 The **vprintf_s** function is equivalent to the **vprintf** function except for the explicit runtime-constraints listed above.

Returns

The **vprintf_s** function returns the number of characters transmitted, or a negative value if an output error, encoding error, or runtime-constraint violation occurred.

¹⁹⁾ As the functions **vfprintf_s**, **vfscanf_s**, **vprintf_s**, **vscanf_s**, **vsnprintf_s**, **vsprintf_s**, and **vsscanf_s** invoke the **va_arg** macro, the value of **arg** after the return is indeterminate.

²⁰⁾ It is not a runtime-constraint violation for the characters **%n** to appear in sequence in the string pointed at by **format** when those characters are not a interpreted as a **%n** specifier. For example, if the entire format string was **%%n**.

6.5.3.11 The vscanf_s function

Synopsis

Runtime-constraints

- 2 **format** shall not be a null pointer. Any argument indirected though in order to store converted input shall not be a null pointer.
- If there is a runtime-constraint violation, the **vscanf_s** function does not attempt to perform further input, and it is unspecified to what extent **vscanf_s** performed input before discovering the runtime-constraint violation.

Description

The vscanf_s function is equivalent to scanf_s, with the variable argument list replaced by arg, which shall have been initialized by the va_start macro (and possibly subsequent va_arg calls). The vscanf_s function does not invoke the va end macro.²¹⁾

Returns

The **vscanf_s** function returns the value of the macro **EOF** if an input failure occurs before any conversion or if there is a runtime-constraint violation. Otherwise, the **vscanf_s** function returns the number of input items assigned, which can be fewer than provided for, or even zero, in the event of an early matching failure.

²¹⁾ As the functions **vfprintf_s**, **vfscanf_s**, **vprintf_s**, **vscanf_s**, **vsnprintf_s**, **vsprintf_s**, and **vsscanf_s** invoke the **va_arg** macro, the value of **arg** after the return is indeterminate.

6.5.3.12 The vsnprintf_s function

Synopsis

Runtime-constraints

- Neither s nor format shall be a null pointer. n shall neither equal zero nor be greater than RSIZE_MAX. The %n specifier²²⁾ (modified or not by flags, field width, or precision) shall not appear in the string pointed to by format. Any argument to vsnprintf_s corresponding to a %s specifier shall not be a null pointer. No encoding error shall occur.
- If there is a runtime-constraint violation, then if **s** is not a null pointer and **n** is greater than zero and less than **RSIZE_MAX**, then the **vsnprintf_s** function sets **s[0]** to the null character.

Description

- 4 The **vsnprintf_s** function is equivalent to the **vsnprintf** function except for the explicit runtime-constraints listed above.
- 5 The **vsnprintf_s** function, unlike **vsprintf_s**, will truncate the result to fit within the array pointed to by **s**.

Returns

The **vsnprintf_s** function returns the number of characters that would have been written had **n** been sufficiently large, not counting the terminating null character, or a negative value if a runtime-constraint violation occurred. Thus, the null-terminated output has been completely written if and only if the returned value is nonnegative and less than **n**.

²²⁾ It is not a runtime-constraint violation for the characters **%n** to appear in sequence in the string pointed at by **format** when those characters are not a interpreted as a **%n** specifier. For example, if the entire format string was **%%n**.

6.5.3.13 The vsprintf_s function

Synopsis

Runtime-constraints

- Neither s nor format shall be a null pointer. n shall neither equal zero nor be greater than RSIZE_MAX. The number of characters (including the trailing null) required for the result to be written to the array pointed to by s shall not be greater than n. The %n specifier²³⁾ (modified or not by flags, field width, or precision) shall not appear in the string pointed to by format. Any argument to vsprintf_s corresponding to a %s specifier shall not be a null pointer. No encoding error shall occur.
- If there is a runtime-constraint violation, then if **s** is not a null pointer and **n** is greater than zero and less than **RSIZE_MAX**, then the **vsprintf_s** function sets **s[0]** to the null character.

Description

- 4 The **vsprintf_s** function is equivalent to the **vsprintf** function except for the parameter **n** and the explicit runtime-constraints listed above.
- 5 The **vsprintf_s** function, unlike **vsnprintf_s**, treats a result too big for the array pointed to by **s** as a runtime-constraint violation.

Returns

If no runtime-constraint violation occurred, the **vsprintf_s** function returns the number of characters written in the array, not counting the terminating null character. If an encoding error occurred, **vsprintf_s** returns a negative value. If any other runtime-constraint violation occurred, **vsprintf_s** returns zero.

²³⁾ It is not a runtime-constraint violation for the characters **%n** to appear in sequence in the string pointed at by **format** when those characters are not a interpreted as a **%n** specifier. For example, if the entire format string was **%%n**.

6.5.3.14 The vsscanf_s function

Synopsis

Runtime-constraints

- 2 Neither **s** nor **format** shall be a null pointer. Any argument indirected though in order to store converted input shall not be a null pointer.
- If there is a runtime-constraint violation, the **vsscanf_s** function does not attempt to perform further input, and it is unspecified to what extent **vsscanf_s** performed input before discovering the runtime-constraint violation.

Description

The vsscanf_s function is equivalent to sscanf_s, with the variable argument list replaced by arg, which shall have been initialized by the va_start macro (and possibly subsequent va_arg calls). The vsscanf_s function does not invoke the va_end macro.²⁴⁾

Returns

The **vsscanf_s** function returns the value of the macro **EOF** if an input failure occurs before any conversion or if there is a runtime-constraint violation. Otherwise, the **vscanf_s** function returns the number of input items assigned, which can be fewer than provided for, or even zero, in the event of an early matching failure.

²⁴⁾ As the functions **vfprintf_s**, **vfscanf_s**, **vprintf_s**, **vscanf_s**, **vsnprintf_s**, **vsprintf_s**, and **vsscanf_s** invoke the **va_arg** macro, the value of **arg** after the return is indeterminate.

6.5.4 Character input/output functions

6.5.4.1 The gets_s function

Synopsis

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <stdio.h>
char *gets_s(char *s, rsize_t n);
```

Runtime-constraints

- 2 s shall not be a null pointer. n shall neither be equal to zero nor be greater than RSIZE_MAX. A new-line character, end-of-file, or read error shall occur within reading n-1 characters from stdin.²⁵⁾
- If there is a runtime-constraint violation, **s[0]** is set to the null character, and characters are read and discarded from **stdin** until a new-line character is read, or end-of-file or a read error occurs.

Description

- The **gets_s** function reads at most one less than the number of characters specified by **n** from the stream pointed to by **stdin**, into the array pointed to by **s**. No additional characters are read after a new-line character (which is discarded) or after end-of-file. The discarded new-line character does not count towards number of characters read. A null character is written immediately after the last character read into the array.
- If end-of-file is encountered and no characters have been read into the array, or if a read error occurs during the operation, then s[0] is set to the null character, and the other elements of s take unspecified values.

Recommended practice

The fgets function allows properly-written programs to safely process input lines too long to store in the result array. In general this requires that callers of fgets pay attention to the presence or absence of a new-line character in the result array. Consider using fgets (along with any needed processing based on new-line characters) instead of gets s.

²⁵⁾ The gets_s function, unlike gets, makes it a runtime-constraint violation for a line of input to overflow the buffer to store it. Unlike fgets, gets_s maintains a one-to-one relationship between input lines and successful calls to gets_s. Programs that use gets expect such a relationship.

Returns

7 The **gets_s** function returns **s** if successful. If there was a runtime-constraint violation, or if end-of-file is encountered and no characters have been read into the array, or if a read error occurs during the operation, then a null pointer is returned.

6.6 General utilities < stdlib.h>

- 1 The header **<stdlib.h>** defines three types.
- 2 The types are

```
errno_t
which is type int; and
    rsize_t
which is the type size_t; and
    constraint_handler_t
which has the following definition
    typedef void (*constraint_handler_t)(
        const char * restrict msg,
        void * restrict ptr,
        errno_t error);
```

6.6.1 Runtime-constraint handling

6.6.1.1 The set_constraint_handler_s function

Synopsis

1

Description

- The set_constraint_handler_s function sets the runtime-constraint handler to be handler. The runtime-constraint handler is the function to be called when a library function detects a runtime-constraint violation. Only the most recent handler registered with set_constraint_handler_s is called when a runtime-constraint violation occurs.
- When the handler is called, it is passed the following arguments in the following order:
 - 1. A pointer to a character string describing the runtime-constraint violation.
 - 2. A null pointer or a pointer to an implementation defined object.
 - 3. If the function calling the handler has a return type declared as **errno_t**, the return value of the function is passed. Otherwise, a positive value of type **errno_t** is passed.

- 4 The implementation has a default constraint handler that is used if no calls to the **set_constraint_handler_s** function have been made. The behavior of the default handler is implementation-defined, and it may cause the program to exit or abort.
- 5 If the **handler** argument to **set_constraint_handler_s** is a null pointer, the implementation default handler becomes the current constraint handler.

Returns

6 The **set_constraint_handler_s** function returns a pointer to the previously registered handler.²⁶⁾

6.6.1.2 The abort_handler_s function

Synopsis

Description

- A pointer to the **abort_handler_s** function shall be a suitable argument to the **set_constraint_handler_s** function.
- The abort_handler_s function writes a message on the standard error stream in an implementation-defined format. The message shall include the string pointed to by msg. The abort_handler_s function then calls the abort function.²⁷⁾

Returns

4 The **abort_handler_s** function does not return to its caller.

²⁶⁾ If the previous handler was registered by calling **set_constraint_handler_s** with a null pointer argument, a pointer to the implementation default handler is returned (not NULL).

²⁷⁾ Many implementations invoke a debugger when the abort function is called.

6.6.1.3 The ignore_handler_s function

Synopsis

Description

- A pointer to the **ignore_handler_s** function shall be a suitable argument to the **set_constraint_handler_s** function.
- The ignore_handler_s function simply returns to its caller.²⁸⁾

Returns

4 The **ignore_handler_s** function returns no value.

6.6.2 Communication with the environment

6.6.2.1 The getenv_s function

Synopsis

Runtime-constraints

- 2 **name** shall not be a null pointer. **maxsize** shall neither equal zero nor be greater than **RSIZE_MAX**. If **maxsize** is not equal to zero, then **value** shall not be a null pointer.
- If there is a runtime-constraint violation, the integer pointed to by **len** is set to 0 (if **len** is not null), and the environment list is not searched.

²⁸⁾ If the runtime-constraint handler is set to the **ignore_handler_s** function, any library function in which a runtime-constraint violation occurs will return to its caller. The caller can determine whether a runtime-constraint violation occurred based on the library function's specification (usually, the library function returns a non-zero **errno_t**).

Description

- 4 The **getenv_s** function searches an *environment list*, provided by the host environment, for a string that matches the string pointed to by **name**.
- If that name is found then **getenv_s** performs the following actions. If **len** is not a null pointer, the length of the string associated with the matched list member is stored in the integer pointed to by **len**. If the length of the associated string is less than **maxsize**, then the associated string is copied to the array pointed to by **value**.
- If that name is not found then **getenv_s** performs the following actions. If **len** is not a null pointer, zero is stored in the integer pointed to by **len**. If **maxsize** is greater than zero, then **value[0]** is set to the null character.
- 7 The set of environment names and the method for altering the environment list are implementation-defined.

Returns

8 The **getenv_s** function returns zero if the specified **name** is found and the associated string was successfully stored in **value**. Otherwise, a non-zero value is returned.

6.6.3 Searching and sorting utilities

- These utilities make use of a comparison function to search or sort arrays of unspecified type. Where an argument declared as **size_t nmemb** specifies the length of the array for a function, if **nmemb** has the value zero on a call to that function, then the comparison function is not called, a search finds no matching element, sorting performs no rearrangement, and the pointer to the array may be null.
- The implementation shall ensure that the second argument of the comparison function (when called from **bsearch_s**), or both arguments (when called from **qsort_s**), are pointers to elements of the array.²⁹⁾ The first argument when called from **bsearch_s** shall equal **key**.
- 3 The comparison function shall not alter the contents of either the array or search key. The implementation may reorder elements of the array between calls to the comparison function, but shall not otherwise alter the contents of any individual element.
- When the same objects (consisting of **size** bytes, irrespective of their current positions in the array) are passed more than once to the comparison function, the results shall be

```
((char *)p - (char *)base) % size == 0
(char *)p >= (char *)base
(char *)p < (char *)base + nmemb * size</pre>
```

²⁹⁾ That is, if the value passed is **p**, then the following expressions are always valid and nonzero:

consistent with one another. That is, for **qsort_s** they shall define a total ordering on the array, and for **bsearch_s** the same object shall always compare the same way with the key.

5 A sequence point occurs immediately before and immediately after each call to the comparison function, and also between any call to the comparison function and any movement of the objects passed as arguments to that call.

6.6.3.1 The bsearch_s function

Synopsis

Runtime-constraints

- Neither nmemb nor size shall be greater than RSIZE_MAX. If nmemb is not equal to zero, then none of key, base, or compar shall be a null pointer.
- If there is a runtime-constraint violation, the **bsearch_s** function does not search the array.

Description

- The bsearch_s function searches an array of nmemb objects, the initial element of which is pointed to by base, for an element that matches the object pointed to by key. The size of each element of the array is specified by size.
- The comparison function pointed to by **compar** is called with three arguments. The first two point to the **key** object and to an array element, in that order. The function shall return an integer less than, equal to, or greater than zero if the **key** object is considered, respectively, to be less than, to match, or to be greater than the array element. The array shall consist of: all the elements that compare less than, all the elements that compare equal to, and all the elements that compare greater than the **key** object, in that order. The third argument to the comparison function is the **context** argument passed to **bsearch_s**. The sole use of **context** by **bsearch_s** is to pass it to the comparison function.

³⁰⁾ In practice, this means that the entire array has been sorted according to the comparison function.

Returns

The **bsearch_s** function returns a pointer to a matching element of the array, or a null pointer if no match is found or there is a runtime-constraint violation. If two elements compare as equal, which element is matched is unspecified.

6.6.3.2 The qsort_s function

Synopsis

Runtime-constraints

- Neither **nmemb** nor **size** shall be greater than **RSIZE_MAX**. If **nmemb** is not equal to zero, then neither **base** nor **compar** shall be a null pointer.
- 3 If there is a runtime-constraint violation, the **qsort_s** function does not sort the array.

Description

- 4 The **qsort_s** function sorts an array of **nmemb** objects, the initial element of which is pointed to by **base**. The size of each object is specified by **size**.
- The contents of the array are sorted into ascending order according to a comparison function pointed to by **compar**, which is called with three arguments. The first two point to the objects being compared. The function shall return an integer less than, equal to, or greater than zero if the first argument is considered to be respectively less than, equal to, or greater than the second. The third argument to the comparison function is the **context** argument passed to **qsort_s**. The sole use of **context** by **qsort_s** is to pass it to the comparison function.³²⁾
- 6 If two elements compare as equal, their relative order in the resulting sorted array is unspecified.

³¹⁾ The **context** argument is for the use of the comparison function in performing its duties. For example, it might specify a collating sequence used by the comparison function.

³²⁾ The **context** argument is for the use of the comparison function in performing its duties. For example, it might specify a collating sequence used by the comparison function.

Returns

7 The **qsort_s** function returns zero if there was no runtime-constraint violation. Otherwise, a non-zero value is returned.

6.6.4 Multibyte/wide character conversion functions

The behavior of the multibyte character functions is affected by the LC_CTYPE category of the current locale. For a state-dependent encoding, each function is placed into its initial conversion state by a call for which its character pointer argument, s, is a null pointer. Subsequent calls with s as other than a null pointer cause the internal conversion state of the function to be altered as necessary. A call with s as a null pointer causes these functions to set the int pointed to by their status argument to a nonzero value if encodings have state dependency, and zero otherwise. Changing the LC_CTYPE category causes the conversion state of these functions to be indeterminate.

6.6.4.1 The wotomb s function

Synopsis

Runtime-constraints

- Let n denote the number of bytes needed to represent the multibyte character corresponding to the wide character given by **wc** (including any shift sequences).
- If **s** is not a null pointer, then **smax** shall not be less than n, and **smax** shall not be greater than **RSIZE_MAX**. If **s** is a null pointer, then **smax** shall equal zero.
- 4 If there is a runtime-constraint violation, wctomb_s does not modify the int pointed to by status, and if s is not a null pointer, no more than smax elements in the array pointed to by s will be accessed.

Description

5 The wctomb_s function determines n and stores the multibyte character representation of wc in the array whose first element is pointed to by s (if s is not a null pointer). The number of characters stored never exceeds MB_CUR_MAX or smax. If wc is a null wide

³³⁾ If the locale employs special bytes to change the shift state, these bytes do not produce separate wide character codes, but are grouped with an adjacent multibyte character.

- character, a null byte is stored, preceded by any shift sequence needed to restore the initial shift state, and the function is left in the initial conversion state.
- 6 The implementation shall behave as if no library function calls the wctomb_s function.
- If **s** is a null pointer, the **wctomb_s** function stores into the int pointed to by **status** a nonzero or zero value, if multibyte character encodings, respectively, do or do not have state-dependent encodings.
- 8 If **s** is not a null pointer, the **wctomb_s** function stores into the int pointed to by **status** either n or -1 if **wc**, respectively, does or does not correspond to a valid multibyte character.
- 9 In no case will the int pointed to by **status** be set to a value greater than the **MB_CUR_MAX** macro.

Returns

10 The wctomb_s function returns zero if successful, and a non-zero value if there was a runtime-constraint violation or wc did not correspond to a valid multibyte character.

6.6.5 Multibyte/wide string conversion functions

1 The behavior of the multibyte string functions is affected by the **LC_CTYPE** category of the current locale.

6.6.5.1 The mbstowcs s function

Synopsis

Runtime-constraints

- Neither retval nor src shall be a null pointer. If dst is not a null pointer, then neither len nor dstmax shall be greater than RSIZE_MAX. If dst is a null pointer, then dstmax shall equal zero. If dst is not a null pointer, then dstmax shall not equal zero. If dst is not a null pointer and len is not less than dstmax, then a null character shall occur within the first dstmax multibyte characters of the array pointed to by src.
- If there is a runtime-constraint violation, then mbstowcs_s does the following. If retval is not a null pointer, then mbstowcs_s sets *retval to (size_t)(-1). If dst is not a null pointer and dstmax is greater than zero and less than RSIZE_MAX, then mbstowcs_s sets dst[0] to the null wide character.

Description

- The mbstowcs_s function converts a sequence of multibyte characters that begins in the initial shift state from the array pointed to by src into a sequence of corresponding wide characters. If dst is not a null pointer, the converted characters are stored into the array pointed to by dst. Conversion continues up to and including a terminating null character, which is also stored. Conversion stops earlier in two cases: when a sequence of bytes is encountered that does not form a valid multibyte character, or (if dst is not a null pointer) when len wide characters have been stored into the array pointed to by dst. If dst is not a null pointer and no null wide character was stored into the array pointed to by dst, then dst[len] is set to the null wide character. Each conversion takes place as if by a call to the mbrtowc function.
- Regardless of whether **dst** is or is not a null pointer, if the input conversion encounters a sequence of bytes that do not form a valid multibyte character, an encoding error occurs: the **mbstowcs_s** function stores the value (**size_t**)(-1) into *retval. Otherwise, the **mbstowcs_s** function stores into *retval the number of multibyte characters successfully converted, not including the terminating null character (if any).
- 6 All elements following the terminating null wide character (if any) written by mbstowcs_s in the array of dstmax wide characters pointed to by dst take unspecified values when mbstowcs_s returns.³⁵⁾
- 7 If copying takes place between objects that overlap, the objects take on unspecified values.

Returns

8 The **mbstowcs_s** function returns zero if no runtime-constraint violation and no encoding error occurred. Otherwise, a non-zero value is returned.

6.6.5.2 The wcstombs_s function

Synopsis

³⁴⁾ Thus, the value of **len** is ignored if **dst** is a null pointer.

³⁵⁾ This allows an implementation to attempt converting the multibyte string before discovering a terminating null character did not occur where required.

Runtime-constraints

- Neither retval nor src shall be a null pointer. If dst is not a null pointer, then neither len nor dstmax shall be greater than RSIZE_MAX. If dst is a null pointer, then dstmax shall equal zero. If dst is not a null pointer, then dstmax shall not equal zero. If dst is not a null pointer and len is not less than dstmax, then the conversion shall have been stopped (see below) because a terminating null wide character was reached or because an encoding error occurred.
- If there is a runtime-constraint violation, then wcstombs_s does the following. If retval is not a null pointer, then wcstombs_s sets *retval to (size_t)(-1). If dst is not a null pointer and dstmax is greater than zero and less than RSIZE_MAX, then wcstombs_s sets dst[0] to the null character.

Description

- The wcstombs_s function converts a sequence of wide characters from the array pointed to by src into a sequence of corresponding multibyte characters that begins in the initial shift state. If dst is not a null pointer, the converted characters are then stored into the array pointed to by dst. Conversion continues up to and including a terminating null wide character, which is also stored. Conversion stops earlier in two cases:
 - when a wide character is reached that does not correspond to a valid multibyte character;
 - (if dst is not a null pointer) when the next multibyte character would exceed the limit of n total bytes to be stored into the array pointed to by dst. If the wide character being converted is the null wide character, then n is the lesser of len or dstmax. Otherwise, n is the lesser of len or dstmax-1.

If the conversion stops without converting a null wide character and **dst** is not a null pointer, then a null character is stored into the array pointed to by **dst** immediately following any multibyte characters already stored. Each conversion takes place as if by a call to the **wcrtomb** function.³⁶⁾

Regardless of whether dst is or is not a null pointer, if the input conversion encounters a wide character that does not correspond to a valid multibyte character, an encoding error occurs: the wcstombs_s function stores the value (size_t)(-1) into *retval. Otherwise, the wcstombs_s function stores into *retval the number of bytes in the resulting multibyte character sequence, not including the terminating null character (if any).

³⁶⁾ If conversion stops because a terminating null wide character has been reached, the bytes stored include those necessary to reach the initial shift state immediately before the null byte. However, if the conversion stops before a terminating null wide character has been reached, the result will be null terminated, but might not end in the initial shift state.

- All elements following the terminating null character (if any) written by wcstombs_s in the array of dstmax elements pointed to by dst take unspecified values when wcstombs_s returns.³⁷⁾
- 7 If copying takes place between objects that overlap, the objects take on unspecified values

Returns

8 The wcstombs_s function returns zero if no runtime-constraint violation and no encoding error occurred. Otherwise, a non-zero value is returned.

³⁷⁾ When **len** is not less than **dstmax**, the implementation might fill the array before discovering a runtime-constraint violation.

6.7 String handling <string.h>

- 1 The header **<string.h>** defines two types.
- 2 The types are

```
errno_t
```

which is type int; and

rsize_t

which is the type **size_t**.

6.7.1 Copying functions

6.7.1.1 The memcpy_s function

Synopsis

Runtime-constraints

- Neither **s1** nor **s2** shall be a null pointer. Neither **s1max** nor **n** shall be greater than **RSIZE_MAX**. **n** shall not be greater than **s1max**. Copying shall not take place between objects that overlap.
- If there is a runtime-constraint violation, the **memcpy_s** function stores zeros in the first **slmax** characters of the object pointed to by **sl** if **sl** is not a null pointer and **slmax** is not greater than **RSIZE_MAX**.

Description

4 The **memcpy_s** function copies **n** characters from the object pointed to by **s2** into the object pointed to by **s1**.

Returns

5 The **memcpy_s** function returns zero if there was no runtime-constraint violation. Otherwise, a non-zero value is returned.

6.7.1.2 The memmove s function

Synopsis

Runtime-constraints

- Neither **s1** nor **s2** shall be a null pointer. Neither **s1max** nor **n** shall be greater than **RSIZE_MAX**. **n** shall not be greater than **s1max**.
- If there is a runtime-constraint violation, the **memmove_s** function stores zeros in the first **slmax** characters of the object pointed to by **sl** if **sl** is not a null pointer and **slmax** is not greater than **RSIZE_MAX**.

Description

The **memmove_s** function copies **n** characters from the object pointed to by **s2** into the object pointed to by **s1**. This copying takes place as if the **n** characters from the object pointed to by **s2** are first copied into a temporary array of **n** characters that does not overlap the objects pointed to by **s1** or **s2**, and then the **n** characters from the temporary array are copied into the object pointed to by **s1**.

Returns

5 The **memmove_s** function returns zero if there was no runtime-constraint violation. Otherwise, a non-zero value is returned.

6.7.1.3 The strcpy_s function

Synopsis

40

Runtime-constraints

- Neither s1 nor s2 shall be a null pointer. s1max shall not be greater than RSIZE_MAX. s1max shall not equal zero. s1max shall be greater than strnlen_s(s2, s1max). Copying shall not take place between objects that overlap.
- If there is a runtime-constraint violation, then if **s1** is not a null pointer and **s1max** is greater than zero and not greater than **RSIZE_MAX**, then **strcpy_s** sets **s1[0]** to the

null character.

Description

- 4 The **strcpy_s** function copies the string pointed to by **s2** (including the terminating null character) into the array pointed to by **s1**.
- All elements following the terminating null character (if any) written by **strcpy_s** in the array of **slmax** characters pointed to by **sl** take unspecified values when **strcpy s** returns.³⁸⁾

Returns

The **strcpy_s** function returns zero³⁹⁾ if there was no runtime-constraint violation. Otherwise, a non-zero value is returned.

6.7.1.4 The strncpy_s function

Synopsis

Runtime-constraints

- Neither s1 nor s2 shall be a null pointer. Neither s1max nor n shall be greater than RSIZE_MAX. s1max shall not equal zero. If n is not less than s1max, then s1max shall be greater than strnlen_s(s2, s1max). Copying shall not take place between objects that overlap.
- If there is a runtime-constraint violation, then if **s1** is not a null pointer and **s1max** is greater than zero and not greater than **RSIZE_MAX**, then **strncpy_s** sets **s1[0]** to the null character.

³⁸⁾ This allows an implementation to copy characters from **s2** to **s1** while simultaneously checking if any of those characters are null. Such an approach might write a character to every element of **s1** before discovering that the first element should be set to the null character.

³⁹⁾ A zero return value implies that all of the requested characters from the string pointed to by **s2** fit within the array pointed to by **s1** and that the result in **s1** is null terminated.

Description

- The **strncpy_s** function copies not more than **n** successive characters (characters that follow a null character are not copied) from the array pointed to by **s2** to the array pointed to by **s1**. If no null character was copied from **s2**, then **s1[n]** is set to a null character.
- All elements following the terminating null character (if any) written by **strncpy_s** in the array of **slmax** characters pointed to by **sl** take unspecified values when **strncpy s** returns.⁴⁰⁾

Returns

- The **strncpy_s** function returns zero⁴¹⁾ if there was no runtime-constraint violation. Otherwise, a non-zero value is returned.
- 7 EXAMPLE 1 The **strncpy_s** function can be used to copy a string without the danger that the result will not be null terminated or that characters will be written past the end of the destination array.

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <string.h>
/* ... */
char src1[100] = "hello";
char src2[7] = {'g', 'o', 'o', 'd', 'b', 'y', 'e'};
char dst1[6], dst2[5], dst3[5];
int r1, r2, r3;
r1 = strncpy_s(dst1, 6, src1, 100);
r2 = strncpy_s(dst2, 5, src2, 7);
r3 = strncpy_s(dst3, 5, src2, 4);
```

The first call will assign to r1 the value zero and to dst1 the sequence hello\0.

The second call will assign to r2 a non-zero value and to dst2 the sequence \0.

The third call will assign to r3 the value zero and to dst3 the sequence good\0.

⁴⁰⁾ This allows an implementation to copy characters from **s2** to **s1** while simultaneously checking if any of those characters are null. Such an approach might write a character to every element of **s1** before discovering that the first element should be set to the null character.

⁴¹⁾ A zero return value implies that all of the requested characters from the string pointed to by **s2** fit within the array pointed to by **s1** and that the result in **s1** is null terminated.

6.7.2 Concatenation functions

6.7.2.1 The strcat s function

Synopsis

Runtime-constraints

- 2 Let *m* denote the value **slmax strnlen_s(sl, slmax)** upon entry to **strcat_s**.
- Neither **s1** nor **s2** shall be a null pointer. **s1max** shall not be greater than **RSIZE_MAX**. **s1max** shall not equal zero. *m* shall not equal zero. ⁴² *m* shall be greater than **strnlen_s(s2, m)**. Copying shall not take place between objects that overlap.
- 4 If there is a runtime-constraint violation, then if **s1** is not a null pointer and **s1max** is greater than zero and not greater than **RSIZE_MAX**, then **strcat_s** sets **s1[0]** to the null character.

Description

- The **strcat_s** function appends a copy of the string pointed to by **s2** (including the terminating null character) to the end of the string pointed to by **s1**. The initial character from **s2** overwrites the null character at the end of **s1**.
- All elements following the terminating null character (if any) written by **strcat_s** in the array of **slmax** characters pointed to by **sl** take unspecified values when **strcat_s** returns.⁴³⁾

Returns

7 The **strcat_s** function returns zero⁴⁴⁾ if there was no runtime-constraint violation. Otherwise, a non-zero value is returned.

⁴²⁾ Zero means that **s1** was not null terminated upon entry to **strcat_s**.

⁴³⁾ This allows an implementation to append characters from **s2** to **s1** while simultaneously checking if any of those characters are null. Such an approach might write a character to every element of **s1** before discovering that the first element should be set to the null character.

⁴⁴⁾ A zero return value implies that all of the requested characters from the string pointed to by **s2** were appended to the string pointed to by **s1** and that the result in **s1** is null terminated.

6.7.2.2 The strncat_s function

Synopsis

Runtime-constraints

- 2 Let *m* denote the value **slmax strnlen_s(sl, slmax)** upon entry to **strncat s**.
- Neither **s1** nor **s2** shall be a null pointer. Neither **s1max** nor **n** shall be greater than **RSIZE_MAX**. **s1max** shall not equal zero. *m* shall not equal zero. ⁴⁵⁾ If **n** is not less than *m*, then *m* shall be greater than **strnlen_s(s2, m)**. Copying shall not take place between objects that overlap.
- 4 If there is a runtime-constraint violation, then if **s1** is not a null pointer and **s1max** is greater than zero and not greater than **RSIZE_MAX**, then **strncat_s** sets **s1[0]** to the null character.

Description

- The **strncat_s** function appends not more than **n** successive characters (characters that follow a null character are not copied) from the array pointed to by **s2** to the end of the string pointed to by **s1**. The initial character from **s2** overwrites the null character at the end of **s1**. If no null character was copied from **s2**, then **s1[slmax-m+n]** is set to a null character.
- All elements following the terminating null character (if any) written by **strncat_s** in the array of **slmax** characters pointed to by **sl** take unspecified values when **strncat_s** returns.⁴⁶⁾

Returns

7 The **strncat_s** function returns zero⁴⁷⁾ if there was no runtime-constraint violation. Otherwise, a non-zero value is returned.

⁴⁵⁾ Zero means that **s1** was not null terminated upon entry to **strncat** s.

⁴⁶⁾ This allows an implementation to append characters from **s2** to **s1** while simultaneously checking if any of those characters are null. Such an approach might write a character to every element of **s1** before discovering that the first element should be set to the null character.

8 EXAMPLE 1 The **strncat_s** function can be used to copy a string without the danger that the result will not be null terminated or that characters will be written past the end of the destination array.

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <string.h>
/* ... */
char s1[100] = "good";
char s2[6] = "hello";
char s3[6] = "hello";
char s4[7] = "abc";
char s5[1000] = "bye";
int r1, r2, r3, r4;
r1 = strncat_s(s1, 100, s5, 1000);
r2 = strncat_s(s2, 6, "", 1);
r3 = strncat_s(s3, 6, "X", 2);
r4 = strncat s(s4, 7, "defghijklmn", 3);
```

After the first call **r1** will have the value zero and **s1** will contain the sequence **goodbye\0**. After the second call **r2** will have the value zero and **s2** will contain the sequence **hello\0**. After the third call **r3** will have a non-zero value and **s3** will contain the sequence **\0**. After the fourth call **r4** will have the value zero and **s4** will contain the sequence **abcdef\0**.

6.7.3 Search functions

6.7.3.1 The strtok_s function

Synopsis

Runtime-constraints

- None of slmax, s2, or ptr shall be a null pointer. If s1 is a null pointer, then *ptr shall not be a null pointer. The value of *slmax shall not be greater than RSIZE_MAX. The end of the token found shall occur within the first *slmax characters of s1 for the first call, and shall occur within the first *slmax characters of where searching resumes on subsequent calls.
- If there is a runtime-constraint violation, the **strtok_s** function does not indirect through the **s1** or **s2** pointers, and does not store a value in the object pointed to by **ptr**.

⁴⁷⁾ A zero return value implies that all of the requested characters from the string pointed to by **s2** were appended to the string pointed to by **s1** and that the result in **s1** is null terminated.

Description

- A sequence of calls to the **strtok_s** function breaks the string pointed to by **s1** into a sequence of tokens, each of which is delimited by a character from the string pointed to by **s2**. The fourth argument points to a caller-provided **char** pointer into which the **strtok_s** function stores information necessary for it to continue scanning the same string.
- The first call in a sequence has a non-null first argument and slmax points to an object whose value is the number of elements in the character array pointed to by the first argument. The first call stores an initial value in the object pointed to by ptr and updates the value pointed to by slmax to reflect the number of elements that remain in relation to ptr. Subsequent calls in the sequence have a null first argument and the objects pointed to by slmax and ptr are required to have the values stored by the previous call in the sequence, which are then updated. The separator string pointed to by sl may be different from call to call.
- The first call in the sequence searches the string pointed to by **s1** for the first character that is *not* contained in the current separator string pointed to by **s2**. If no such character is found, then there are no tokens in the string pointed to by **s1** and the **strtok_s** function returns a null pointer. If such a character is found, it is the start of the first token.
- The **strtok_s** function then searches from there for the first character in **s1** that *is* contained in the current separator string. If no such character is found, the current token extends to the end of the string pointed to by **s1**, and subsequent searches in the same string for a token return a null pointer. If such a character is found, it is overwritten by a null character, which terminates the current token.
- In all cases, the **strtok_s** function stores sufficient information in the pointer pointed to by **ptr** so that subsequent calls, with a null pointer for **s1** and the unmodified pointer value for **ptr**, shall start searching just past the element overwritten by a null character (if any).

Returns

- 9 The **strtok_s** function returns a pointer to the first character of a token, or a null pointer if there is no token or there is a runtime-constraint violation.
- 10 EXAMPLE

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <string.h>
static char str1[] = "?a???b,,,#c";
static char str2[] = "\t \t";
char *t, *ptr1, *ptr2;
rsize_t max1 = sizeof(str1);
rsize_t max2 = sizeof(str2);
```

6.7.4 Miscellaneous functions

6.7.4.1 The strerror_s function

Synopsis

Runtime-constraints

- 2 s shall not be a null pointer. maxsize shall not be greater than RSIZE_MAX. maxsize shall not equal zero.
- If there is a runtime-constraint violation, then the array (if any) pointed to by **s** is not modified.

Description

- 4 The **strerror_s** function maps the number in **errnum** to a locale-specific message string. Typically, the values for **errnum** come from **errno**, but **strerror_s** shall map any value of type **int** to a message.
- If the length of the desired string is less than **maxsize**, then the string is copied to the array pointed to by **s**.
- Otherwise, if maxsize is greater than zero, then maxsize-1 characters are copied from the string to the array pointed to by s and then s[maxsize-1] is set to the null character. Then, if maxsize is greater than 3, then s[maxsize-2], s[maxsize-3], and s[maxsize-4] are set to the character period (.).

Returns

7 The **strerror_s** function returns zero if the length of the desired string was less than **maxsize** and there was no runtime-constraint violation. Otherwise, the **strerror_s** function returns a non-zero value.

6.7.4.2 The strerrorlen_s function

Synopsis

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <string.h>
size_t strerrorlen_s(errno_t errnum);
```

Description

2 The **strerrorlen_s** function calculates the length of the (untruncated) locale-specific message string that the **strerror_s** function maps to **errnum**.

Returns

3 The **strerrorlen_s** function returns the number of characters (not including the null character) in the full message string.

6.7.4.3 The strnlen s function

Synopsis

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <string.h>
size_t strnlen_s(const char *s, size_t maxsize);
```

Description

2 The **strnlen_s** function computes the length of the string pointed to by **s**.

Returns

- 3 If **s** is a null pointer, ⁴⁸⁾ then the **strnlen_s** function returns zero.
- Otherwise, the **strnlen_s** function returns the number of characters that precede the terminating null character. If there is no null character in the first **maxsize** characters of **s** then **strnlen_s** returns **maxsize**. At most the first **maxsize** characters of **s** shall be accessed by **strnlen_s**.

⁴⁸⁾ Note that the **strnlen_s** function has no runtime-constraints. This lack of runtime-constraints along with the values returned for a null pointer or an unterminated string argument make **strnlen_s** useful in algorithms that gracefully handle such exceptional data.

6.8 Date and time <time.h>

- 1 The header <time.h> defines two types.
- 2 The types are

```
errno_t
which is type int; and
rsize_t
```

which is the type **size_t**.

6.8.1 Components of time

A broken-down time is *normalized* if the values of the members of the **tm** structure are in their normal rages.⁴⁹⁾

6.8.2 Time conversion functions

Like the **strftime** function, the **asctime_s** and **ctime_s** functions do not return a pointer to a static object, and other library functions are permitted to call them.

6.8.2.1 The asctime_s function

Synopsis

Runtime-constraints

- Neither s nor timeptr shall be a null pointer. maxsize shall not be less than 26 and shall not be greater than RSIZE_MAX. The broken-down time pointed to by timeptr shall be normalized. The calendar year represented by the broken-down time pointed to by timeptr shall not be less than calendar year 0 and shall not be greater than calendar year 9999.
- If there is a runtime-constraint violation, there is no attempt to convert the time, and s[0] is set to a null character if s is not a null pointer and maxsize is not zero and is not greater than RSIZE_MAX.

⁴⁹⁾ The normal ranges are defined in Subclause 7.23.1 of ISO/IEC 9899:1999.

Description

4 The **asctime_s** function converts the normalized broken-down time in the structure pointed to by **timeptr** into a 26 character (including the null character) string in the form

The fields making up this string are (in order):

- The name of the day of the week represented by timeptr->tm_wday using the following three character weekday names: Sun, Mon, Tue, Wed, Thu, Fri, and Sat.
- 2. The character space.
- The name of the month represented by timeptr->tm_mon using the following three character month names: Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov. and Dec.
- 4. The character space.
- The value of timeptr->tm_mday as if printed using the fprintf format "%2d".
- 6. The character space.
- 7. The value of timeptr->tm_hour as if printed using the fprintf format "%.2d".
- 8. The character colon.
- The value of timeptr->tm_min as if printed using the fprintf format "%.2d".
- 10. The character colon.
- 11. The value of timeptr->tm_sec as if printed using the fprintf format "%.2d".
- 12. The character space.
- 13. The value of timeptr->tm_year + 1900 as if printed using the fprintf format "%4d".
- 14. The character new line.
- 15. The null character.

Recommended practice

The **strftime** function allows more flexible formatting and supports locale-specific behavior. If you do not require the exact form of the result string produced by the **asctime_s** function, consider using the **strftime** function instead.

Returns

The **asctime_s** function returns zero if the time was successfully converted and stored into the array pointed to by **s**. Otherwise, it returns a non-zero value.

6.8.2.2 The ctime_s function

Synopsis

Runtime-constraints

- 2 Neither **s** nor **timer** shall be a null pointer. **maxsize** shall not be less than 26 and shall not be greater than **RSIZE_MAX**.
- If there is a runtime-constraint violation, **s[0]** is set to a null character if **s** is not a null pointer and **maxsize** is not equal zero and is not greater than **RSIZE_MAX**.

Description

4 The **ctime_s** function converts the calendar time pointed to by **timer** to local time in the form of a string. It is equivalent to

```
asctime_s(s, maxsize, localtime_s(timer))
```

Recommended practice

The **strftime** function allows more flexible formatting and supports locale-specific behavior. If you do not require the exact form of the result string produced by the **ctime_s** function, consider using the **strftime** function instead.

Returns

5 The **ctime_s** function returns zero if the time was successfully converted and stored into the array pointed to by **s**. Otherwise, it returns a non-zero value.

6.8.2.3 The gmtime_s function

Synopsis

Runtime-constraints

- 2 Neither timer nor result shall be a null pointer.
- 3 If there is a runtime-constraint violation, there is no attempt to convert the time.

Description

4 The gmtime_s function converts the calendar time pointed to by timer into a brokendown time, expressed as UTC. The broken-down time is stored in the structure pointed to by result.

Returns

5 The **gmtime_s** function returns **result**, or a null pointer if the specified time cannot be converted to UTC or there is a runtime-constraint violation.

6.8.2.4 The localtime s function

Synopsis

Runtime-constraints

- 2 Neither timer nor result shall be a null pointer.
- 3 If there is a runtime-constraint violation, there is no attempt to convert the time.

Description

4 The **localtime_s** function converts the calendar time pointed to by **timer** into a broken-down time, expressed as local time. The broken-down time is stored in the structure pointed to by **result**.

Returns

5 The **localtime_s** function returns **result**, or a null pointer if the specified time cannot be converted to local time or there is a runtime-constraint violation.

6.9 Extended multibyte and wide character utilities <wchar.h>

- 1 The header **<wchar.h>** defines two types.
- 2 The types are

```
errno_t
which is type int; and
rsize_t
```

which is the type **size_t**.

3 Unless explicitly stated otherwise, if the execution of a function described in this subclause causes copying to take place between objects that overlap, the objects take on unspecified values.

6.9.1 Formatted wide character input/output functions

6.9.1.1 The fwprintf_s function

Synopsis

Runtime-constraints

- Neither stream nor format shall be a null pointer. The %n specifier⁵⁰⁾ (modified or not by flags, field width, or precision) shall not appear in the wide string pointed to by format. Any argument to fwprintf_s corresponding to a %s specifier shall not be a null pointer.
- If there is a runtime-constraint violation, the **fwprintf_s** function does not attempt to produce further output, and it is unspecified to what extent **fwprintf_s** produced output before discovering the runtime-constraint violation.

Description

4 The **fwprintf_s** function is equivalent to the **fwprintf** function except for the explicit runtime-constraints listed above.

⁵⁰⁾ It is not a runtime-constraint violation for the wide characters %n to appear in sequence in the wide string pointed at by format when those wide characters are not a interpreted as a %n specifier. For example, if the entire format string was L"%%n".

Returns

5 The **fwprintf_s** function returns the number of wide characters transmitted, or a negative value if an output error, encoding error, or runtime-constraint violation occurred.

6.9.1.2 The fwscanf_s function

Synopsis

Runtime-constraints

- 2 Neither **stream** nor **format** shall be a null pointer. Any argument indirected though in order to store converted input shall not be a null pointer.
- If there is a runtime-constraint violation, the **fwscanf_s** function does not attempt to perform further input, and it is unspecified to what extent **fwscanf_s** performed input before discovering the runtime-constraint violation.

Description

- The **fwscanf_s** function is equivalent to **fwscanf** except that the **c**, **s**, and **[** conversion specifiers apply to a pair of arguments (unless assignment suppression is indicated by a *). The first of these arguments is the same as for **fwscanf**. That argument is immediately followed in the argument list by the second argument, which has type **size_t** and gives the number of elements in the array pointed to by the first argument of the pair. If the first argument points to a scalar object, it is considered to be an array of one element.⁵¹⁾
- A matching failure occurs if the number of elements in a receiving object is insufficient to hold the converted input (including any trailing null character).

⁵¹⁾ If the format is known at translation time, an implementation may issue a diagnostic for any argument used to store the result from a c, s, or [conversion specifier if that argument is not followed by an argument of a type compatible with rsize_t. A limited amount of checking may be done if even if the format is not known at translation time. For example, an implementation may issue a diagnostic for each argument after format that has of type pointer to one of char, signed char, unsigned char, or void that is not followed by an argument of a type compatible with rsize_t. The diagnostic could warn that unless the pointer is being used with a conversion specifier using the hh length modifier, a length argument must follow the pointer argument. Another useful diagnostic could flag any non-pointer argument following format that did not have a type compatible with rsize t.

Returns

The **fwscanf_s** function returns the value of the macro **EOF** if an input failure occurs before any conversion or if there is a runtime-constraint violation. Otherwise, the **fwscanf_s** function returns the number of input items assigned, which can be fewer than provided for, or even zero, in the event of an early matching failure.

6.9.1.3 The snwprintf_s function

Synopsis

Runtime-constraints

- Neither s nor format shall be a null pointer. n shall neither equal zero nor be greater than RSIZE_MAX. The %n specifier⁵²⁾ (modified or not by flags, field width, or precision) shall not appear in the wide string pointed to by format. Any argument to snwprintf_s corresponding to a %s specifier shall not be a null pointer. No encoding error shall occur.
- If there is a runtime-constraint violation, then if **s** is not a null pointer and **n** is greater than zero and less than **RSIZE_MAX**, then the **snwprintf_s** function sets **s[0]** to the null wide character.

Description

- 4 The **snwprintf_s** function is equivalent to the **swprintf** function except for the explicit runtime-constraints listed above.
- 5 The **snwprintf_s** function, unlike **swprintf_s**, will truncate the result to fit within the array pointed to by **s**.

Returns

The **snwprintf_s** function returns the number of wide characters that would have been written had **n** been sufficiently large, not counting the terminating wide null character, or a negative value if a runtime-constraint violation occurred. Thus, the null-terminated output has been completely written if and only if the returned value is

⁵²⁾ It is not a runtime-constraint violation for the wide characters %n to appear in sequence in the wide string pointed at by format when those wide characters are not a interpreted as a %n specifier. For example, if the entire format string was L"%%n".

nonnegative and less than n.

6.9.1.4 The swprintf_s function

Synopsis

Runtime-constraints

- Neither s nor format shall be a null pointer. n shall neither equal zero nor be greater than RSIZE_MAX. The number of wide characters (including the trailing null) required for the result to be written to the array pointed to by s shall not be greater than n. The %n specifier⁵³⁾ (modified or not by flags, field width, or precision) shall not appear in the wide string pointed to by format. Any argument to swprintf_s corresponding to a %s specifier shall not be a null pointer. No encoding error shall occur.
- If there is a runtime-constraint violation, then if **s** is not a null pointer and **n** is greater than zero and less than **RSIZE_MAX**, then the **swprintf_s** function sets **s[0]** to the null wide character.

Description

- 4 The **swprintf_s** function is equivalent to the **swprintf** function except for the explicit runtime-constraints listed above.
- 5 The **swprintf_s** function, unlike **snwprintf_s**, treats a result too big for the array pointed to by **s** as a runtime-constraint violation.

Returns

If no runtime-constraint violation occurred, the **swprintf_s** function returns the number of wide characters written in the array, not counting the terminating null wide character. If an encoding error occurred or if **n** or more wide characters are requested to be written, **swprintf_s** returns a negative value. If any other runtime-constraint violation occurred, **swprintf_s** returns zero.

⁵³⁾ It is not a runtime-constraint violation for the wide characters %n to appear in sequence in the wide string pointed at by format when those wide characters are not a interpreted as a %n specifier. For example, if the entire format string was L"%%n".

6.9.1.5 The swscanf_s function

Synopsis

Runtime-constraints

- 2 Neither **s** nor **format** shall be a null pointer. Any argument indirected though in order to store converted input shall not be a null pointer.
- If there is a runtime-constraint violation, the **swscanf_s** function does not attempt to perform further input, and it is unspecified to what extent **swscanf_s** performed input before discovering the runtime-constraint violation.

Description

The **swscanf_s** function is equivalent to **fwscanf_s**, except that the argument **s** specifies a wide string from which the input is to be obtained, rather than from a stream. Reaching the end of the wide string is equivalent to encountering end-of-file for the **fwscanf_s** function.

Returns

The **swscanf_s** function returns the value of the macro **EOF** if an input failure occurs before any conversion or if there is a runtime-constraint violation. Otherwise, the **swscanf_s** function returns the number of input items assigned, which can be fewer than provided for, or even zero, in the event of an early matching failure.

6.9.1.6 The vfwprintf_s function

Synopsis

Runtime-constraints

2 Neither **stream** nor **format** shall be a null pointer. The **%n** specifier⁵⁴⁾ (modified or not by flags, field width, or precision) shall not appear in the wide string pointed to by

format. Any argument to **vfwprintf_s** corresponding to a **%s** specifier shall not be a null pointer.

If there is a runtime-constraint violation, the **vfwprintf_s** function does not attempt to produce further output, and it is unspecified to what extent **vfwprintf_s** produced output before discovering the runtime-constraint violation.

Description

4 The **vfwprintf_s** function is equivalent to the **vfwprintf** function except for the explicit runtime-constraints listed above.

Returns

5 The **vfwprintf_s** function returns the number of wide characters transmitted, or a negative value if an output error, encoding error, or runtime-constraint violation occurred.

6.9.1.7 The vfwscanf_s function

Synopsis

Runtime-constraints

- 2 Neither **stream** nor **format** shall be a null pointer. Any argument indirected though in order to store converted input shall not be a null pointer.
- If there is a runtime-constraint violation, the **vfwscanf_s** function does not attempt to perform further input, and it is unspecified to what extent **vfwscanf_s** performed input before discovering the runtime-constraint violation.

Description

The **vfwscanf_s** function is equivalent to **fwscanf_s**, with the variable argument list replaced by **arg**, which shall have been initialized by the **va_start** macro (and possibly subsequent **va_arg** calls). The **vfwscanf_s** function does not invoke the **va** end macro. (55)

⁵⁴⁾ It is not a runtime-constraint violation for the wide characters %n to appear in sequence in the wide string pointed at by format when those wide characters are not a interpreted as a %n specifier. For example, if the entire format string was L"%%n".

Returns

The **vfwscanf_s** function returns the value of the macro **EOF** if an input failure occurs before any conversion or if there is a runtime-constraint violation. Otherwise, the **vfwscanf_s** function returns the number of input items assigned, which can be fewer than provided for, or even zero, in the event of an early matching failure.

6.9.1.8 The vsnwprintf_s function

Synopsis

Runtime-constraints

- Neither s nor format shall be a null pointer. n shall neither equal zero nor be greater than RSIZE_MAX. The %n specifier⁵⁶⁾ (modified or not by flags, field width, or precision) shall not appear in the wide string pointed to by format. Any argument to vsnwprintf_s corresponding to a %s specifier shall not be a null pointer. No encoding error shall occur.
- If there is a runtime-constraint violation, then if **s** is not a null pointer and **n** is greater than zero and less than **RSIZE_MAX**, then the **vsnwprintf_s** function sets **s[0]** to the null wide character.

Description

- 4 The **vsnwprintf_s** function is equivalent to the **vswprintf** function except for the explicit runtime-constraints listed above.
- 5 The **vsnwprintf_s** function, unlike **vswprintf_s**, will truncate the result to fit within the array pointed to by **s**.

⁵⁵⁾ As the functions **vfwscanf_s**, **vwscanf_s**, and **vswscanf_s** invoke the **va_arg** macro, the value of **arg** after the return is indeterminate.

⁵⁶⁾ It is not a runtime-constraint violation for the wide characters %n to appear in sequence in the wide string pointed at by format when those wide characters are not a interpreted as a %n specifier. For example, if the entire format string was L"%%n".

Returns

The **vsnwprintf_s** function returns the number of wide characters that would have been written had **n** been sufficiently large, not counting the terminating null character, or a negative value if a runtime-constraint violation occurred. Thus, the null-terminated output has been completely written if and only if the returned value is nonnegative and less than **n**.

6.9.1.9 The vswprintf_s function

Synopsis

Runtime-constraints

- Neither s nor format shall be a null pointer. n shall neither equal zero nor be greater than RSIZE_MAX. The number of wide characters (including the trailing null) required for the result to be written to the array pointed to by s shall not be greater than n. The %n specifier⁵⁷⁾ (modified or not by flags, field width, or precision) shall not appear in the wide string pointed to by format. Any argument to vswprintf_s corresponding to a %s specifier shall not be a null pointer. No encoding error shall occur.
- If there is a runtime-constraint violation, then if **s** is not a null pointer and **n** is greater than zero and less than **RSIZE_MAX**, then the **vswprintf_s** function sets **s[0]** to the null wide character.

Description

- 4 The **vswprintf_s** function is equivalent to the **vswprintf** function except for the explicit runtime-constraints listed above.
- 5 The **vswprintf_s** function, unlike **vsnwprintf_s**, treats a result too big for the array pointed to by **s** as a runtime-constraint violation.

⁵⁷⁾ It is not a runtime-constraint violation for the wide characters %n to appear in sequence in the wide string pointed at by format when those wide characters are not a interpreted as a %n specifier. For example, if the entire format string was L"%%n".

Returns

If no runtime-constraint violation occurred, the **vswprintf_s** function returns the number of wide characters written in the array, not counting the terminating null wide character. If an encoding error occurred or if **n** or more wide characters are requested to be written, **vswprintf_s** returns a negative value. If any other runtime-constraint violation occurred, **vswprintf_s** returns zero.

6.9.1.10 The vswscanf_s function

Synopsis

Runtime-constraints

- 2 Neither **s** nor **format** shall be a null pointer. Any argument indirected though in order to store converted input shall not be a null pointer.
- If there is a runtime-constraint violation, the **vswscanf_s** function does not attempt to perform further input, and it is unspecified to what extent **vswscanf_s** performed input before discovering the runtime-constraint violation.

Description

The vswscanf_s function is equivalent to swscanf_s, with the variable argument list replaced by arg, which shall have been initialized by the va_start macro (and possibly subsequent va_arg calls). The vswscanf_s function does not invoke the va_end macro.⁵⁸⁾

Returns

The **vswscanf_s** function returns the value of the macro **EOF** if an input failure occurs before any conversion or if there is a runtime-constraint violation. Otherwise, the **vswscanf_s** function returns the number of input items assigned, which can be fewer than provided for, or even zero, in the event of an early matching failure.

⁵⁸⁾ As the functions **vfwscanf_s**, **vwscanf_s**, and **vswscanf_s** invoke the **va_arg** macro, the value of **arg** after the return is indeterminate.

6.9.1.11 The vwprintf_s function

Synopsis

Runtime-constraints

- 2 **format** shall not be a null pointer. The **%n** specifier⁵⁹⁾ (modified or not by flags, field width, or precision) shall not appear in the wide string pointed to by **format**. Any argument to **vwprintf_s** corresponding to a **%s** specifier shall not be a null pointer.
- 3 If there is a runtime-constraint violation, the **vwprintf_s** function does not attempt to produce further output, and it is unspecified to what extent **vwprintf_s** produced output before discovering the runtime-constraint violation.

Description

4 The **vwprintf_s** function is equivalent to the **vwprintf** function except for the explicit runtime-constraints listed above.

Returns

5 The **vwprintf_s** function returns the number of wide characters transmitted, or a negative value if an output error, encoding error, or runtime-constraint violation occurred.

6.9.1.12 The vwscanf s function

Synopsis

Runtime-constraints

2 **format** shall not be a null pointer. Any argument indirected though in order to store converted input shall not be a null pointer.

⁵⁹⁾ It is not a runtime-constraint violation for the wide characters %n to appear in sequence in the wide string pointed at by format when those wide characters are not a interpreted as a %n specifier. For example, if the entire format string was L"%%n".

If there is a runtime-constraint violation, the **vwscanf_s** function does not attempt to perform further input, and it is unspecified to what extent **vwscanf_s** performed input before discovering the runtime-constraint violation.

Description

The **vwscanf_s** function is equivalent to **wscanf_s**, with the variable argument list replaced by **arg**, which shall have been initialized by the **va_start** macro (and possibly subsequent **va_arg** calls). The **vwscanf_s** function does not invoke the **va_end** macro.⁶⁰⁾

Returns

The **vwscanf_s** function returns the value of the macro **EOF** if an input failure occurs before any conversion or if there is a runtime-constraint violation. Otherwise, the **vwscanf_s** function returns the number of input items assigned, which can be fewer than provided for, or even zero, in the event of an early matching failure.

6.9.1.13 The wprintf_s function

Synopsis

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <wchar.h>
int wprintf_s(const wchar_t * restrict format, ...);
```

Runtime-constraints

- 2 **format** shall not be a null pointer. The **%n** specifier⁶¹⁾ (modified or not by flags, field width, or precision) shall not appear in the wide string pointed to by **format**. Any argument to **wprintf_s** corresponding to a **%s** specifier shall not be a null pointer.
- If there is a runtime-constraint violation, the **wprintf_s** function does not attempt to produce further output, and it is unspecified to what extent **wprintf_s** produced output before discovering the runtime-constraint violation.

Description

4 The **wprintf_s** function is equivalent to the **wprintf** function except for the explicit runtime-constraints listed above.

⁶⁰⁾ As the functions **vfwscanf_s**, **vwscanf_s**, and **vswscanf_s** invoke the **va_arg** macro, the value of **arg** after the return is indeterminate.

⁶¹⁾ It is not a runtime-constraint violation for the wide characters %n to appear in sequence in the wide string pointed at by format when those wide characters are not a interpreted as a %n specifier. For example, if the entire format string was L"%%n".

Returns

5 The **wprintf_s** function returns the number of wide characters transmitted, or a negative value if an output error, encoding error, or runtime-constraint violation occurred.

6.9.1.14 The wscanf_s function

Synopsis

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <wchar.h>
int wscanf_s(const wchar_t * restrict format, ...);
```

Runtime-constraints

- 2 **format** shall not be a null pointer. Any argument indirected though in order to store converted input shall not be a null pointer.
- If there is a runtime-constraint violation, the **wscanf_s** function does not attempt to perform further input, and it is unspecified to what extent **wscanf_s** performed input before discovering the runtime-constraint violation.

Description

4 The wscanf_s function is equivalent to fwscanf_s with the argument stdin interposed before the arguments to wscanf_s.

Returns

The wscanf_s function returns the value of the macro EOF if an input failure occurs before any conversion or if there is a runtime-constraint violation. Otherwise, the wscanf_s function returns the number of input items assigned, which can be fewer than provided for, or even zero, in the event of an early matching failure.

6.9.2 General wide string utilities

6.9.2.1 Wide string copying functions

6.9.2.1.1 The wcscpy_s function

Synopsis

Runtime-constraints

- Neither s1 nor s2 shall be a null pointer. s1max shall not be greater than RSIZE_MAX. s1max shall not equal zero. s1max shall be greater than wcsnlen_s(s2, s1max). Copying shall not take place between objects that overlap.
- If there is a runtime-constraint violation, then if **s1** is not a null pointer and **s1max** is greater than zero and not greater than **RSIZE_MAX**, then **wcscpy_s** sets **s1[0]** to the null wide character.

Description

- 4 The wcscpy_s function copies the wide string pointed to by s2 (including the terminating null wide character) into the array pointed to by s1.
- All elements following the terminating null wide character (if any) written by wcscpy_s in the array of slmax wide characters pointed to by sl take unspecified values when wcscpy_s returns. 62)

Returns

6 The wcscpy_s function returns zero⁶³⁾ if there was no runtime-constraint violation. Otherwise, a non-zero value is returned.

6.9.2.1.2 The wcsncpy_s function

Synopsis

Runtime-constraints

Neither s1 nor s2 shall be a null pointer. Neither s1max nor n shall be greater than RSIZE_MAX. s1max shall not equal zero. If n is not less than s1max, then s1max shall be greater than wcsnlen_s(s2, s1max). Copying shall not take place between objects that overlap.

⁶²⁾ This allows an implementation to copy wide characters from **s2** to **s1** while simultaneously checking if any of those wide characters are null. Such an approach might write a wide character to every element of **s1** before discovering that the first element should be set to the null wide character.

⁶³⁾ A zero return value implies that all of the requested wide characters from the string pointed to by **s2** fit within the array pointed to by **s1** and that the result in **s1** is null terminated.

If there is a runtime-constraint violation, then if **s1** is not a null pointer and **s1max** is greater than zero and not greater than **RSIZE_MAX**, then **wcsncpy_s** sets **s1[0]** to the null wide character.

Description

- The wcsncpy_s function copies not more than n successive wide characters (wide characters that follow a null wide character are not copied) from the array pointed to by s2 to the array pointed to by s1. If no null wide character was copied from s2, then s1[n] is set to a null wide character.
- 5 All elements following the terminating null wide character (if any) written by wcsncpy_s in the array of slmax wide characters pointed to by sl take unspecified values when wcsncpy_s returns.⁶⁴⁾

Returns

- The **wcsncpy_s** function returns zero⁶⁵⁾ if there was no runtime-constraint violation. Otherwise, a non-zero value is returned.
- 7 EXAMPLE 1 The **wcsncpy_s** function can be used to copy a wide string without the danger that the result will not be null terminated or that wide characters will be written past the end of the destination array.

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <wchar.h>
/* ... */
wchar_t src1[100] = L"hello";
wchar_t src2[7] = {L'g', L'o', L'o', L'd', L'b', L'y', L'e'};
wchar_t dst1[6], dst2[5], dst3[5];
int r1, r2, r3;
r1 = wcsncpy_s(dst1, 6, src1, 100);
r2 = wcsncpy_s(dst2, 5, src2, 7);
r3 = wcsncpy_s(dst3, 5, src2, 4);
```

The first call will assign to **r1** the value zero and to **dst1** the sequence of wide characters **hello\0**. The second call will assign to **r2** a non-zero value and to **dst2** the sequence of wide characters **\0**. The third call will assign to **r3** the value zero and to **dst3** the sequence of wide characters **good\0**.

⁶⁴⁾ This allows an implementation to copy wide characters from **s2** to **s1** while simultaneously checking if any of those wide characters are null. Such an approach might write a wide character to every element of **s1** before discovering that the first element should be set to the null wide character.

⁶⁵⁾ A zero return value implies that all of the requested wide characters from the string pointed to by **s2** fit within the array pointed to by **s1** and that the result in **s1** is null terminated.

6.9.2.1.3 The wmemcpy_s function

Synopsis

Runtime-constraints

- Neither **s1** nor **s2** shall be a null pointer. Neither **s1max** nor **n** shall be greater than **RSIZE_MAX**. **n** shall not be greater than **s1max**. Copying shall not take place between objects that overlap.
- If there is a runtime-constraint violation, the **wmemcpy_s** function stores zeros in the first **slmax** wide characters of the object pointed to by **sl** if **sl** is not a null pointer and **slmax** is not greater than **RSIZE_MAX**.

Description

4 The wmemcpy_s function copies n successive wide characters from the object pointed to by s2 into the object pointed to by s1.

Returns

5 The wmemcpy_s function returns zero if there was no runtime-constraint violation. Otherwise, a non-zero value is returned.

6.9.2.1.4 The wmemmove_s function

Synopsis

Runtime-constraints

- Neither s1 nor s2 shall be a null pointer. Neither s1max nor n shall be greater than RSIZE MAX. n shall not be greater than s1max.
- If there is a runtime-constraint violation, the **wmemmove_s** function stores zeros in the first **slmax** wide characters of the object pointed to by **sl** if **sl** is not a null pointer and **slmax** is not greater than **RSIZE_MAX**.

Description

The wmemmove_s function copies n successive wide characters from the object pointed to by s2 into the object pointed to by s1. This copying takes place as if the n wide characters from the object pointed to by s2 are first copied into a temporary array of n wide characters that does not overlap the objects pointed to by s1 or s2, and then the n wide characters from the temporary array are copied into the object pointed to by s1.

Returns

5 The **wmemmove_s** function returns zero if there was no runtime-constraint violation. Otherwise, a non-zero value is returned.

6.9.2.2 Wide string concatenation functions

6.9.2.2.1 The wcscat_s function

Synopsis

Runtime-constraints

- 2 Let m denote the value slmax wcsnlen_s(s1, slmax) upon entry to wcscat_s.
- Neither **s1** nor **s2** shall be a null pointer. **s1max** shall not be greater than **RSIZE_MAX**. **s1max** shall not equal zero. m shall not equal zero. 66 m shall be greater than **wcsnlen_s(s2,** m). Copying shall not take place between objects that overlap.
- If there is a runtime-constraint violation, then if **s1** is not a null pointer and **s1max** is greater than zero and not greater than **RSIZE_MAX**, then **wcscat_s** sets **s1[0]** to the null wide character.

Description

- 5 The wcscat_s function appends a copy of the wide string pointed to by s2 (including the terminating null wide character) to the end of the wide string pointed to by s1. The initial wide character from s2 overwrites the null wide character at the end of s1.
- All elements following the terminating null wide character (if any) written by wcscat_s in the array of slmax wide characters pointed to by sl take unspecified

⁶⁶⁾ Zero means that **s1** was not null terminated upon entry to **wcscat_s**.

values when wcscat_s returns.⁶⁷⁾

Returns

7 The wcscat_s function returns zero⁶⁸⁾ if there was no runtime-constraint violation. Otherwise, a non-zero value is returned.

6.9.2.2.2 The wcsncat_s function

Synopsis

Runtime-constraints

- 2 Let *m* denote the value **slmax wcsnlen_s(sl, slmax)** upon entry to **wcsncat_s**.
- Neither **s1** nor **s2** shall be a null pointer. Neither **s1max** nor **n** shall be greater than **RSIZE_MAX**. **s1max** shall not equal zero. *m* shall not equal zero. ⁶⁹ If **n** is not less than *m*, then *m* shall be greater than **wcsnlen_s(s2, m)**. Copying shall not take place between objects that overlap.
- If there is a runtime-constraint violation, then if **s1** is not a null pointer and **s1max** is greater than zero and not greater than **RSIZE_MAX**, then **wcsncat_s** sets **s1[0]** to the null wide character.

Description

The wcsncat_s function appends not more than n successive wide characters (wide characters that follow a null wide character are not copied) from the array pointed to by s2 to the end of the wide string pointed to by s1. The initial wide character from s2 overwrites the null wide character at the end of s1. If no null wide character was copied from s2, then s1[slmax-m+n] is set to a null wide character.

⁶⁷⁾ This allows an implementation to append wide characters from **s2** to **s1** while simultaneously checking if any of those wide characters are null. Such an approach might write a wide character to every element of **s1** before discovering that the first element should be set to the null wide character.

⁶⁸⁾ A zero return value implies that all of the requested wide characters from the wide string pointed to by **s2** were appended to the wide string pointed to by **s1** and that the result in **s1** is null terminated.

⁶⁹⁾ Zero means that **s1** was not null terminated upon entry to **wcsncat_s**.

All elements following the terminating null wide character (if any) written by wcsncat_s in the array of slmax wide characters pointed to by sl take unspecified values when wcsncat s returns.⁷⁰⁾

Returns

- 7 The **wcsncat_s** function returns zero⁷¹⁾ if there was no runtime-constraint violation. Otherwise, a non-zero value is returned.
- 8 EXAMPLE 1 The wcsncat_s function can be used to copy a wide string without the danger that the result will not be null terminated or that wide characters will be written past the end of the destination array.

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <wchar.h>
/* ... */
wchar_t s1[100] = L"good";
wchar_t s2[6] = L"hello";
wchar_t s3[6] = L"hello";
wchar_t s4[7] = L"abc";
wchar_t s5[1000] = L"bye";
int r1, r2, r3, r4;
r1 = wcsncat_s(s1, 100, s5, 1000);
r2 = wcsncat_s(s2, 6, L"", 1);
r3 = wcsncat_s(s3, 6, L"X", 2);
r4 = wcsncat_s(s4, 7, L"defghijklmn", 3);
```

After the first call **r1** will have the value zero and **s1** will be the wide character sequence **goodbye\0**. After the second call **r2** will have the value zero and **s2** will be the wide character sequence **hello\0**. After the third call **r3** will have a non-zero value and **s3** will be the wide character sequence **\0**. After the fourth call **r4** will have the value zero and **s4** will be the wide character sequence **abcdef\0**.

⁷⁰⁾ This allows an implementation to append wide characters from **s2** to **s1** while simultaneously checking if any of those wide characters are null. Such an approach might write a wide character to every element of **s1** before discovering that the first element should be set to the null wide character.

⁷¹⁾ A zero return value implies that all of the requested wide characters from the wide string pointed to by **s2** were appended to the wide string pointed to by **s1** and that the result in **s1** is null terminated.

6.9.2.3 Wide string search functions

6.9.2.3.1 The westok s function

Synopsis

Runtime-constraints

- None of slmax, s2, or ptr shall be a null pointer. If s1 is a null pointer, then *ptr shall not be a null pointer. The value of *slmax shall not be greater than RSIZE_MAX. The end of the token found shall occur within the first *slmax wide characters of s1 for the first call, and shall occur within the first *slmax wide characters of where searching resumes on subsequent calls.
- If there is a runtime-constraint violation, the wcstok_s function does not indirect through the s1 or s2 pointers, and does not store a value in the object pointed to by ptr.

Description

- A sequence of calls to the wcstok_s function breaks the wide string pointed to by s1 into a sequence of tokens, each of which is delimited by a wide character from the wide string pointed to by s2. The fourth argument points to a caller-provided wchar_t pointer into which the wcstok_s function stores information necessary for it to continue scanning the same wide string.
- The first call in a sequence has a non-null first argument and slmax points to an object whose value is the number of elements in the wide character array pointed to by the first argument. The first call stores an initial value in the object pointed to by ptr and updates the value pointed to by slmax to reflect the number of elements that remain in relation to ptr. Subsequent calls in the sequence have a null first argument and the objects pointed to by slmax and ptr are required to have the values stored by the previous call in the sequence, which are then updated. The separator wide string pointed to by s2 may be different from call to call.
- The first call in the sequence searches the wide string pointed to by **s1** for the first wide character that is *not* contained in the current separator wide string pointed to by **s2**. If no such wide character is found, then there are no tokens in the wide string pointed to by **s1** and the **wcstok_s** function returns a null pointer. If such a wide character is found, it is the start of the first token.

- The wcstok_s function then searches from there for the first wide character in s1 that is contained in the current separator wide string. If no such wide character is found, the current token extends to the end of the wide string pointed to by s1, and subsequent searches in the same wide string for a token return a null pointer. If such a wide character is found, it is overwritten by a null wide character, which terminates the current token.
- In all cases, the **wcstok_s** function stores sufficient information in the pointer pointed to by **ptr** so that subsequent calls, with a null pointer for **s1** and the unmodified pointer value for **ptr**, shall start searching just past the element overwritten by a null wide character (if any).

Returns

- 9 The **wcstok_s** function returns a pointer to the first wide character of a token, or a null pointer if there is no token or there is a runtime-constraint violation.
- 10 EXAMPLE

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <wchar.h>
static wchar_t str1[] = L"?a???b,,,#c";
static wchar_t str2[] = L"\t \t";
wchar_t *t, *ptr1, *ptr2;
rsize t max1 = wcslen(str1)+1;
rsize_t max2 = wcslen(str2)+1;
t = wcstok_s(str1, &max1, "?", &ptr1);
                                            // t points to the token "a"
t = wcstok_s(NULL, &max1, ",", &ptr1);
                                         // t points to the token "??b"
t = wcstok_s(str2, &max2, " \t", &ptr2); // t is a null pointer
t = wcstok_s(NULL, &max1, "#,", &ptr1);
                                            // t points to the token "c"
t = wcstok_s(NULL, &max1, "?", &ptr1);
                                            // t is a null pointer
```

6.9.2.4 Miscellaneous functions

6.9.2.4.1 The wcsnlen_s function

Synopsis

```
#define __STDC_WANT_LIB_EXT1__ 1
#include <wchar.h>
size_t wcsnlen_s(const wchar_t *s, size_t maxsize);
```

Description

The wcsnlen s function computes the length of the wide string pointed to by s.

Returns

- 3 If **s** is a null pointer, ⁷²⁾ then the **wcsnlen_s** function returns zero.
- Otherwise, the wcsnlen_s function returns the number of wide characters that precede the terminating null wide character. If there is no null wide character in the first maxsize wide characters of s then wcsnlen_s returns maxsize. At most the first maxsize wide characters of s shall be accessed by wcsnlen_s.

6.9.3 Extended multibyte/wide character conversion utilities

6.9.3.1 Restartable multibyte/wide character conversion functions

1 Unlike wcrtomb, wcrtoms_s does not permit the ps parameter (the pointer to the conversion state) to be a null pointer.

6.9.3.1.1 The wortomb_s function

Synopsis

Runtime-constraints

- Neither **retval** nor **ps** shall be a null pointer. If **s** is not a null pointer, then **smax** shall not equal zero and shall not be greater than **RSIZE_MAX**. If **s** is not a null pointer, then **smax** shall be not be less than the number of bytes to be stored in the array pointed to by **s**. If **s** is a null pointer, then **smax** shall equal zero.
- If there is a runtime-constraint violation, then wcrtomb_s does the following. If s is not a null pointer and smax is greater than zero and not greater than RSIZE_MAX, then wcrtomb_s sets s[0] to the null character. If retval is not a null pointer, then wcrtomb_s sets *retval to (size_t)(-1).

Description

4 If **s** is a null pointer, the **wcrtomb_s** function is equivalent to the call

```
wcrtomb_s(&retval, buf, sizeof buf, L'\0', ps)
```

where **retval** and **buf** are internal variables of the appropriate types, and the size of **buf** is greater than **MB_CUR_MAX**.

⁷²⁾ Note that the **wcsnlen_s** function has no runtime-constraints. This lack of runtime-constraints along with the values returned for a null pointer or an unterminated wide string argument make **wcsnlen_s** useful in algorithms that gracefully handle such exceptional data.

- If s is not a null pointer, the wcrtomb_s function determines the number of bytes needed to represent the multibyte character that corresponds to the wide character given by wc (including any shift sequences), and stores the multibyte character representation in the array whose first element is pointed to by s. At most MB_CUR_MAX bytes are stored. If wc is a null wide character, a null byte is stored, preceded by any shift sequence needed to restore the initial shift state; the resulting state described is the initial conversion state.
- If wc does not correspond to a valid multibyte character, an encoding error occurs: the wcrtomb_s function stores the value (size_t)(-1) into *retval and the conversion state is unspecified. Otherwise, the wcrtomb_s function stores into *retval the number of bytes (including any shift sequences) stored in the array pointed to by s.

Returns

7 The wcrtomb_s function returns zero if no runtime-constraint violation and no encoding error occurred. Otherwise, a non-zero value is returned.

6.9.3.2 Restartable multibyte/wide string conversion functions

Unlike mbsrtowcs and wcsrtombs, mbsrtowcs_s and wcsrtombs_s do not permit the ps parameter (the pointer to the conversion state) to be a null pointer.

6.9.3.2.1 The mbsrtowcs_s function

Synopsis

Runtime-constraints

- None of retval, src, *src, or ps shall be null pointers. If dst is not a null pointer, then neither len nor dstmax shall be greater than RSIZE_MAX. If dst is a null pointer, then dstmax shall equal zero. If dst is not a null pointer, then dstmax shall not equal zero. If dst is not a null pointer and len is not less than dstmax, then a null character shall occur within the first dstmax multibyte characters of the array pointed to by *src.
- If there is a runtime-constraint violation, then mbsrtowcs_s does the following. If retval is not a null pointer, then mbsrtowcs_s sets *retval to (size_t)(-1). If dst is not a null pointer and dstmax is greater than zero and less than RSIZE_MAX,

then mbsrtowcs_s sets dst[0] to the null wide character.

Description

- The mbsrtowcs_s function converts a sequence of multibyte characters that begins in the conversion state described by the object pointed to by ps, from the array indirectly pointed to by src into a sequence of corresponding wide characters. If dst is not a null pointer, the converted characters are stored into the array pointed to by dst. Conversion continues up to and including a terminating null character, which is also stored. Conversion stops earlier in two cases: when a sequence of bytes is encountered that does not form a valid multibyte character, or (if dst is not a null pointer) when len wide characters have been stored into the array pointed to by dst. If dst is not a null pointer and no null wide character was stored into the array pointed to by dst, then dst[len] is set to the null wide character. Each conversion takes place as if by a call to the mbrtowc function.
- If dst is not a null pointer, the pointer object pointed to by src is assigned either a null pointer (if conversion stopped due to reaching a terminating null character) or the address just past the last multibyte character converted (if any). If conversion stopped due to reaching a terminating null character and if dst is not a null pointer, the resulting state described is the initial conversion state.
- Regardless of whether dst is or is not a null pointer, if the input conversion encounters a sequence of bytes that do not form a valid multibyte character, an encoding error occurs: the mbsrtowcs_s function stores the value (size_t)(-1) into *retval and the conversion state is unspecified. Otherwise, the mbsrtowcs_s function stores into *retval the number of multibyte characters successfully converted, not including the terminating null character (if any).
- All elements following the terminating null wide character (if any) written by mbsrtowcs_s in the array of dstmax wide characters pointed to by dst take unspecified values when mbsrtowcs_s returns.⁷⁴⁾
- 8 If copying takes place between objects that overlap, the objects take on unspecified values.

Returns

9 The **mbsrtowcs_s** function returns zero if no runtime-constraint violation and no encoding error occurred. Otherwise, a non-zero value is returned.

⁷³⁾ Thus, the value of **len** is ignored if **dst** is a null pointer.

⁷⁴⁾ This allows an implementation to attempt converting the multibyte string before discovering a terminating null character did not occur where required.

6.9.3.2.2 The wcsrtombs_s function

Synopsis

Runtime-constraints

- None of retval, src, *src, or ps shall be null pointers. If dst is not a null pointer, then neither len nor dstmax shall be greater than RSIZE_MAX. If dst is a null pointer, then dstmax shall equal zero. If dst is not a null pointer, then dstmax shall not equal zero. If dst is not a null pointer and len is not less than dstmax, then the conversion shall have been stopped (see below) because a terminating null wide character was reached or because an encoding error occurred.
- If there is a runtime-constraint violation, then wcsrtombs_s does the following. If retval is not a null pointer, then wcsrtombs_s sets *retval to (size_t)(-1). If dst is not a null pointer and dstmax is greater than zero and less than RSIZE_MAX, then wcsrtombs sets dst[0] to the null character.

Description

- The wcsrtombs_s function converts a sequence of wide characters from the array indirectly pointed to by src into a sequence of corresponding multibyte characters that begins in the conversion state described by the object pointed to by ps. If dst is not a null pointer, the converted characters are then stored into the array pointed to by dst. Conversion continues up to and including a terminating null wide character, which is also stored. Conversion stops earlier in two cases:
 - when a wide character is reached that does not correspond to a valid multibyte character:
 - (if dst is not a null pointer) when the next multibyte character would exceed the limit of n total bytes to be stored into the array pointed to by dst. If the wide character being converted is the null wide character, then n is the lesser of len or dstmax. Otherwise, n is the lesser of len or dstmax-1.

If the conversion stops without converting a null wide character and **dst** is not a null pointer, then a null character is stored into the array pointed to by **dst** immediately following any multibyte characters already stored. Each conversion takes place as if by a call to the **wcrtomb** function.⁷⁵⁾

If dst is not a null pointer, the pointer object pointed to by src is assigned either a null pointer (if conversion stopped due to reaching a terminating null wide character) or the

address just past the last wide character converted (if any). If conversion stopped due to reaching a terminating null wide character, the resulting state described is the initial conversion state.

- Regardless of whether **dst** is or is not a null pointer, if the input conversion encounters a wide character that does not correspond to a valid multibyte character, an encoding error occurs: the **wcsrtombs_s** function stores the value (**size_t**)(-1) into *retval and the conversion state is unspecified. Otherwise, the **wcsrtombs_s** function stores into *retval the number of bytes in the resulting multibyte character sequence, not including the terminating null character (if any).
- All elements following the terminating null character (if any) written by **wcsrtombs_s** in the array of **dstmax** elements pointed to by **dst** take unspecified values when **wcsrtombs** s returns.⁷⁶⁾
- 8 If copying takes place between objects that overlap, the objects take on unspecified values.

Returns

9 The wcsrtombs_s function returns zero if no runtime-constraint violation and no encoding error occurred. Otherwise, a non-zero value is returned.

⁷⁵⁾ If conversion stops because a terminating null wide character has been reached, the bytes stored include those necessary to reach the initial shift state immediately before the null byte. However, if the conversion stops before a terminating null wide character has been reached, the result will be null terminated, but might not end in the initial shift state.

⁷⁶⁾ When **len** is not less than **dstmax**, the implementation might fill the array before discovering a runtime-constraint violation.

Bibliography

- 1. ISO/IEC 646, Information technology ISO 7-bit coded character set for information interchange.
- 2. ISO 4217, Codes for the representation of currencies and funds.
- 3. ISO 8601, Data elements and interchange formats Information interchange Representation of dates and times.
- 4. ISO/IEC 10646, Information technology Universal Multiple-Octet Coded Character Set (UCS).
- 5. IEC 60559:1989, *Binary floating-point arithmetic for microprocessor systems* (previously designated IEC 559:1989).

Index

<pre><errno.h> header, 6.2</errno.h></pre>	EOF macro, 6.5.3.7, 6.5.3.9, 6.5.3.11, 6.5.3.14,
<stddef.h> header, 6.3</stddef.h>	6.9.1.2, 6.9.1.5, 6.9.1.7, 6.9.1.10, 6.9.1.12,
<stdint.h> header, 6.3, 6.4</stdint.h>	6.9.1.14
<stdio.h> header, 6.5</stdio.h>	errno macro, 6.1.3, 6.7.4.1
<stdlib.h> header, 6.1.4, 6.6</stdlib.h>	errno.h header, 6.2
<string.h> header, 6.7</string.h>	errno_t type, 6.2, 6.5, 6.6, 6.6.1.1, 6.7, 6.8, 6.9
<time.h> header, 6.8</time.h>	error-handling functions, 6.7.4.1, 6.7.4.2
<wchar.h> header, 6.9</wchar.h>	extended multibyte/wide character conversion
STDC_LIB_EXT1 macro, 5	utilities, 6.9.3
STDC_WANT_LIB_EXT1 macro, 6.1.1	
	fgets function, 6.5.4.1
abort function, 6.6.1.2	file
abort_handler_s function, 6.6.1.2	access functions, 6.5.2
asctime_s function, 6.8.2, 6.8.2.1	operations, 6.5.1
	fopen function, 6.5.2.1
broken-down time, 6.8.2.1, 6.8.2.3, 6.8.2.4	FOPEN_MAX macro, 6.5.1.1
bsearch_s function, 6.6.3, 6.6.3.1	fopen_s function, 6.5.1.1, 6.5.2.1 , 6.5.2.2
	formatted input/output functions, 6.5.3
calendar time, 6.8.2.2, 6.8.2.3, 6.8.2.4	wide character, 6.9.1
char type, 6.5.3.2, 6.9.1.2	fprintf function, 6.5.3.1
character input/output functions, 6.5.4	fprintf_s function, 6.5.3.1
comparison functions, 6.6.3 , 6.6.3.1, 6.6.3.2	freopen_s function, 6.5.2.2
components of time, 6.8.1	fscanf function, 6.5.3.2
concatenation functions	fscanf_s function, 6.5.3.2 , 6.5.3.4, 6.5.3.7,
string, 6.7.2	6.5.3.9
wide string, 6.9.2.2	fwprintf function, 6.9.1.1
conformance, 4	fwprintf_s function, 6.9.1.1
constraint, 4	fwscanf function, 6.9.1.2
constraint_handler_t type, 6.6	fwscanf_s function, 6.9.1.2 , 6.9.1.5, 6.9.1.7,
conversion functions	6.9.1.14
multibyte/wide character, 6.6.4	
extended, 6.9.3	general utilities, 6.6
restartable, 6.9.3.1	wide string, 6.9.2
multibyte/wide string, 6.6.5	general wide string utilities, 6.9.2
restartable, 6.9.3.2	getenv_s function, 6.6.2.1
time, 6.8.2	gets function, 6.5.4.1
conversion state, 6.6.4, 6.9.3.1, 6.9.3.1.1, 6.9.3.2,	gets_s function, 6.5.4.1
6.9.3.2.1, 6.9.3.2.2	gmtime_s function, 6.8.2.3
copying functions	
string, 6.7.1	header, see also standard headers
wide string, 6.9.2.1	
ctime_s function, 6.8.2, 6.8.2.2	identifier
	reserved, 6.1.2
date and time header, 6.8	ignore_handler_s function, 6.6.1.3
	input failure, 6.5.3.2, 6.5.3.4, 6.5.3.7, 6.5.3.9,
encoding error, 6.6.5.1, 6.6.5.2, 6.9.3.1.1,	6.5.3.11, 6.5.3.14, 6.9.1.2, 6.9.1.5, 6.9.1.7,
6.9.3.2.1, 6.9.3.2.2	6.9.1.10, 6.9.1.12, 6.9.1.14
end-of-file macro, see EOF macro	input/output functions
environment functions, 6.6.2	character, 6.5.4
environment list, 6.6.2.1	formatted, 6.5.3
environmental limits, 6.5.1.2	wide character, 6.9.1

wide character	restartable multibyte/wide string conversion
formatted, 6.9.1	functions, 6.9.3.2
input/output header, 6.5	RSIZE_MAX macro, 6.3, 6.4 , 6.5.1.2, 6.5.3.5,
ISO 31–11, 2, 3	6.5.3.6, 6.5.3.12, 6.5.3.13, 6.5.4.1, 6.6.2.1,
ISO/IEC 2382–1, 2, 3	6.6.3.1, 6.6.3.2, 6.6.4.1, 6.6.5.1, 6.6.5.2,
italic type convention, 3	6.7.1.1, 6.7.1.2, 6.7.1.3, 6.7.1.4, 6.7.2.1, 6.7.2.2, 6.7.3.1, 6.7.4.1, 6.8.2.1, 6.8.2.2,
L_tmpnam_s macro, 6.5 , 6.5.1.2	6.9.1.3, 6.9.1.4, 6.9.1.8, 6.9.1.9, 6.9.2.1.1,
LC_CTYPE macro, 6.6.4, 6.6.5	6.9.2.1.2, 6.9.2.1.3, 6.9.2.1.4, 6.9.2.2.1,
length function, 6.7.4.3, 6.9.2.4.1	6.9.2.2.2, 6.9.2.3.1, 6.9.3.1.1, 6.9.3.2.1,
library, 6	6.9.3.2.2
localtime_s function, 6.8.2.4	rsize_t type, 6.3, 6.4, 6.5, 6.5.3.2, 6.6, 6.7, 6.8, 6.9, 6.9.1.2
macro name	runtime-constraint, 3.1 , 4
predefined, 5	Runtime-constraint handling functions, 6.6.1
matching failure, 6.9.1.7, 6.9.1.10, 6.9.1.12	Ç
MB_CUR_MAX macro, 6.6.4.1, 6.9.3.1.1	scanf_s function, 6.5.3.4 , 6.5.3.11
mbrtowc function, 6.6.5.1, 6.9.3.2.1	search functions
mbsrtowcs function, 6.9.3.2	string, 6.7.3
mbsrtowcs_s function, 6.9.3.2, 6.9.3.2.1	utility, 6.6.3
mbstowcs_s function, 6.6.5.1	wide string, 6.9.2.3
memcpy_s function, 6.7.1.1	sequence points, 6.6.3
memmove_s function, 6.7.1.2	set_constraint_handler_s function,
miscellaneous functions	6.1.4, 6.6.1.1 , 6.6.1.2, 6.6.1.3
string, 6.7.4	signed char type, 6.5.3.2, 6.9.1.2
wide string, 6.9.2.4	size_t type, 6.3, 6.4, 6.5, 6.6, 6.7, 6.8, 6.9,
multibyte conversion functions	6.9.1.2
wide character, 6.6.4	snprintf function, 6.5.3.5
extended, 6.9.3	snprintf_s function, 6.5.3.5 , 6.5.3.6
restartable, 6.9.3.1	snwprintf_s function, 6.9.1.3 , 6.9.1.4
wide string, 6.6.5	sorting utility functions, 6.6.3
restartable, 6.9.3.2	sprintf function, 6.5.3.6
multibyte/wide character conversion functions,	sprintf_s function, 6.5.3.5, 6.5.3.6
6.6.4	sscanf_s function, 6.5.3.7 , 6.5.3.14
extended, 6.9.3	standard headers
restartable, 6.9.3.1	<pre><errno.h>, 6.2</errno.h></pre>
multibyte/wide string conversion functions, 6.6.5	<stddef.h>, 6.3</stddef.h>
restartable, 6.9.3.2	<stdint.h>, 6.3, 6.4</stdint.h>
100tal taolo, 00/000M	<stdio.h>, 6.5</stdio.h>
normalized broken-down time, 6.8.1, 6.8.2.1	<stdlib.h>, 6.1.4, 6.6</stdlib.h>
normalized of order down time, 0.0.1, 0.0.2.1	<pre><string.h>, 6.7</string.h></pre>
operations on files, 6.5.1	<time.h>, 6.8</time.h>
operations on mes, 6.5.1	<wchar.h>, 6.9</wchar.h>
predefined macro names, 5	state-dependent encoding, 6.6.4
printf function, 6.5.3.3	stddef.h header, 6.3
printf_s function, 6.5.3.3	stdin macro, 6.5.3.4, 6.5.4.1, 6.9.1.14
princips function, 0.3.3.3	stdint.h header, 6.3, 6.4
qsort_s function, 6.6.3, 6.6.3.2	stdio.h header, 6.5
	stdlib.h header, 6.1.4, 6.6
remove function, 6.5.1.2	strcat_s function, 6.7.2.1
reserved identifiers, 6.1.2	strcpy_s function, 6.7.1.3
restartable multibyte/wide character conversion	strerror_s function, 6.7.4.1 , 6.7.4.2
functions, 6.9.3.1	strerrorlen_s function, 6.7.4.2

strftime function, 6.8.2, 6.8.2.1, 6.8.2.2	vscanf_s function, 6.5.3.9, 6.5.3.11, 6.5.3.11 ,
string	6.5.3.14
concatenation functions, 6.7.2	vsnprintf function, 6.5.3.12
copying functions, 6.7.1	vsnprintf_s function, 6.5.3.9, 6.5.3.11,
miscellaneous functions, 6.7.4	6.5.3.12 , 6.5.3.13, 6.5.3.14
search functions, 6.7.3	vsnwprintf_s function, 6.9.1.8 , 6.9.1.9
string handling header, 6.7	vsprintf function, 6.5.3.13
string.h header, 6.7	vsprintf_s function, 6.5.3.9, 6.5.3.11,
strncat_s function, 6.7.2.2	6.5.3.12, 6.5.3.13 , 6.5.3.14
strncpy_s function, 6.7.1.4	vsscanf_s function, 6.5.3.9, 6.5.3.11, 6.5.3.14
strnlen_s function, 6.7.4.3	6.5.3.14
strtok_s function, 6.7.3.1	vswprintf function, 6.9.1.8, 6.9.1.9
swprintf function, 6.9.1.3, 6.9.1.4	vswprintf_s function, 6.9.1.8, 6.9.1.9
swprintf_s function, 6.9.1.3, 6.9.1.4	vswscanf_s function, 6.9.1.10
swscanf_s function, 6.9.1.5 , 6.9.1.10	vwprintf function, 6.9.1.11
symbols, 3	vwprintf_s function, 6.9.1.11
	vwscanf_s function, 6.9.1.12
terms, 3	··· _ - ····
time	wchar.h header, 6.9
broken down, 6.8.2.1, 6.8.2.3, 6.8.2.4	wcrtomb function, 6.6.5.2, 6.9.3.1, 6.9.3.2.2
calendar, 6.8.2.2, 6.8.2.3, 6.8.2.4	wcrtomb_s function, 6.9.3.1.1
components, 6.8.1	wcrtoms_s function, 6.9.3.1
conversion functions, 6.8.2	wcscat_s function, 6.9.2.2.1
normalized broken down, 6.8.1, 6.8.2.1	wcscpy_s function, 6.9.2.1.1
time.h header, 6.8	wcsncat_s function, 6.9.2.2.2
tm structure type, 6.8.1	wcsncpy_s function, 6.9.2.1.2
TMP_MAX_S macro, 6.5, 6.5.1.1, 6.5.1.2	wcsnlen_s function, 6.9.2.4.1
tmpfile_s function, 6.5.1.1 , 6.5.1.2	westtem_s function, 6.9.2.4.1
tmpnam function, 6.5.1.2	wcsrtombs_s function, 6.9.3.2, 6.9.3.2.2
tmpnam_s function, 6.5, 6.5.1.1, 6.5.1.2	wcstok_s function, 6.9.2.3.1
Cmpnam_s runction, 0.3, 0.3.1.1, 0.3.1.2	westombs_s function, 6.6.5.2
unsigned char type, 6.5.3.2, 6.9.1.2	wctomb_s function, 6.6.4.1
utilities, general, 6.6	wide character
wide string, 6.9.2	formatted input/output functions, 6.9.1
wide string, 0.3.2	wide string concatenation functions, 6.9.2.2
va_arg macro, 6.5.3.9, 6.5.3.11, 6.5.3.14,	wide string concatenation functions, 6.9.2.2 wide string copying functions, 6.9.2.1
6.9.1.7, 6.9.1.10, 6.9.1.12	wide string miscellaneous functions, 6.9.2.1
va_end macro, 6.5.3.9, 6.5.3.11, 6.5.3.14,	wide string search functions, 6.9.2.3
6.9.1.7, 6.9.1.10, 6.9.1.12	
	wmemcpy_s function, 6.9.2.1.3
va_start macro, 6.5.3.9, 6.5.3.11, 6.5.3.14, 6.9.1.7, 6.9.1.10, 6.9.1.12	wmemmove_s function, 6.9.2.1.4
	wprintf function, 6.9.1.13 wprintf_s function, 6.9.1.13
vfprintf function, 6.5.3.8	-
vfprintf_s function, 6.5.3.8 , 6.5.3.9, 6.5.3.11, 6.5.3.14	wscanf_s function, 6.9.1.12, 6.9.1.14
vfscanf_s function, 6.5.3.9, 6.5.3.9 , 6.5.3.11,	
6.5.3.14	
vfwprintf function, 6.9.1.6	
vfwprintf_s function, 6.9.1.6	
vfwscanf_s function, 6.9.1.7	
void type, 6.5.3.2, 6.9.1.2	
vprintf function, 6.5.3.10	
vprintf_s function, 6.5.3.9, 6.5.3.10 , 6.5.3.11,	
6 5 3 14	