

Index

, —see comma operator
! —see logical negation operator
!= —see inequality operator
operator 16–5
operator 16–6
% —see modulus operator
%= operator 5–21
&
—see address-of operator
—see bitwise AND operator
reference declarator 8–5
&& —see logical AND operator
&= operator 5–21
(
—see function call operator
function declarator 8–8
*
—see indirection operator
—see multiplication operator
pointer declarator 8–4
*= operator 5–21
+
—see addition operator
—see unary plus operator
++ —see increment operator
+= operator 5–13, 21
-
—see subtraction operator
—see unary minus operator
-- —see decrement operator
-= operator 5–21
-> —see class member access operator
->* —see pointer to member operator
. —see class member access operator
.* —see pointer to member operator
... —see ellipsis
/ —see division operator
/* */ comment 2–4
// comment 2–4
/= operator 5–21
:
field declaration 9–10
label specifier 6–1
::
—see scope resolution operator
scope resolution operator 3–6
::*, pointer to member declarator 8–6
<

—see less than operator
template and 14–2
<< —see left shift operator
<<= operator 5–21
<= —see less than or equal to operator
= —see assignment operator
== —see equality operator
> —see greater than operator
>= —see greater than or equal operator
>> —see right shift operator
>>= operator 5–21
?: —see conditional expression operator
[]
—see subscripting operator
array declarator 8–7
\ —see backslash
^ —see bitwise exclusive OR operator
^= operator 5–21
_
underscore character 2–4
underscore in identifier 2–5
{ }
block statement 6–1
class declaration 9–1
class definition 9–1
enum declaration 7–10
initializer list 8–13
| —see bitwise inclusive OR operator
|= operator 5–21
|| —see logical OR operator
~
—see destructor
—see one's complement operator
0
—see also zero, null
null character 2–9
string terminator 2–9

A

abort 18–8, 11
abort() 3–9, 15–6
abs 26–24
double_complex 26–11
float_complex 26–11
long_double_complex 26–11
abstract
class 10–8

- class, constructor and 10-9
- class, pointer to 10-8
- abstract-declarator* 8-2
- access
 - adjusting base class member 11-3
 - ambiguity, member 10-3
 - and *friend*, class 11-5
 - and *friend* function 11-5
 - base class 11-2
 - base class member 10-1
 - class member 5-5
 - control 11-1
 - control, anonymous union 9-10
 - control default 11-1
 - control, member function and 12-1
 - control, overloading resolution and 10-4
 - declaration 11-3
 - declaration, overloaded name and 11-4
 - default assignment operator 12-13
 - default copy constructor 12-13
 - example, member name 11-3
 - member name 11-1
 - overloading and 13-3
 - protected member 11-6
 - rules, template 14-19
 - specifier 11-1/2
 - specifier and *friend* 11-6
 - specifier and object layout 11-2
 - struct* default member 9-1
 - union default member 9-1
 - virtual function 11-7
- access-specifier* 10-1
- acos* 26-24
- addition operator 5-18
- additive operator 5-18
- additive-expression* 5-18
- address
 - of bit-field 9-10
 - of bit-field restriction 9-10
 - of constructor 12-2
 - of overloaded function 5-12, 13-14
 - of qualified name 5-12
- address-of operator 5-12
- adjacent_find* 25-4
- adjusting base class member access 11-3
- adjustment
 - array parameter 8-9
 - function parameter 8-9
- aggregate 8-13
 - initialization 12-8
- alert 2-7
- alias 7-16
- alignment
 - of bit-field 9-10
 - of bit-field, implementation dependency 9-10
 - requirement, implementation dependency 3-13
- allocate* 20-10
- allocation
 - function 3-10, 5-14, 12-7
 - implementation dependency 9-4, 11-2
 - implementation dependency bit-field 9-10
 - new*, storage 5-13
- allocator 20-9
- allowing an exception 15-5
- alternate definition 17-35
- ambiguity
 - base class member 10-3
 - class conversion 10-5
 - declaration type 7-2
 - declaration versus cast 8-3
 - declaration versus expression 6-6
 - detection, overloaded function 13-4
 - function declaration 8-13
 - if-else* 6-2
 - member access 10-3
 - parentheses and 5-14
 - resolution, scoping 10-4
- Amendment 1 C-13
- anachronism C-10
 - C function definition C-10
 - assignment to *this* C-11
 - cast of pointer to member C-12
 - free store and constructor C-11
 - free store and destructor C-11
 - memory management C-11
 - nonnested class C-12
 - old style base class initializer C-11
 - old style function definition C-10
 - overload* keyword C-10
 - pointer to member conversion C-12
 - scope of nested class C-12
 - this* and constructor C-11
 - this* and destructor C-11
- AND
 - operator, bitwise 5-20
 - operator, logical 5-20
 - operator, side effects and logical 5-20
- anonymous
 - union 9-10
 - union access control 9-10
 - union, extension to C C-1
 - union, global 9-10
 - union restriction 9-10
- any
 - bit_string* 23-15
 - bits 23-7
- append
 - basic_string* 21-7
 - bit_string* 23-11
 - dyn_array* 23-19
 - ptr_dyn_array* 23-24
- apply*, *valarray* 26-25
- arg*
 - double_complex* 26-11
 - float_complex* 26-11
 - long_double_complex* 26-11
- argc* 3-8
- argument 1-2, 17-35/36, 19-5/C-13
 - and name hiding, default 8-11
 - binding of default 8-10
 - class object as 12-9
 - conversion 5-5, 8-9
 - declaration, default 8-10
 - deduction, template 14-21
 - evaluation of default 8-10/11
 - evaluation, order of 5-5
 - evaluation, unspecified order of 5-5
 - example of default 8-10
 - list, empty 8-8
 - list, variable 8-8
 - matching —see overload resolution
 - overloaded operator and default 13-15
 - overloading and default 8-11
 - passing 5-4
 - passing, reference and 8-15
 - reference 5-4
 - scope of default 8-11
 - specification, template 14-20
 - substitution 16-5
 - template 14-18
 - to constructor, unspecified 5-15
 - type checking 5-4

- type checking of default 8–10
- type conversion 12–3
- type, unknown 8–8
- `argv[]` 3–8
- arithmetic
 - conversions, usual 5–2
 - exception 5–1
 - exception, implementation dependency 5–1
 - extension to C single precision C–1
 - pointer 5–18
 - type 3–14
 - unsigned 3–13
- array
 - bound 8–7
 - `const` 7–7
 - constructor and 5–15
 - declaration 8–7
 - declarator `[]` 8–7
 - declarator, multidimensional 8–7
 - default constructor and 5–15
 - `delete` 5–16
 - example 8–7
 - initialization 8–13
 - member 9–4
 - multidimensional 8–8
 - `new` 5–14
 - of class objects and constructor 12–9
 - of class objects and default constructor 12–9
 - of class objects and `new` 5–15
 - of class objects initialization 8–14, 12–9
 - order of execution, constructor and 12–2
 - order of execution, destructor and 12–6
 - overloading and pointer versus 13–2
 - parameter adjustment 8–9
 - pointer conversion 4–1
 - size, default 8–7
 - `sizeof` 5–13
 - storage of 8–8
 - type 3–14, 8–9
- array-to-pointer conversion 4–1
- arrow operator—see class member access operator
- `asin` 26–24
- `asm`
 - declaration 7–22
 - implementation dependency 7–22
- assembler 7–22
- `<assert.h>` 17–33/C–12
- `assign`
 - `basic_string` 21–8
 - `bit_string` 23–11
 - `dyn_array` 23–20
 - `ptr_dyn_array` 23–25
- assignment
 - and initialization, overloaded 12–9
 - and lvalue 5–21
 - base class object 5–22
 - conversion by 5–22
 - derived class object 5–22
 - expression 5–21
 - extension to C memberwise C–2
 - member 12–13
 - memberwise 13–16
 - of class object 12–13
 - of derived class to base class 12–13
 - operator 5–21, 12–12, 17–18
 - operator access, default 12–13
 - operator, default 13–16
 - operator, default 12–12/14
 - operator, overloaded 13–16
 - operator restriction, default 12–13
 - reference 8–15

- to class object 5–22
- to reference 5–22
- to this anachronism C–11
- assignment-expression* 5–21
- assignment-operator* 5–21
- `atan` 26–24
- `atan2` 26–24
- `atexit` 18–4
- `atexit()` 3–9
- `auto`
 - destruction of 6–4/5
 - initialization 6–6
 - object initialization 8–12
 - restriction 7–3
 - specifier 7–2
 - storage duration 3–10
- automatic initialization 6–5/6

B

- `back_insert_iterator` 24–9
- backslash character 2–7
- backspace 2–7
- `bad, basic_ios` 27–25
- `bad_alloc` 18–8
 - `bad_alloc` 18–7
 - `bad_alloc` 18–7
 - what 18–7
 - `~bad_alloc` 18–7
 - `~bad_alloc, bad_alloc` 18–7
- `bad_cast` 18–10
 - `bad_cast` 18–10
 - `bad_cast` 18–10
 - what 18–10
 - `~bad_cast` 18–10
 - `~bad_cast, bad_cast` 18–10
- `bad_typeid` 5–8, 18–10
 - `bad_typeid` 18–11
 - `bad_typeid` 18–11
 - `~bad_typeid` 18–11
 - `~bad_typeid, bad_typeid` 18–11
- base
 - class 17–18, 35, 37, 18–7
 - class 10–1/2
 - class access 11–2
 - class, assignment of derived class to 12–13
 - class cast 5–8
 - class constructor order of execution 12–2
 - class conversion 4–4
 - class destructor order of execution 12–6
 - class, direct 10–1
 - class, indirect 10–1
 - class initialization 12–9/10
 - class initialization, order of 12–10
 - class initializer 8–12
 - class initializer anachronism, old style C–11
 - class member access 10–1
 - class member access, adjusting 11–3
 - class member ambiguity 10–3
 - class object, assignment 5–22
 - class, `private` 11–2
 - class, `public` 11–2
 - class virtual—see virtual base class
 - of integer literal 2–6
- base-specifier* 10–1
- base-specifier-list* 10–1
- `basic_boolalpha` 27–27
- `basic_convbuf` 27–105
 - `basic_convbuf` 27–106
 - `basic_convbuf` 27–106

overflow 27-107
 pbackfail 27-107
 seekoff 27-109
 seekpos 27-109
 setbuf 27-109
 sync 27-110
 uflow 27-108
 underflow 27-108
 xsgetn 27-108
 xspuon 27-109
 ~basic_convbuf 27-106
 ~basic_convbuf,basic_convbuf 27-106
 basic_filebuf 27-113
 basic_filebuf 27-114
 basic_filebuf 27-114
 close 27-115
 is_open 27-114
 open 27-114
 overflow 27-115, 123
 pbackfail 27-116, 123
 seekoff 27-117, 124
 seekpos 27-118, 124
 setbuf 27-118, 125
 showmany 27-117
 sync 27-118, 125
 uflow 27-117, 124
 underflow 27-117, 124
 xsgetn 27-117
 xspuon 27-117
 ~basic_filebuf 27-114
 ~basic_filebuf,basic_filebuf 27-114
 basic_filebuf<char> 27-113
 basic_filebuf<wchar_t> 27-113
 basic_fixed 27-29
 basic_hex 27-29
 basic_ifstream 27-119
 basic_ifstream 27-119
 basic_ifstream 27-119
 close 27-120
 is_open 27-120
 open 27-120
 rdbuf 27-119
 ~basic_ifstream 27-119
 ~basic_ifstream,basic_ifstream 27-119
 basic_ifstream<char> 27-119
 basic_ifstream<wchar_t> 27-119
 basic_omanip
 basic_omanip 27-72/73
 basic_omanip 27-72/73
 operator>> 27-73
 basic_internal 27-28
 basicsios,basic_ios 27-23, 27
 basic_ios 27-14
 bad 27-25
 basicsios 27-23, 27
 clear 27-24
 copyfmt 27-23
 eof 27-24
 exceptions 27-25
 fail 27-24
 fill 27-25
 flags 27-25
 fmtflags 27-19, 76
 getloc 27-26
 good 27-24
 imbue 27-26
 init 27-27, 48, 63
 iostate 27-21
 iword 27-26
 openmode 27-21
 operator bool 27-23
 operator! 27-23
 precision 27-25
 pword 27-26
 rdbuf 27-24
 rdstate 27-24
 seekdir 27-21
 setf 27-25
 setstate 27-24
 tie 27-23
 unsetf 27-25
 width 27-26
 ~basicsios 27-23
 ~basicsios,basic_ios 27-23
 basic_ios<char> 27-17
 basic_ios::failure
 failure 27-19
 what 27-19
 ~failure 27-19
 basic_ios::Init 27-22
 ~Init 27-22
 basic_ios::Init::Init 27-22
 basic_ios<wchar_t> 27-18
 basic_istream 27-45
 basic_istream 27-48
 basic_istream 27-48
 gcount 27-59
 get 27-55/56
 getline 27-57
 ignore 27-58
 ipfx 27-49
 isfx 27-50
 operator>> 27-52
 peek 27-59
 putback 27-59
 read 27-58
 read_byte 27-58
 readsome 27-59
 sync 27-51
 unget 27-59
 ~basic_istream 27-48
 ~basic_istream,basic_istream 27-48
 basic_istream<char> 27-48, 125
 basic_istream<wchar_t> 27-48
 basic_istreamstream 27-96
 basic_istreamstream 27-97
 basic_istreamstream 27-97
 rdbuf 27-97
 str 27-98
 ~basic_istreamstream 27-97
 ~basic_istreamstream,basic_istreamstream
 27-97
 basic_istreamstream<char> 27-97
 basic_istreamstream<wchar_t> 27-97
 basic_istrstream 27-87
 basic_istrstream 27-87
 basic_istrstream 27-87
 rdbuf 27-88
 str 27-88
 ~basic_istrstream 27-88
 ~basic_istrstream,basic_istrstream 27-88
 basic_left 27-28
 basic_noboolalpha 27-27
 basic_noshowbase 27-28
 basic_noshowpoint 27-28
 basic_noshowpos 27-28
 basic_noskipws 27-28
 basic_nouppercase 27-28
 basic_oct 27-29
 basic_ofstream 27-120
 basic_ofstream 27-121
 basic_ofstream 27-121

close 27-121
 is_open 27-121
 open 27-121
 rdbuf 27-121
 ~basic_ofstream 27-121
 ~basic_ofstream,basic_ofstream 27-121
 basic_ofstream<char> 27-120
 basic_ofstream<wchar_t> 27-120
 basic_omanip 27-73
 basic_omanip 27-74
 basic_omanip 27-74
 operator<< 27-74
 basic_ostream
 basic_ostream 27-63
 basic_ostream 27-63
 flush 27-64
 operator<< 27-67
 opfx 27-64
 osfx 27-64
 put 27-69
 write 27-69
 write_byte 27-70
 ~basic_ostream 27-64
 ~basic_ostream,basic_ostream 27-64
 basic_ostream<char> 27-63
 basic_ostream<wchar_t> 27-63
 basic_ostringstream 27-98
 basic_ostringstream 27-98
 basic_ostringstream 27-98
 rdbuf 27-99
 str 27-99
 ~basic_ostringstream 27-99
 ~basic_ostringstream,basic_ostringstream
 27-99
 basic_ostringstream<char> 27-98
 basic_ostringstream<wchar_t> 27-98
 basic_ostrstream 27-88
 :pcount 27-90
 basic_ostrstream 27-89
 basic_ostrstream 27-89
 freeze 27-89
 rdbuf 27-89
 str 27-89
 ~basic_ostrstream 27-89
 ~basic_ostrstream,basic_ostrstream 27-89
 basic_resetiosflags 27-75
 basic_right 27-28
 basic_scientific 27-29
 basic_setbase 27-76
 basic_setfill 27-76
 basic_setiosflags 27-76
 basic_setprecision 27-76
 basic_setw 27-77
 basic_showbase 27-27
 basic_showpoint 27-28
 basic_showpos 27-28
 basic_skipws 27-28
 basic_smanip 27-74
 basic_smanip 27-75
 basic_smanip 27-75
 operator<< 27-75
 operator>> 27-75
 basicstdiobuf 27-121
 basicstdiobuf 27-123
 basicstdiobuf 27-123
 buffered 27-123
 overflow 27-123
 pbackfail 27-123
 seekoff 27-124
 seekpos 27-124
 setbuf 27-125
 showmany 27-124
 sync 27-125
 uflow 27-124
 underflow 27-124
 xsgetn 27-124
 xspn 27-124
 ~basicstdiobuf 27-123
 ~basicstdiobuf,basicstdiobuf 27-123
 basicstreambuf,basic_streambuf 27-38
 basic_streambuf 27-32
 basicstreambuf 27-38
 eback 27-38
 egptr 27-38
 epptr 27-39
 gbump 27-38
 gptr 27-38
 in_avail 27-36
 overflow 27-39
 pbackfail 27-40
 pbase 27-38
 pbump 27-39
 pptr 27-39
 pubseekoff 27-36
 pubseekpos 27-36
 pubsetbuf 27-36
 pubsync 27-36
 read_byte 27-44
 sbumpc 27-36
 seekoff 27-43
 seekpos 27-43
 setbuf 27-44, 86, 96
 setg 27-38
 setp 27-39
 sgetc 27-36
 sgetn 27-37
 showmany 27-41, 84, 94, 117, 124
 snextc 27-37
 sputbackc 27-37
 sputc 27-37
 sputn 27-37
 sungetc 27-37
 sync 27-44, 87, 96
 uflow 27-42, 84, 94, 108
 underflow 27-41
 write_byte 27-44
 xsgetn 27-43, 84, 94, 108, 117, 124
 xspn 27-43, 84, 94, 109, 117, 124
 ~basic_streambuf 27-35
 ~basic_streambuf,basic_streambuf 27-35
 basic_streambuf<char> 27-34
 basic_streambuf<wchar_t> 27-34
 basic_string 21-2, 4, 15
 append 21-7
 assign 21-8
 basic_string 21-5
 basic_string 21-5
 c_str 21-10
 compare 21-14
 copy 21-11
 data 21-10
 find 21-11
 find_first_not_of 21-13
 find_first_of 21-12
 find_last_not_of 21-13
 find_last_of 21-13
 get_at 21-10
 insert 21-8
 length 21-10
 operator!= 21-16
 operator+ 21-15
 operator+= 21-7

- operator<< 21-16
- operator= 21-7
- operator== 21-15
- operator>> 21-16
- operator[] 21-10
- put_at 21-10
- remove 21-9
- replace 21-9
- reserve 21-11
- resize 21-10
- rfind 21-12
- substr 21-14
- ~basic_string 21-7
- ~basic_string,basic_string 21-7
- basicstring::baggage
 - compare 21-14/15
 - eos 21-4, 10/11
 - eq 21-11/13
 - length 21-6/9, 12/16
- basic_stringbuf 27-90
- basic_stringbuf 27-92
- basic_stringbuf 27-92
 - overflow 27-93
 - pbackfail 27-93
 - seekoff 27-94
 - seekpos 27-95
 - setbuf 27-96
 - showmany 27-94
 - str 27-92
 - sync 27-96
 - uflow 27-94
 - underflow 27-94
 - xsgetn 27-94
 - xspn 27-94
 - ~basic_stringbuf 27-92
 - ~basic_stringbuf,basic_stringbuf 27-92
- basic_stringbuf<char> 27-91
- basic_stringbuf<wchar_t> 27-91
- basic_strstreambuf] 27-78
- basic_strstreambuf
 - basic_strstreambuf 27-80
 - basic_strstreambuf 27-80
 - freeze 27-82
 - overflow 27-82
 - pbackfail 27-83
 - pcount 27-82
 - seekoff 27-85
 - seekpos 27-86
 - setbuf 27-86
 - showmany 27-84
 - str 27-82
 - sync 27-87
 - uflow 27-84
 - underflow 27-84
 - xsgetn 27-84
 - xspn 27-84
 - ~basic_strstreambuf 27-82
 - ~basic_strstreambuf,basic_strstreambuf 27-82
- basic_uppercase 27-28
- before,type_info 18-9
- behavior
 - default 17-1
 - implementation-defined 1-2
 - locale-specific 1-2
 - required 17-2
 - undefined 1-2
 - unspecified 1-3
- Ben 13-3
- bidirectional_iterator 24-4
- bidirectional_iterator_tag 24-3
- binary
 - operator, interpretation of 13-16
 - operator, overloaded 13-16
- binary_function 20-4
- binary_negate 20-6
- binary_search 25-14
- bind1st 20-7
- bind2nd 20-7
- binder1st 20-6
- binder2nd 20-7
- binding
 - see virtual function, dynamic
 - of default argument 8-10
 - reference 8-16
- bit-field 9-10
 - address of 9-10
 - alignment of 9-10
 - allocation, implementation dependency 9-10
 - declaration 9-10
 - implementation dependency alignment of 9-10
 - implementation dependency sign of 9-10
 - layout 9-10
 - restriction 9-10
 - restriction, address of 9-10
 - restriction, pointer to 9-10
 - type of 9-10
 - unnamed 9-10
 - zero width of 9-10
- bit-fields, Boolean 3-13
- bitmask type 17-16
- bitmask
 - operator& 17-16
 - operator&= 17-16
 - operator^ 17-16
 - operator^= 17-16
 - operator| 17-16
 - operator|= 17-16
 - operator~ 17-16
- <bits> 23-1
- bits 23-2
 - any 23-7
 - bits 23-3
 - bits 23-3
 - count 23-6
 - length 23-6
 - none 23-7
 - operator!= 23-6
 - operator& 23-7
 - operator&= 23-4
 - operator<< 23-7/8
 - operator<<= 23-4
 - operator== 23-6
 - operator>> 23-7
 - operator>>= 23-5
 - operator^ 23-7
 - operator^= 23-4
 - operator| 23-7
 - operator|= 23-4
 - operator~ 23-5
 - reset 23-5
 - set 23-5
 - test 23-7
 - to_string 23-6
 - to_ulong 23-6
 - to_ushort 23-6
 - toggle 23-5
- <bitstring> 23-1
- bit_string 23-8
 - any 23-15
 - append 23-11
 - assign 23-11

- bit_string 23-9
- bit_string 23-9
- count 23-14
- find 23-14
- insert 23-12
- length 23-14
- none 23-15
- operator!= 23-15
- operator& 23-16
- operator&= 23-10
- operator+ 23-16
- operator+= 23-10
- operator<< 23-15, 17
- operator<= 23-11
- operator== 23-15
- operator>> 23-15/16
- operator>>= 23-11
- operator^ 23-16
- operator^= 23-11
- operator| 23-16
- operator|= 23-10
- operator~ 23-16
- remove 23-12
- replace 23-12
- reset 23-13
- resize 23-14
- rfind 23-14
- set 23-13
- substr 23-15
- test 23-15
- to_string 23-13
- toggle 23-13
- trim 23-14
- bitwise
 - AND operator 5-20
 - exclusive OR operator 5-20
 - inclusive OR operator 5-20
 - operator 5-20
- block
 - initialization in 6-5
 - scope —see local scope
 - statement { } 6-1
 - structure 6-5
- body, function 8-11
- bool promotion to int 4-2
- bool
 - basic_ios operator 27-23
 - increment 5-6, 13
 - type-specifier 7-8
- Boolean
 - bit-fields 3-13
 - constant 2-9
 - conversion 4-4
 - literal 2-9
 - type 3-13
 - type 3-13
- boolean-literal* 2-9
- bound array 8-7
- bound, of array 8-7
- bound pointer to member function, undefined C-12
- break statement 6-4/5
- buffered file 27-125
- buffered
 - basicstdiobuf 27-123
 - istdiostream 27-125/126
 - ostdiostream 27-126
- built-in type —see fundamental type
- byte 5-13
 - string, null-terminated 17-17

C

C

- anonymous union, extension to C-1
- class, extension to C-1
- const, extension to C-1
- dangerous extension to C-10
- declaration statement, extension to C-1
- delete, extension to C-1
- destructor, extension to C-2
- expression evaluation, difference from C-1
- extension to C-1/2
- function definition anachronism C-10
- header 17-19, 36, 18-1/C-14
- headers, ISO 2-5
- implementation dependency extension to C-10
- inline function, extension to C-1
- library, Standard 17-1, 17-32/C-12, C-14
- linkage to 7-22
- memberwise assignment, extension to C-2
- memberwise initialization, extension to C-2
- multiple inheritance, extension to C-2
- new, extension to C-1
- overloading delete, extension to C-2
- overloading, extension to C-1
- overloading new, extension to C-2
- pointer to member, extension to C-2
- protected, extension to C-2
- reference type, extension to C-1
- single precision arithmetic, extension to C-1
- summary, compatibility with C-1
- summary, compatibility with ISO C-2
- type checking, extension to C-1
- user-defined type, extension to C-1
- void* pointer type extension to C-1
- volatile, extension to C-2
- call
 - see also function call, member function call, overloaded
 - function call, virtual function call
- by reference 5-4
- by value 5-4
 - operator function 13-15
- calloc 20-13
- capacity 18-2
- carriage return 2-7
- case label 6-1, 3
- <cassert> 17-33, 19-7
- cast
 - ambiguity, declaration versus 8-3
 - base class 5-8
 - class object 5-9
 - const 5-10
 - derived class 5-8
 - dynamic 5-7, 18-10
 - implementation dependency pointer to function 5-10
 - integer to pointer 5-10
 - lvalue 5-9/10
 - of pointer to member anachronism C-12
 - operator 5-11, 16, 8-2
 - pointer to function 5-10
 - pointer to integer 5-9
 - pointer to member 5-9/10
 - reference 5-9/10
 - reinterpret 5-9
 - reinterpret_cast, lvalue 5-10
- cast, reinterpret_cast, reference 5-10
- cast
 - static 5-8
 - static_cast, class object 5-9
 - static_cast, lvalue 5-9
- cast, static_cast, reference 5-9

- cast to incomplete class 5–10
- cast-expression* 5–16
- casting 5–5, 16
- catch 15–1
- category 17–1
- category, locale 22–5
- c-char* 2–7
- c-char-sequence* 2–7
- <cctype> 21–18
- cerr 27–30
- <cerrno> 17–34, 19–7
- <cfloat> 17–33, 18–3
- C++
 - header 17–32/33, 17–36/C–12
 - library, Standard 17–1, 17/18, 35/37, 18–1/C–12
- change to string literal, undefined 2–9
- char
 - implementation dependency sign of 3–13
 - literal, implementation dependency value of 2–8
 - type 3–13
 - type, signed 3–13
 - type specifier 7–8
 - type, unsigned 3–13
- character
 - array initialization 8–15
 - constant 2–7
 - decimal-point 17–17
 - literal 2–7
 - literal, type of 2–7
 - multibyte 1–2
 - signed 3–13
 - string 2–9
 - type 3–13
 - underscore 17–34
- character-literal* 2–7
- char_type*, *ios_char_baggage* 27–6
- checking
 - point of error 14–3
 - syntax 14–3
- cin 27–30
- class 3–14, 9–1
 - abstract 10–8
 - access and friend 11–5
 - anachronism, nonnested C–12
 - and type 9–1
 - base 17–18, 35, 37, 18–7
 - base —see base class
 - cast to incomplete 5–10
 - constructor and abstract 10–9
 - conversion 12–3
 - conversion ambiguity 10–5
 - conversion, base 4–4
 - declaration, forward 9–2, 10–1
 - declaration {} 9–1
 - definition 9–1, 4
 - definition 3–3
 - definition example 9–4
 - definition name hiding 9–2
 - definition, scope of 9–2
 - definition {} 9–1
 - derived 17–37
 - derived —see derived class
 - extension to C C–1
 - friend 11–5
 - generated 14–9
 - gslice 26–27
 - linkage of 3–7
 - linkage specification 7–23
 - local —see local class
 - member —see also member
 - member access 5–5
 - member access operator 5–5
 - member declaration 9–3
 - member function 9–7
 - member initialization 8–13
 - member semantics 5–5
 - member, static 3–10
 - member storage duration 3–10
 - member syntax 5–5
 - name 8–2
 - name as type definition 9–1
 - name declaration 3–2
 - name, elaborated 7–9, 9–2/3
 - name, point of declaration 9–3
 - name, scope of 9–2
 - name, typedef 7–6, 9–3
 - nested —see nested class
 - object as argument 12–9
 - object, assignment of 12–13
 - object, assignment to 5–22
 - object cast 5–9
 - object cast, *static_cast*, 5–9
 - object, *const* 7–7, 9–8
 - object copy 12–12
 - object copy —see also copy constructor
 - object copy example 12–14
 - object initialization 8–13, 12–8
 - object initialization —see also constructor
 - object layout 9–4, 10–2
 - object, member 9–4
 - object, operations on 9–1
 - object return type 12–9
 - object, *sizeof* 5–13
 - objects and constructor, array of 12–9
 - objects and default constructor, array of 12–9
 - objects and new, array of 5–15
 - objects initialization, array of 8–14, 12–9
 - pointer to abstract 10–8
 - polymorphic 10–5
 - scope 3–5
 - scope of enumerator 7–12
 - sizeof*, empty 9–1
 - specialized 14–9
 - template 14–2, 23–3, 17
 - type restriction, member of 12–9
 - unnamed 7–6
- class
 - type specifier 7–9
 - versus *struct* 9–1
 - versus *union* 9–1
- classic*, locale 22–7
- class-key* 7–9, 9–1
- class-name* 9–1
- class-specifier* 9–1
- clear, *basic_ios* 27–24
- <climits> 3–13, 17–33, 18–3, 23–4, 27–53, 58, 81
- <locale> 17–17, 22–26/C–13
- clog 27–30
- close
 - basic_filebuf* 27–115
 - basic_ifstream* 27–120
 - basic_ofstream* 27–121
- <cmath> 26–35
- codecvt, locale 22–16
- codecvt_byname, locale 22–17
- collate, locale 22–15
- collate_byname, locale 22–15
- comma
 - operator 5–22
 - operator, side effects and 5–22
- comment 2–2
- /* */ 2–4

- // 2-4
- compare
 - basic_string 21-14
 - basicstring::baggage 21-14/15
- comparison
 - function 17-1
 - implementation dependency pointer 5-19
 - pointer 5-19
 - pointer to function 5-19
 - undefined pointer 5-18/19
 - void* pointer 5-19
- compatibility
 - with C summary C-1
 - with ISO C summary C-2
- compilation, separate 2-1
- compiler control line —see preprocessing directive
- complete object 1-3
- completely-defined object type 3-12
- <complex> 26-1/2
- component 17-1
- compound
 - statement 6-1
 - type 3-14
- compound-statement 6-1
- concatenation
 - string 2-9
 - undefined string literal 2-9
- condition 6-2
- conditional
 - expression operator 5-21
 - inclusion 16-2
- conditional-expression, throw-expression in 5-21
- conditions, rules for 6-2
- conj
 - double_complex 26-11
 - float_complex 26-11
 - long_double_complex 26-11
- consistency
 - example, linkage 7-3
 - linkage 7-3
 - linkage specification 7-23
 - type declaration 3-8
- const cast 5-10
- *const example 8-4
- const 3-15
 - array 7-7
 - class object 7-7, 9-8
 - constructor and 9-8, 12-1
 - destructor and 9-8, 12-5
 - example 8-4
 - extension to C C-1
 - initialization 7-7, 8-12
 - linkage of 3-7, 7-3
 - member function 9-7/8
 - member initialization 12-10
 - operand 5-1
 - overloading and 13-1/2
 - reference 8-16
 - type 7-6
- constant 2-6, 3-14, 5-2
 - character 2-7
 - enumeration 7-11
 - expression 5-22
 - expression, pointer to member 5-12
 - initializer 9-3
 - integer 2-6
 - long 2-6
 - null pointer 4-3
 - pointer declaration 8-4
 - pointer example 8-4
 - unsigned 2-6
- constant-expression 5-22
- constant-initializer 9-3
- construct 20-10
- construction, order of 3-10
- constructor 12-1
 - access, default copy 12-13
 - address of 12-2
 - anachronism, free store and C-11
 - anachronism, this and C-11
 - and abstract class 10-9
 - and array 5-15
 - and array order of execution 12-2
 - and const 9-8, 12-1
 - and initialization 12-8
 - and initialization example 12-8
 - and member function 12-2
 - and member function call 12-12
 - and new 5-15
 - and new, implementation dependency 5-15
 - and return 6-5
 - and static objects order of execution 12-9
 - and virtual function call 12-12
 - and volatile 9-8, 12-1
 - array of class objects and 12-9
 - call, explicit 12-2
 - conversion by 12-3
 - conversion by —see also user-defined conversion
 - copy 12-1/2, 12, 17-18
 - default 26-24
 - default —see default constructor
 - default copy 12-12/14
 - definition 8-12
 - example 12-2
 - exception handling 15-3
 - for temporary 12-2
 - inheritance of 12-1
 - local object 3-10
 - order of execution, base class 12-2
 - order of execution, member 12-2
 - restriction 12-1/2
 - restriction, default copy 12-13
 - type of 12-2
 - union 9-9
 - unspecified argument to 5-15
- continue
 - in for statement 6-4
 - statement 6-4/5
- control line —see preprocessing directive
- conv_baggage 27-102
- convention 17-18
- conversion
 - Boolean 4-4
 - ambiguity, class 10-5
 - anachronism, pointer to member C-12
 - and name hiding, user-defined 12-5
 - argument 5-5, 8-9
 - array pointer 4-1
 - array-to-pointer 4-1
 - base class 4-4
 - by assignment 5-22
 - by constructor 12-3
 - class 12-3
 - explicit type —see casting
 - floating point 4-3
 - floating-integral 4-3
 - function —see also user-defined conversion
 - function-to-pointer 4-1
 - implementation defined pointer integer 5-9/10
 - implementation dependency floating point 4-3
 - implicit 4-1, 5-1, 12-3
 - implicit user-defined 12-4

inheritance of user-defined 12-4
 integer 4-3
 lvalue-to-rvalue 4-1
 operator 5-1, 12-4
 overload resolution and 13-9
 overload resolution and pointer 13-14
 pointer 4-3
 pointer to function 4-1
 pointer to member 4-3
 pointer to member void* 4-4
 rank 13-11
 return type 6-5
 signed unsigned integer 4-3
 standard 4-1
 to enumeration type 5-8
 to enumeration type, `static_cast`, 5-8
 to rvalue, lvalue 4-1
 type of 12-4
 undefined floating point 4-3
 user-defined 4-1, 5-1, 12-3/4
 virtual user-defined 12-4
conversion-function-id 12-4
 conversions
 qualification 4-2
 usual arithmetic 5-2
`convin, ios_conv_baggage<STATE_T>` 27-103
`convout, ios_conv_baggage<STATE_T>` 27-104
 copy
 class object 12-12
 constructor 12-1/2, 12, 17-18
 constructor access, default 12-13
 constructor, default 12-12/14
 constructor, implicitly-declared 12-1
 constructor restriction, default 12-13
 example, class object 12-14
 copy 25-5
 `basic_string` 21-11
 `ios_char_baggage` 27-7
 `copy_backward` 25-6
 `copyfmt, basic_ios` 27-23
`cos` 26-24
 `double_complex` 26-11
 `float_complex` 26-11
 `long_double_complex` 26-11
`cosh` 26-24
 `double_complex` 26-11
 `float_complex` 26-11
 `long_double_complex` 26-11
`count` 25-4
 `bit_string` 23-14
 bits 23-6
 `count_if` 25-4
`cout` 27-30
`__cplusplus` 16-9
`<csddef>` 5-18
`<csetjmp>` 17-34, 18-13
`<csignal>` 18-13
`<csdarg>` 17-33/34, 18-13
`<csddef>` 5-13, 17-33, 18-1/C-13
`<csdstdio>` 17-19, 27-29/30, 52, 65, 100, 112, 115, 118,
 27-122/C-13
`<csdstdlib>` 3-9, 17-33, 18-3, 13, 20-9, 21-19, 25-2,
 26-35, 27-78/C-13
`c_str, basic_string` 21-10
`<ostream>` 27-99
`<cstring>` 17-17, 20-9, 21-18, 27-81, 27-89/C-13
`<ctime>` 18-13, 20-13, 22-1/C-13
ctor-initializer 12-9
`ctype, locale` 22-9
`ctype_base, locale` 22-8
`ctype_byname, locale` 22-11

`ctype<char>, locale` 22-10
`<ctype.h>` C-12
`cv-qualifier` 3-15
cv-qualifier 8-2
`<cwchar>` 17-17, 18-2, 21-18, 27-100/C-13
`<cwctype>` 21-18/C-13

D

DAG
 multiple inheritance 10-2/3
 nonvirtual base class 10-3
 virtual base class 10-2/3
 dangerous extension to C C-10
 data member—see member
 data
 `basic_string` 21-10
 `dyn_array` 23-22
 `ptr_dyn_array` 23-26
`deallocate` 20-10
 deallocation
 —see delete
 function 3-11, 5-16, 12-7
`dec` 27-29, 53, 67
 decimal literal 2-6
decimal-literal 2-6
 decimal-point character 17-17
 declaration 3-1/2, 7-1
 `:`, field 9-10
 access 11-3
 ambiguity, function 8-13
 array 8-7
 as definition 7-2
 asm 7-22
 bit-field 9-10
 class member 9-3
 class name 3-2
 class name, point of 9-3
 consistency, type 3-8
 constant pointer 8-4
 default argument 8-10
 definition versus 3-2
 ellipsis in function 5-5, 8-8
 enumerator, point of 3-6
 example 3-2, 8-9
 example, function 8-10
 extern 3-2
 extern, point of 3-6
 extern reference 8-16
 forward 7-4
 forward class 9-2, 10-1
 friend, point of 3-6
 function 3-2, 8-8
 function member 9-7
 function template 14-25
 hiding—see name hiding
 in `for`, scope of 6-4
 in `for` statement 6-4
 in `switch` statement 6-3
 matching, overloaded function 13-3
 member 9-3
 multiple 3-8
 name 3-2
 name, point of 3-6
 overloaded 13-1
 overloaded name and access 11-4
 overloaded name and friend 11-5
 parameter 8-8/9
 parentheses in 8-3/4
 pointer 8-4

- reference 8-5
- register 7-3
- scope of friend 3-5
- specifier 7-2
- statement 6-5
- statement, extension to C C-1
- static member 3-2
- storage class 7-2
- type 8-4
- type ambiguity 7-2
- typedef 3-2
- typedef as type 7-5
- versus cast ambiguity 8-3
- versus expression ambiguity 6-6
- { }, class 9-1
- { }, enum 7-10
- declaration* 7-1
- declaration-seq* 7-22
- declaration-statement* 6-5
- declarative region 3-1
- declarator 7-1, 8-1
 - &, reference 8-5
 - (), function 8-8
 - *, pointer 8-4
 - ::*, pointer to member 8-6
 - [], array 8-7
 - example 8-2
 - initializer, temporary and 12-3
 - meaning of 8-4
 - multidimensional array 8-7
- declarator* 8-1
- declarator-id* 8-2
- decl-specifier* 7-2
- decrement
 - operator 5-7, 12/13
 - operator, overloaded 13-17
- deduction, template argument 14-21
- default
 - access control 11-1
 - argument and name hiding 8-11
 - argument, binding of 8-10
 - argument declaration 8-10
 - argument, evaluation of 8-10/11
 - argument, example of 8-10
 - argument, overload resolution and 13-9
 - argument, overloaded operator and 13-15
 - argument, overloading and 8-11
 - argument, scope of 8-11
 - argument, type checking of 8-10
 - array size 8-7
 - assignment operator 13-16
 - assignment operator 12-12/14
 - assignment operator access 12-13
 - assignment operator restriction 12-13
 - behavior 17-1
 - constructor 26-24
 - constructor 12-1, 9, 12
 - constructor and array 5-15
 - constructor and initialization 12-8
 - constructor and new 5-15
 - constructor, array of class objects and 12-9
 - copy constructor 12-12/14
 - copy constructor access 12-13
 - copy constructor restriction 12-13
 - destructor 12-5
 - initialization 8-13
 - initializers, overloading and 13-2
 - member access, struct 9-1
 - member access, union 9-1
 - template parameter 14-16
- default label 6-1, 3
- #define 16-5
- defined reentrancy, implementation 17-36
- definition 3-2, 17-1
 - alternate 17-35
 - and initialization 7-2
 - class 3-3
 - class 9-1, 4
 - class name as type 9-1
 - constructor 8-12
 - declaration as 7-2
 - enumerator 3-3
 - enumerator point of 7-11
 - example 3-2
 - example, function 8-12
 - example, nested class 9-11
 - function 3-3
 - function 8-11
 - function template 14-25
 - local class 9-12
 - member 9-7
 - member function 9-7/8
 - name hiding, class 9-2
 - namespace 7-12
 - nested class 9-11
 - object 3-3
 - of template 14-1
 - pure virtual function 10-8
 - scope, macro 16-6
 - scope of class 9-2
 - static member 9-9
 - versus declaration 3-2
 - virtual function 10-6
 - { }, class 9-1
- definitions, implementation-generated 3-2
- delete
 - array 5-16
 - object 5-16
- delete 3-10, 5-16, 12-7
- destructor and 5-16, 12-6
- example 12-7
- example, destructor and 12-8
- example, scope of 12-8
- extension to C C-1
- extension to C overloading C-2
- operator 17-35, 18-5, 20-13
- overloading and 3-11
- type of 12-7
- undefined 5-16
- undefined value 5-16
- delete[], operator 17-35, 18-6
- deleted object, undefined 3-11, 5-16
- delete-expression* 5-16
- dependent name 14-6
- deprecated features 5-6, 13
- deque 23-32
- dereferencing 5-1
 - see also indirection
- derivation —see inheritance
- derived
 - class 17-37
 - class 10-1
 - class cast 5-8
 - class example 10-1
 - class, most 12-10
 - class object, assignment 5-22
 - class, overloading and 13-3
 - class to base class, assignment of 12-13
- destination type 8-13
- destroy 20-11
- destruction
 - of auto 6-4/5

- of local `static` 6-6
 - of local variable 6-4/5
 - of temporary 12-3
 - of temporary, order of 12-3
 - order of 3-10
 - destructor 12-5, 17-18
 - anachronism, free store and C-11
 - anachronism, `this` and C-11
 - and array order of execution 12-6
 - and `const` 9-8, 12-5
 - and `delete` 5-16, 12-6
 - and `delete` example 12-8
 - and exception, explicit 12-7
 - and exit from scope 6-4
 - and fundamental type 12-7
 - and member function 12-6
 - and member function call 12-12
 - and placement of object 12-6
 - and `static` objects order of execution 12-9
 - and virtual function call 12-12
 - and `volatile` 9-8, 12-5
 - call example, explicit 12-6
 - call, explicit 12-6
 - call, implicit 12-6
 - call, unspecified 6-6
 - default 12-5
 - exception handling 15-3
 - extension to C C-2
 - for temporary 12-2
 - inheritance of 12-5
 - local object 3-10
 - order of execution 12-6
 - order of execution, base class 12-6
 - order of execution, member 12-6
 - program termination and 12-6
 - pure virtual 12-6
 - restriction 12-5/6
 - `static` object 3-9
 - union 9-9
 - virtual 12-6
 - diagnostic message 1-2
 - difference from C expression evaluation C-1
 - digit* 2-4
 - digit-sequence* 2-8
 - digraph 2-3, 5
 - direct base class 10-1
 - direct-abstract-declarator* 8-2
 - direct-declarator* 8-1
 - directed acyclic graph —see DAG
 - directive
 - error 16-8
 - null 16-9
 - pragma 16-8
 - preprocessing 16-1
 - direct-new-declarator* 5-13
 - distance_type* 24-5
 - distinct string 2-9
 - divides 20-4
 - division
 - by zero, undefined 5-1, 17
 - implementation dependency 5-17
 - operator 5-17
 - do statement 6-3/4
 - `domain_error` 19-3
 - `domain_error` 19-4
 - `domain_error` 19-4
 - what 19-4
 - `~domain_error` 19-4
 - `~domain_error`, `domain_error` 19-4
 - dominance, virtual base class 10-4
 - dot operator —see class member access operator
 - double quote 2-7
 - `double`
 - literal 2-8
 - type 3-13
 - type specifier 7-8
 - `double_complex` 26-5
 - `abs` 26-11
 - `arg` 26-11
 - `conj` 26-11
 - `cos` 26-11
 - `cosh` 26-11
 - `double_complex` 26-5
 - `double_complex` 26-5
 - `exp` 26-11
 - `imag` 26-11
 - `log` 26-12
 - `norm` 26-12
 - `operator!=` 26-7
 - `operator*` 26-6
 - `operator*=` 26-6
 - `operator+` 26-6
 - `operator+=` 26-5
 - `operator-` 26-6
 - `operator-=` 26-6
 - `operator/` 26-7
 - `operator/=` 26-6
 - `operator<<` 26-7
 - `operator==` 26-7
 - `operator>>` 26-7
 - `polar` 26-12
 - `pow` 26-12
 - `real` 26-12
 - `sin` 26-12
 - `sinh` 26-13
 - `sqrt` 26-13
 - `_double_complex` 26-6, 9
 - dynamic
 - binding —see virtual function
 - cast 5-7, 18-10
 - initialization 3-9
 - storage duration 3-10, 5-14
 - type 1-2
 - `<dynarray>` 23-1
 - `dyn_array` 23-17
 - `append` 23-19
 - `assign` 23-20
 - `data` 23-22
 - `dyn_array` 23-18
 - `dyn_array` 23-18
 - `get_at` 23-21
 - `insert` 23-20
 - `length` 23-22
 - `operator+` 23-23
 - `operator+=` 23-19
 - `operator[]` 23-22
 - `put_at` 23-22
 - `remove` 23-21
 - `reserve` 23-23
 - `resize` 23-22
 - `sub_array` 23-21
 - `swap` 23-21
 - `dyn_array<T>` 23-18, 24
- ## E
- E suffix 2-8
 - `eback`, `basic_streambuf` 27-38
 - `egptr`, `basic_streambuf` 27-38
 - elaborated
 - class name 7-9, 9-2/3

- enum name 7-9
- type specifier 14-5
- type specifier 3-6
- type specifier—see elaborated class name
- elaborated-type-specifier* 7-9
- `#elif` 16-2
- elimination of temporary 12-2
- ellipsis
 - example 8-10
 - in function declaration 5-5, 8-8
 - overload resolution and 13-9
- `#else` 16-3
- `else` 6-2
- empty
 - argument list 8-8
 - class `sizeof` 9-1
 - statement 6-1
- `empty` 20-2
 - `operator<` 20-2
 - `operator==` 20-2
- `#endif` 16-3
- `endl` 27-67, 70
- end-of-file 23-7, 16
- `ends` 27-70
- entity 3-1
- enum name, `typedef` 7-6
- enum
 - declaration { } 7-10
 - name, elaborated 7-9
 - overloading and 13-2
 - type of 7-10/11
 - type specifier 7-9
- enumerated type 3-13, 17-16, 18-2
- enumeration 7-10
 - constant 7-11
 - example 7-11
 - linkage of 3-7
 - type, conversion to 5-8
 - type, `static_cast`, conversion to 5-8
 - underlying type 7-11
- enumerator
 - class, scope of 7-12
 - definition 3-3
 - member 7-12
 - point of declaration 3-6
 - point of definition 7-11
 - redefinition 7-11
 - restriction 7-11
 - value of 7-11
- enumerator* 7-11
- environment, program 3-8
- `eof`
 - `basic_ios` 27-24
 - `ios_char_baggage` 27-6
- `eos`
 - `basicstring::baggage` 21-4, 10/11
 - `ios_char_baggage` 27-7
- `epptr, basic_streambuf` 27-39
- `eq, basicstring::baggage` 21-11/13
- `eq_char_type, ios_char_baggage` 27-6
- `eq_int_type, ios_char_baggage` 27-6
- `equal` 25-5
 - `istreambuf_iterator` 27-61
- equality operator 5-20
- equality-expression* 5-20
- `equal_range` 25-14
- `equal_to` 20-5
- equivalence
 - template type 14-20
 - type 7-5, 9-1
- equivalent
 - parameter declarations 13-2
 - parameter declarations, overloading and 13-2
- `<errno.h>` C-12
- error
 - checking, point of 14-3
 - directive 16-8
 - `#error` 16-8
- escape
 - character—see backslash
 - sequence 2-7
 - sequence, undefined 2-8
- escape-sequence* 2-7
- evaluation
 - difference from C expression C-1
 - new, unspecified order of 5-15
 - of default argument 8-10/11
 - of expression, order of 5-1
 - order of argument 5-5
 - unspecified order of 3-9, 5-1
 - unspecified order of argument 5-5
 - unspecified order of function call 5-5
- example
 - `*const` 8-4
 - array 8-7
 - class definition 9-4
 - class object copy 12-14
 - `const` 8-4
 - constant pointer 8-4
 - constructor 12-2
 - constructor and initialization 12-8
 - declaration 3-2, 8-9
 - declarator 8-2
 - definition 3-2
 - `delete` 12-7
 - derived class 10-1
 - destructor and `delete` 12-8
 - ellipsis 8-10
 - enumeration 7-11
 - explicit destructor call 12-6
 - explicit qualification 10-4
 - `friend` 9-2
 - `friend` function 11-5
 - function declaration 8-10
 - function definition 8-12
 - linkage consistency 7-3
 - local class 9-12
 - member function 9-7, 11-5
 - member name access 11-3
 - nested class 9-11
 - nested class definition 9-11
 - nested class forward declaration 9-12
 - nested type name 9-12
 - of default argument 8-10
 - of incomplete type 3-12
 - of overloading 13-1
 - pointer to member 8-6
 - pure virtual function 10-8
 - scope of `delete` 12-8
 - scope resolution operator 10-4
 - static member 9-9
 - subscripting 8-7
 - type name 8-2
 - `typedef` 7-5
 - unnamed parameter 8-12
 - variable parameter list 8-10
 - virtual function 10-6/7
- exception
 - allowing an 15-5
 - and new 5-15
 - arithmetic 5-1
 - declaration scope 3-4

- explicit destructor and 12–7
- handler 15–3, 17–37
- handler, incomplete@type@in 15–3
- handling 15–1
- handling constructor 15–3
- handling destructor 15–3
- implementation dependency arithmetic 5–1
- throwing 15–1
- <exception> 17–33, 18–11
- exception
 - exception 19–2/3, 6
 - exception 19–2/3, 6
 - what 18–10, 19–3/7, 27–19
 - ~exception 19–3
 - ~exception, exception 19–3
 - exception-declaration 15–1
 - exceptions, basic_ios 27–25
 - exception-specification 15–4
 - exit from scope, destructor and 6–4
 - exit 18–4, 8
 - exit() 3–8/9
 - exp 26–24
 - double_complex 26–11
 - float_complex 26–11
 - long_double_complex 26–11
 - explanation, subscripting 8–7
 - explicit
 - constructor call 12–2
 - destructor and exception 12–7
 - destructor call 12–6
 - destructor call example 12–6
 - instantiation syntax 14–14
 - qualification 3–6, 7–13
 - qualification example 10–4
 - type conversion —see casting
 - exponent-part 2–8
 - expression 5–1
 - ambiguity, declaration versus 6–6
 - assignment 5–21
 - constant 5–22
 - evaluation, difference from C C–1
 - order of evaluation of 5–1
 - parenthesized 5–3
 - pointer to member constant 5–12
 - postfix 5–3
 - primary 5–2
 - reference 5–1
 - statement 6–1
 - unary 5–11
 - unspecified 5–5
 - expression 5–22
 - expression-list 5–4
 - expression-statement 6–1
 - extension
 - to C C–1/2
 - to C anonymous union C–1
 - to C class C–1
 - to C const C–1
 - to C, dangerous C–10
 - to C declaration statement C–1
 - to C delete C–1
 - to C destructor C–2
 - to C, implementation dependency C–10
 - to C inline function C–1
 - to C memberwise assignment C–2
 - to C memberwise initialization C–2
 - to C multiple inheritance C–2
 - to C new C–1
 - to C overloading C–1
 - to C overloading delete C–2
 - to C overloading new C–2

- to C pointer to member C–2
- to C protected C–2
- to C reference type C–1
- to C single precision arithmetic C–1
- to C type checking C–1
- to C user-defined type C–1
- to C, void* pointer type C–1
- to C volatile C–2
- extern
 - "C" 17–34/C–14
 - "C++" C–13/14
 - "C++" 17–34
 - declaration 3–2
 - linkage of 7–3
 - linkage specification 7–22
 - point of declaration 3–6
 - reference declaration 8–16
 - restriction 7–3
- external linkage 3–7, 17–34/C–14

F

- F suffix 2–8
- f suffix 2–8
- facet, locale 22–7
- fail, basic_ios 27–24
- failure, basic_ios::failure 27–19
- ~failure, basic_ios::failure 27–19
- fclose 27–115
- fgetc 27–123
- field declaration : 9–10
- file 2–1
 - buffered 27–125
 - scope 17–34
 - source 2–1, 17–33/34
- filebuf 27–113
- fill 25–7
 - basic_ios 27–25
 - gslice_array 26–30
 - indirect_array 26–33
 - mask_array 26–31
 - slice_array 26–27
 - valarray 26–24
- fill_n 25–7
- final overrider 10–6
- find 25–4
 - basic_string 21–11
 - bit_string 23–14
- find_first_not_of, basic_string 21–13
- find_first_of, basic_string 21–12
- find_if 25–4
- find_last_not_of, basic_string 21–13
- find_last_of, basic_string 21–13
- floctal-digit 2–6
- flags, basic_ios 27–25
- float
 - literal 2–8
 - type 3–13
 - type specifier 7–8
- float_complex 26–2
 - abs 26–11
 - arg 26–11
 - conj 26–11
 - cos 26–11
 - cosh 26–11
 - exp 26–11
 - float_complex 26–3
 - float_complex 26–3
 - imag 26–11
 - log 26–12

- norm 26-12
- operator!= 26-4
- operator* 26-4
- operator*= 26-3
- operator+ 26-3
- operator+= 26-3
- operator- 26-4
- operator-= 26-3
- operator/= 26-3
- operator<< 26-5
- operator== 26-4
- operator>> 26-4
- polar 26-12
- pow 26-12
- real 26-12
- sin 26-12
- sinh 26-13
- sqrt 26-13
- _float_complex 26-3
- <float.h> 2-5/C-12
- floating
 - point conversion 4-3
 - point conversion, implementation dependency 4-3
 - point conversion, undefined 4-3
 - point literal 2-8
 - point literal, type of 2-8
 - point promotion 4-2
 - point type 3-13
 - point type 3-13
 - point type, implementation dependency 3-13
- floating-constant* 2-8
- floating-integral conversion 4-3
- floating-suffix* 2-8
- flush 27-22, 49, 64, 70
 - basic_ostream 27-64
- fmtflags, basic_ios 27-19, 76
- fopen 27-114/115
- for
 - scope of declaration in 6-4
 - statement 6-3/4
 - statement, continue in 6-4
 - statement, declaration in 6-4
- for_each 25-3
- form feed 2-7
- formal
 - argument —see also parameter
 - argument —see parameter
- forward
 - class declaration 9-2, 10-1
 - declaration 7-4
 - declaration example, nested class 9-12
- forward_iterator 24-4
- forward_iterator_tag 24-3
- fpos_t 27-12
- fprintf 27-65
- fputc 27-123
- fractional-constant* 2-8
- free
 - store —see also new, delete
 - store and constructor anachronism C-11
 - store and destructor anachronism C-11
- free 20-13
 - valarray 26-25
- freestanding implementation 17-33
- freeze
 - basic_ostrstream 27-89
 - basic_strstreambuf 27-82
- friend
 - declaration, scope of 3-5
 - function, scope of 11-6
 - specifier 17-37
- friend
 - access specifier and 11-6
 - class 11-5
 - class access and 11-5
 - declaration, overloaded name and 11-5
 - example 9-2
 - function, access and 11-5
 - function example 11-5
 - function, inline 11-6
 - function, linkage of 11-6
 - function, member function and 11-5
 - function, nested class 9-12
 - inheritance and 11-6
 - member function 11-5
 - point of declaration 3-6
 - specifier 7-6
 - template and 14-27
 - virtual and 10-6
- front_insert_iterator 24-10
- fscanf 27-52
- <fstream> 17-19, 27-99
- full-expression 1-4
- function
 - see also friend function, member function, inline function, virtual function
 - allocation 3-10, 5-14, 12-7
 - argument —see argument
 - body 8-11
 - call 5-4
 - call evaluation, unspecified order of 5-5
 - call operator 5-4, 13-15
 - call operator, overloaded 13-16
 - call, recursive 5-5
 - call, undefined 5-10
 - cast, implementation dependency pointer to 5-10
 - cast, pointer to 5-10
 - comparison 17-1
 - comparison, pointer to 5-19
 - conversion, pointer to 4-1
 - deallocation 3-11, 5-16, 12-7
 - declaration 3-2, 8-8
 - declaration ambiguity 8-13
 - declaration, ellipsis in 5-5, 8-8
 - declaration example 8-10
 - declaration matching, overloaded 13-3
 - declarator () 8-8
 - definition 8-11
 - definition 3-3
 - definition anachronism, C C-10
 - definition anachronism, old style C-10
 - definition example 8-12
 - generated 14-9
 - global 17-34, 36
 - handler 17-1, 18
 - linkage specification 7-23
 - linkage specification overloaded 7-23
 - member —see member function
 - member declaration 9-7
 - modifier 17-1
 - name hiding 13-3
 - name, overloaded 13-1
 - observer 17-1
 - operator 13-15
 - overloaded —see also overloading
 - parameter —see parameter
 - parameter adjustment 8-9
 - pointer to member 5-17
 - prototype scope 3-5
 - replacement 17-1
 - reserved 17-2
 - return —see return

return type —see return type
 scope 3–5
 scope of friend 11–6
 specialized 14–9
 specifier 7–4
 template 14–20
 template declaration 14–25
 template definition 14–25
 type 3–14, 8–8/9
 viable 13–4
 virtual —see virtual function
 virtual member 17–18, 35/36
function-body 8–11
function-definition 8–11
 function-like macro 16–4
function-specifier 7–4
 function-to-pointer conversion 4–1
 fundamental
 type 3–13
 type conversion —see conversion, user-defined conversion
 type, destructor and 12–7
 fvoid_t 18–2

G

gbump, basic_streambuf 27–38
 gcount, basic_istream 27–59
 generate 25–8
 generated
 class 14–9
 constructor —see default constructor
 destructor —see default destructor
 function 14–9
 generate_n 25–8
 get, basic_istream 27–55/56
 get_at
 basic_string 21–10
 dyn_array 23–21
 ptr_dyn_array 23–25
 getline, basic_istream 27–57
 getloc, basic_ios 27–26
 get_off, ios_conv_baggage<STATE_T> 27–104
 get_offstate, ios_conv_baggage<STATE_T>
 27–104
 get_offupos, ios_conv_baggage<STATE_T>
 27–105
 get_pos, ios_conv_baggage<STATE_T> 27–104
 get_posstate, ios_conv_baggage<STATE_T>
 27–104
 get_posupos, ios_conv_baggage<STATE_T>
 27–105
 get_temporary_buffer 20–11
 global
 anonymous union 9–10
 function 17–34, 36
 name 3–5
 namespace scope 3–5
 scope 3–5
 global, locale 22–7
 good, basic_ios 27–24
 goto
 initialization and 6–5
 statement 6–1, 4/5
 gptr, basic_streambuf 27–38
 grammar A–1
 greater
 than operator 5–19
 than or equal to operator 5–19
 greater 20–5
 greater_equal 20–5

gslice
 class 26–27
 gslice 26–28
 length 26–28
 start 26–28
 stride 26–28
 gslice_array 26–28
 fill 26–30
 gslice_array 26–29
 gslice_array 26–29
 operator%= 26–29
 operator&= 26–29
 operator*= 26–29
 operator+= 26–29
 operator-= 26–29
 operator/= 26–29
 operator<<= 26–29
 operator= 26–29
 operator>= 26–29
 operator^= 26–29
 operator|= 26–29
 gslicearray<T> 26–29

H

handler
 exception 15–3, 17–37
 function 17–1, 18
 incomplete@type@in exception 15–3
handler 15–1
handler-seq 15–1
 has, locale 22–6
 header
 C 17–19, 36, 18–1/C–14
 C++ 17–32/33, 17–36/C–12
 headers
 ISO C 2–5
 library 2–5
 standard 2–5
 hex number 2–8
 hexadecimal literal 2–6
 hexadecimal-digit 2–6
 hexadecimal-escape-sequence 2–7
 hexadecimal-literal 2–6
 hiding —see name hiding
 horizontal tab 2–7
 hosted implementation 17–33

I

id, qualified 5–3
 id, locale 22–8
 identifier 2–4, 5–3, 7–1
 _, underscore in 2–5
identifier 2–4
 identities and overloading, operator 13–15
 id-expression 5–3
id-expression 5–3
 #if 16–2, 17–36
 if statement 6–2
 #ifdef 16–3
 if-else ambiguity 6–2
 #ifndef 16–3
 ifstream 27–119
 ignore, basic_istream 27–58
 imag 26–3/10
 double_complex 26–11
 float_complex 26–11
 long_double_complex 26–11

- imainp 27–72
 - imbue, `basic_ios` 27–26
 - implementation
 - defined pointer integer conversion 5–9/10
 - defined reentrancy 17–36
 - dependency `__STDC__` 16–9
 - dependency alignment of bit-field 9–10
 - dependency alignment requirement 3–13
 - dependency allocation 9–4, 11–2
 - dependency arithmetic exception 5–1
 - dependency `asm` 7–22
 - dependency bit-field allocation 9–10
 - dependency constructor and `new` 5–15
 - dependency division 5–17
 - dependency extension to C C–10
 - dependency floating point conversion 4–3
 - dependency floating point type 3–13
 - dependency generation of temporary 12–2
 - dependency linkage of `main()` 3–8
 - dependency linkage specification 7–22
 - dependency modulus 5–17
 - dependency object linkage 7–23
 - dependency overflow 5–1
 - dependency parameters to `main()` 3–8
 - dependency pointer comparison 5–19
 - dependency pointer subtraction 5–18
 - dependency pointer to function cast 5–10
 - dependency range of types 2–5
 - dependency right shift 5–19
 - dependency sign of bit-field 9–10
 - dependency sign of `char` 3–13
 - dependency `sizeof` expression 5–13
 - dependency `sizeof` integral type 3–13
 - dependency `sizeof` type 3–13
 - dependency string literal 2–9
 - dependency type of integer literal 2–7
 - dependency type of `ptrdiff_t` 5–18
 - dependency type of `size_t` 5–13
 - dependency type of `sizeof` expression 2–5
 - dependency value of `char` literal 2–8
 - dependency value of multicharacter literal 2–7
 - dependency `volatile` 7–7
 - dependency `wchar_t` 3–13
 - freestanding 17–33
 - hosted 17–33
 - limits 1–2
 - type 17–16
- implementation-defined 4–3, 8–16, 17–33/34, 18–2, 4/5, 8, 19–3, 27–8, 24, 44/45, 27–105/C–13
 - behavior 1–2
 - implementation-dependent 27–13, 49, 64
 - implementation-generated definitions 3–2
 - implicit
 - conversion 4–1, 5–1, 12–3
 - conversion sequences implied object parameter 13–5
 - destructor call 12–6
 - user-defined conversion 12–4
 - implicitly-declared
 - copy constructor 12–1
 - default constructor 12–1
 - implicit object argument 13–5
 - implied
 - object parameter 13–4
 - object parameter, implicit conversion sequences 13–5
 - `in_avail`, `basic_streambuf` 27–36
 - `#include` 16–3, 17–33, 36
 - `includes` 25–15
 - inclusion
 - conditional 16–2
 - source file 16–3
 - incomplete
 - class, cast to 5–10
 - type 3–12
 - type, example of 3–12
 - incompletely-defined object type 3–12
 - `incomplete@type@in` exception handler 15–3
 - increment
 - `bool` 5–6, 13
 - operator 5–6, 12/13
 - operator, overloaded 13–17
 - indeterminate uninitialized variable 8–13
 - indirect base class 10–1
 - `indirect_array` 26–31
 - `fill` 26–33
 - `indirect_array` 26–32
 - `indirect_array` 26–32
 - `operator%=>` 26–32
 - `operator&=>` 26–32
 - `operator*=>` 26–32
 - `operator+=>` 26–32
 - `operator-=>` 26–32
 - `operator/=>` 26–32
 - `operator<<=>` 26–32
 - `operator=>` 26–32
 - `operator>=>` 26–32
 - `operator^=>` 26–32
 - `operator|=>` 26–32
 - indirection 5–12
 - operator 5–12
 - inequality operator 5–20
 - inheritance 10–1
 - see also multiple inheritance
 - and `friend` 11–6
 - of constructor 12–1
 - of destructor 12–5
 - of overloaded operator 13–15
 - of user-defined conversion 12–4
 - `init`, `basic_ios` 27–27, 48, 63
 - `~Init`, `basic_ios::Init` 27–22
 - `init-declarator` 8–1
 - `init-declarator-list` 8–1
 - initialization 8–12
 - aggregate 12–8
 - and `goto` 6–5
 - and `new` 5–15, 12–9
 - array 8–13
 - array of class objects 8–14, 12–9
 - `auto` 6–6
 - `auto` object 8–12
 - automatic 6–5/6
 - base class 12–9/10
 - character array 8–15
 - class member 8–13
 - class object 8–13, 12–8
 - class object —see also constructor
 - `const` 7–7, 8–12
 - `const` member 12–10
 - constructor and 12–8
 - default 8–13
 - default constructor and 12–8
 - definition and 7–2
 - dynamic 3–9
 - example, constructor and 12–8
 - extension to C memberwise C–2
 - in block 6–5
 - jump past 6–3, 5
 - local object 3–10
 - local `static` 6–6
 - member 12–9, 13
 - member object 12–10
 - non-trivial 12–8
 - order of 3–9/10, 10–2

- order of base class 12–10
- order of member 12–10
- order of virtual base class 12–10
- overloaded assignment and 12–9
- parameter 5–4
- reference 8–6, 15
- reference member 12–10
- run-time 3–9
- static member 9–9
- static object 3–9, 8–12/13
- struct 8–13
- union 8–14, 9–10
- virtual base class 12–10, 12
- initializer 8–12
 - base class 8–12
 - constant 9–3
 - list {} 8–13
 - member 8–12
 - scope of member 12–11
 - temporary and declarator 12–3
- initializer* 8–12
- initializer-clause* 8–12
- initializer-list* 8–12
- injection from template, name 14–8
- inline 17–36
 - friend function 11–6
 - function 7–4
 - function, extension to C C–1
 - function, linkage of 7–3
 - member function 9–8
 - member function rewriting rules 9–8
- inline
 - linkage of 3–7
 - specifier 7–4
- inplace_merge 25–15
- input_iterator 24–4
- input_iterator_tag 24–3
- insert
 - basic_string 21–8
 - bit_string 23–12
 - dyn_array 23–20
 - ptr_dyn_array 23–25
- insert_iterator 24–10
- instantiation
 - and specialization 14–13
 - multiple 14–13
 - point of 14–10
 - syntax, explicit 14–14
 - template 14–9
- int, bool promotion to 4–2
- int
 - type 3–13
 - type specifier 7–8
 - type, unsigned 3–13
- integer
 - cast, pointer to 5–9
 - constant 2–6
 - conversion 4–3
 - conversion, implementation defined pointer 5–9/10
 - conversion, signed unsigned 4–3
 - literal 2–6
 - literal, base of 2–6
 - literal, implementation dependency type of 2–7
 - literal, type of 2–7
 - to pointer cast 5–10
 - type 3–14
- integer-literal* 2–6
- integer-suffix* 2–6
- integral
 - promotion 4–2, 5–5
 - type 3–13
- type 3–14
- type, implementation dependency sizeof 3–13
- value, undefined unrepresentable 4–3
- internal linkage 3–7
- interpretation
 - of binary operator 13–16
 - of unary operator 13–15
- INT_T, ios_char_baggage 27–6
- int_type, ios_char_baggage 27–6
- invalid_argument 19–4, 23–3/4, 9/10, 18/21
 - invalid_argument 19–4
 - invalid_argument 19–4
 - what 19–4
- ~invalid_argument 19–4
- ~invalid_argument, invalid_argument 19–4
- invocation, macro 16–5
- <iomanip> 27–72
- <ios> 27–1
- ios 27–17
- ios_baggage 27–2
- ios_char_baggage 27–3
 - INT_T 27–6
 - char_type 27–6
 - copy 27–7
 - eof 27–6
 - eos 27–7
 - eq_char_type 27–6
 - eq_int_type 27–6
 - int_type 27–6
 - is_eof 27–7
 - is_whitespace 27–7
 - length 27–7
 - newline 27–7
 - not_eof 27–6
 - to_char_type 27–6
 - to_int_type 27–6
- ios_conv_baggage 27–102
- ios_conv_baggage<STATE_T> 27–102
 - convin 27–103
 - convout 27–104
 - get_off 27–104
 - get_offstate 27–104
 - get_offupos 27–105
 - get_pos 27–104
 - get_posstate 27–104
 - get_posupos 27–105
- ios_conv_baggage<wstreampos> 27–105
- ios_pos_baggage 27–8
 - OFF_T 27–8
 - POS_T 27–8
 - off_type 27–8
 - pos_type 27–8
- iostate, basic_ios 27–21
- <iostream> 27–1
- ipfx, basic_istream 27–49
- isalnum, locale 22–7
- isalpha, locale 22–6
- isctrl, locale 22–6
- isdigit, locale 22–6
- is_eof, ios_char_baggage 27–7
- isfx, basic_istream 27–50
- isgraph, locale 22–7
- islower, locale 22–6
- ISO
 - C headers 2–5
 - C summary, compatibility with C–2
 - <iso646.h> C–12/13
- is_open
 - basic_filebuf 27–114
 - basic_istream 27–120
 - basic_ofstream 27–121

- isprint, locale 22-6
 - ispunct, locale 22-6
 - isspace, locale 22-6
 - istdiostream 27-125
 - buffered 27-125/126
 - istdiostream 27-125
 - istdiostream 27-125
 - rdbuf 27-125
 - ~istdiostream 27-125
 - ~istdiostream, istdiostream 27-125
 - <istream> 27-31
 - istream 27-48
 - istreambuf_iterator operator++ 27-61
 - istreambuf_iterator 27-60
 - equal 27-61
 - istreambuf_iterator 27-61
 - istreambuf_iterator 27-61
 - iterator_category 27-62
 - operator!= 27-62
 - operator* 27-61
 - operator== 27-62
 - proxy 27-61
 - istream_iterator 24-11
 - istreamstream 27-97
 - isupper, locale 22-6
 - is_whitespace, ios_char_baggage 27-7
 - isxdigit, locale 22-6
 - iteration statement 6-3
 - iteration-statement 6-3, 5
 - scope 6-3
 - iterator_category 24-4
 - istreambuf_iterator 27-62
 - output_iterator 27-71
 - keyword, basic_ios 27-26
- J**
- Jessie 12-3
 - jump
 - past initialization 6-3, 5
 - statement 6-4
 - jump-statement 6-4
- K**
- keyword A-1
 - anachronism, overload C-10
 - list 2-4
 - mutable 3-11
- L**
- L
 - prefix 2-7, 9
 - suffix 2-7/8
 - l suffix 2-7/8
 - label 6-5
 - case 6-1, 3
 - default 6-1, 3
 - name space 6-1
 - scope of 3-5, 6-1
 - specifier : 6-1
 - labeled statement 6-1
 - lattice —see DAG, sub-object
 - layout
 - access specifier and object 11-2
 - bit-field 9-10
 - class object 9-4, 10-2
 - left
 - shift operator 5-19
 - shift, undefined 5-19
 - length of name 2-4
 - length
 - basic_string 21-10
 - basicstring::baggage 21-6/9, 12/16
 - bit_string 23-14
 - bits 23-6
 - dyn_array 23-22
 - gslice 26-28
 - ios_char_baggage 27-7
 - ptr_dyn_array 23-26
 - slice 26-26
 - valarray 26-19
 - length_error 19-4, 21-4, 23-9/12, 14, 18/22
 - length_error 19-5
 - length_error 19-5
 - what 19-5
 - ~length_error 19-5
 - ~length_error, length_error 19-5
 - less
 - than operator 5-19
 - than or equal to operator 5-19
 - less 20-5
 - less_equal 20-5
 - lexical conventions 2-1
 - lexicographical_compare 25-19
 - library
 - Standard C 17-1, 17-32/C-12, C-14
 - Standard C++ 17-1, 17/18, 35/37, 18-1/C-12
 - headers 2-5
 - limits, implementation 1-2
 - <limits.h> 2-5/C-12
 - #line 16-8
 - linkage 3-1/2, 7
 - consistency 7-3
 - consistency example 7-3
 - external 3-7, 17-34/C-14
 - implementation dependency object 7-23
 - internal 3-7
 - of class 3-7
 - of const 3-7, 7-3
 - of enumeration 3-7
 - of extern 7-3
 - of friend function 11-6
 - of inline 3-7
 - of inline function 7-3
 - of main(), implementation dependency 3-8
 - of static 3-7, 7-3, 23
 - specification 7-22
 - specification class 7-23
 - specification consistency 7-23
 - specification, extern 7-22
 - specification function 7-23
 - specification, implementation dependency 7-22
 - specification object 7-23
 - specification overloaded function 7-23
 - to C 7-22
 - linkage-specification 7-22
 - list
 - keyword 2-4
 - operator 2-5, 13-15
 - {}, initializer 8-13
 - list 23-30
 - literal 2-6, 5-2
 - base of integer 2-6
 - character 2-7

- decimal 2-6
- double 2-8
- float 2-8
- floating point 2-8
- hexadecimal 2-6
- implementation dependency string 2-9
- implementation dependency type of
 - integer 2-7
- implementation dependency value of char 2-8
- implementation dependency value of
 - multicharacter 2-7
- integer 2-6
- long 2-6/7
- long double 2-8
- multicharacter 2-7
- octal 2-6
- type of character 2-7
- type of floating point 2-8
- type of integer 2-7
- unsigned 2-6/7
- literal* 2-6
- local
 - class definition 9-12
 - class example 9-12
 - class member function 9-12
 - class, member function in 9-8
 - class restriction 9-12
 - class restriction, static member 9-9
 - class, scope of 9-12
 - object constructor 3-10
 - object destructor 3-10
 - object initialization 3-10
 - object, static 3-10
 - object storage duration 3-10
 - scope 3-4
 - static, destruction of 6-6
 - static initialization 6-6
 - variable, destruction of 6-4/5
- <locale> 22-1
- locale
 - category 22-5
 - classic 22-7
 - codecvt 22-16
 - codecvt_byname 22-17
 - collate 22-15
 - collate_byname 22-15
 - ctype 22-9
 - ctype<char> 22-10
 - ctype_base 22-8
 - ctype_byname 22-11
 - facet 22-7
 - global 22-7
 - has 22-6
 - id 22-8
 - isalnum 22-7
 - isalpha 22-6
 - iscntrl 22-6
 - isdigit 22-6
 - isgraph 22-7
 - islower 22-6
 - isprint 22-6
 - ispunct 22-6
 - isspace 22-6
 - isupper 22-6
 - isxdigit 22-6
 - locale 22-5
 - locale 22-5
 - money_get 22-19
 - money_put 22-20
 - money_punct 22-20
 - money_punct_byname 22-21
 - msg 22-22
 - msg_byname 22-22
 - name 22-6
 - num_get 22-12
 - num_put 22-13
 - num_punct 22-14
 - num_punct_byname 22-15
 - operator!= 22-6
 - operator() 22-7
 - operator<< 22-7
 - operator== 22-6
 - operator>> 22-7
 - time_get 22-17
 - time_get_byname 22-18
 - time_put 22-18
 - time_put_byname 22-19
 - tolower 22-7
 - toupper 22-7
 - transparent 22-7
 - use 22-5
 - ~locale 22-5
 - ~locale, locale 22-5
 - <locale.h> C-12/13
 - locale-specific behavior 1-2
 - log 26-24
 - double_complex 26-12
 - float_complex 26-12
 - long_double_complex 26-12
 - log10 26-24
 - logical
 - AND operator 5-20
 - AND operator, side effects and 5-20
 - OR operator 5-21
 - OR operator, side effects and 5-21
 - negation operator 5-12
 - logical_and 20-5
 - logical_not 20-5
 - logical_or 20-5
 - logic_error 18-11, 19-3
 - logic_error 18-10, 19-3/5
 - logic_error 18-10, 19-3/5
 - what 19-3
 - ~logic_error 19-3
 - ~logic_error, logic_error 19-3
 - long
 - constant 2-6
 - double literal 2-8
 - double type 3-13
 - literal 2-6/7
 - type 3-13
 - type specifier 7-8
 - type, unsigned 3-13
 - typedef and 7-2
 - long_double_complex 26-8
 - abs 26-11
 - arg 26-11
 - conj 26-11
 - cos 26-11
 - cosh 26-11
 - exp 26-11
 - imag 26-11
 - log 26-12
 - long_double_complex 26-8
 - long_double_complex 26-8
 - norm 26-12
 - operator!= 26-10
 - operator* 26-9
 - operator*= 26-8
 - operator+ 26-9
 - operator+= 26-8

- operator- 26-9
 - operator-= 26-8
 - operator/ 26-10
 - operator/= 26-9
 - operator<< 26-10
 - operator== 26-10
 - operator>> 26-10
 - polar 26-12
 - pow 26-12
 - real 26-12
 - sin 26-12
 - sinh 26-13
 - sqrt 26-13
 - longjmp 18-13
 - long-suffix* 2-6
 - lookup
 - member name 10-3
 - name 3-1
 - template name 14-3
 - lower_bound 25-13
 - lowercase 17-17
 - lvalue 3-16
 - assignment and 5-21
 - cast 5-9/10
 - cast, reinterpret_cast, 5-10
 - cast, static_cast, 5-9
 - conversion to rvalue 4-1
 - modifiable 3-16
 - lvalue-to-rvalue conversion 4-1
- ## M
- macro
 - definition scope 16-6
 - function-like 16-4
 - invocation 16-5
 - masking 17-36
 - name 16-5
 - object-like 16-4
 - parameters 16-5
 - preprocessor 16-1
 - replacement 16-4
 - main() 3-8
 - implementation dependency linkage of 3-8
 - implementation dependency parameters to 3-8
 - parameters to 3-8
 - return from 3-9
 - make_heap 25-18
 - make_pair 20-2
 - malloc 20-13
 - management anachronism, memory C-11
 - map 23-38
 - mask_array 26-30
 - fill 26-31
 - mask_array 26-31
 - mask_array 26-31
 - operator%= 26-31
 - operator&= 26-31
 - operator*= 26-31
 - operator+= 26-31
 - operator-= 26-31
 - operator/= 26-31
 - operator<<= 26-31
 - operator= 26-31
 - operator>>= 26-31
 - operator^= 26-31
 - operator|= 26-31
 - masking macro 17-36
 - <math.h> C-12
 - max 25-18
 - valarray 26-24
 - max_element 25-18
 - meaning of declarator 8-4
 - member
 - see also base class member
 - access operator, overloaded 13-16
 - access ambiguity 10-3
 - access, base class 10-1
 - access, class 5-5
 - access, protected 11-6
 - access, struct default 9-1
 - access, union default 9-1
 - array 9-4
 - assignment 12-13
 - cast, pointer to 5-9/10
 - class object 9-4
 - constructor order of execution 12-2
 - declaration 9-3
 - declaration, class 9-3
 - declaration, static 3-2
 - definition 9-7
 - definition, static 9-9
 - destructor order of execution 12-6
 - enumerator 7-12
 - example, static 9-9
 - function and access control 12-1
 - function and friend function 11-5
 - function call, constructor and 12-12
 - function call, destructor and 12-12
 - function call, undefined 9-7
 - function, class 9-7
 - function, const 9-7/8
 - function, constructor and 12-2
 - function definition 9-7/8
 - function, destructor and 12-6
 - function example 9-7, 11-5
 - function, friend 11-5
 - function in local class 9-8
 - function in nested class 9-8
 - function, inline 9-8
 - function, local class 9-12
 - function, nested class 9-11
 - function, overload resolution and 13-4
 - function rewriting rules, inline 9-8
 - function, static 9-7, 9
 - function template 14-26
 - function, union 9-9
 - function, virtual 17-18, 35/36
 - function, volatile 9-7/8
 - initialization 12-9, 13
 - initialization, const 12-10
 - initialization, order of 12-10
 - initialization, reference 12-10
 - initialization, static 9-9
 - initializer 8-12
 - initializer, scope of 12-11
 - local class restriction, static 9-9
 - name access 11-1
 - name access example 11-3
 - name lookup 10-3
 - name, overloaded 9-4
 - object initialization 12-10
 - of class type restriction 12-9
 - pointer to —see pointer to member
 - pointer value, null 4-3
 - static 9-9
 - static class 3-10
 - storage duration, class 3-10
 - template and static 14-27

- type of static 5-12, 9-9
 - use, static 9-9
 - member-declaration* 9-3
 - member-declarator* 9-3
 - member-specification* 9-3
 - memberwise
 - assignment 13-16
 - assignment, extension to C C-2
 - initialization, extension to C C-2
 - memchr 21-20
 - mem-initializer* 12-10
 - memory
 - management —see also new, delete
 - management anachronism C-11
 - model 1-3
 - <memory> 20-8
 - merge 25-14
 - message, diagnostic 1-2
 - min 25-18
 - valarray 26-24
 - min_element 25-19
 - minus 20-4
 - mismatch 25-4
 - missing storage class specifier 7-3
 - modifiable lvalue 3-16
 - modifier function 17-1
 - modulus
 - implementation dependency 5-17
 - operator 5-17
 - modulus 20-4
 - money_get, locale 22-19
 - money_punct, locale 22-20
 - money_punct_byname, locale 22-21
 - money_put, locale 22-20
 - most derived class 12-10
 - msg, locale 22-22
 - msg_byname, locale 22-22
 - multibyte
 - character 1-2
 - string, null-terminated 17-17
 - multicharacter
 - literal 2-7
 - literal, implementation dependency value of 2-7
 - multidimensional
 - array 8-8
 - array declarator 8-7
 - multimap 23-40
 - multiple
 - declaration 3-8
 - inheritance 10-1/2
 - inheritance DAG 10-2/3
 - inheritance, extension to C C-2
 - inheritance, virtual and 10-7
 - instantiation 14-13
 - multiplication operator 5-17
 - multiplicative operator 5-17
 - multiplicative-expression* 5-17
 - multiset 23-37
 - mutable keyword 3-11
- N**
- name 2-4, 3-1, 5-3
 - address of qualified 5-12
 - and translation unit 3-2
 - class —see class name
 - declaration 3-2
 - dependent 14-6
 - elaborated enum 7-9
 - global 3-5
 - hiding 3-5/6, 5-2/3, 6-5
 - hiding, class definition 9-2
 - hiding, function 13-3
 - hiding, overloading versus 13-3
 - hiding, user-defined conversion and 12-5
 - injection from template 14-8
 - length of 2-4
 - lookup 3-1
 - lookup, member 10-3
 - lookup, template 14-3
 - macro 16-5
 - overloaded function 13-1
 - overloaded member 9-4
 - point of declaration 3-6
 - qualified 7-13
 - reserved 17-34
 - resolution, template 14-3
 - scope of 3-4
 - space, label 6-1
 - type —see type name
 - unreserved 17-19
 - use of template 14-5
 - name
 - locale 22-6
 - type_info 18-9
 - namespace 17-20, 17-34/C-12
 - definition 7-12
 - scope 3-5
 - scope, global 3-5
 - namespaces 7-12
 - NDEBUG 17-33
 - negate 20-4
 - negation operator, logical 5-12
 - nested
 - class anachronism, scope of C-12
 - class definition 9-11
 - class definition example 9-11
 - class example 9-11
 - class forward declaration example 9-12
 - class friend function 9-12
 - class member function 9-11
 - class, member function in 9-8
 - class, scope of 9-11
 - type name 9-12
 - type name example 9-12
 - type name, scope of 9-12
 - <new> 17-33, 35, 18-5
 - new 3-10, 5-13/14, 12-7
 - array 5-14
 - array of class objects and 5-15
 - constructor and 5-15
 - default constructor and 5-15
 - exception and 5-15
 - extension to C C-1
 - extension to C overloading C-2
 - implementation dependency constructor and 5-15
 - initialization and 5-15, 12-9
 - operator 17-35, 18-5, 7, 20-13
 - placement syntax 5-15
 - scoping and 5-14
 - storage allocation 5-13
 - type of 12-7
 - unspecified order of evaluation 5-15
 - unspecified value 5-15
 - new[], operator 17-35, 18-6/7
 - new-declarator* 5-13
 - new-expression* 5-13
 - <new.h> 2-5

- new_handler 18-8
 - new-initializer 5-14
 - new-line 2-7
 - newline, ios_char_baggage 27-7
 - new-placement 5-13
 - new-type-id 5-13
 - next_permutation 25-19
 - nondigit 2-4
 - none
 - bit_string 23-15
 - bits 23-7
 - nonnested class anachronism C-12
 - non-trivial
 - implicitly-declared default constructor 12-1
 - initialization 12-8
 - nonvirtual base class DAG 10-3
 - nonzero-digit 2-6
 - norm
 - double_complex 26-12
 - float_complex 26-12
 - long_double_complex 26-12
 - not1 20-6
 - not2 20-6
 - notation, syntax 1-3
 - not_eof, ios_char_baggage 27-6
 - not_equal_to 20-5
 - NPOS 18-2
 - NTBS 17-17, 27-65, 67, 70, 87/89, 114
 - static 17-17
 - nth_element 25-12
 - NTMBS 17-17, 18-9
 - static 17-17, 18-9
 - NTWCS 17-17/18
 - static 17-18
 - null
 - character 0 2-9
 - directive 16-9
 - member pointer value 4-3
 - pointer 5-19
 - pointer constant 4-3
 - pointer value 4-3
 - reference 8-6
 - statement 6-1
 - null-terminated
 - byte string 17-17
 - multibyte string 17-17
 - wide-character string 17-17
 - number
 - hex 2-8
 - octal 2-8
 - num_get, locale 22-12
 - num_punct, locale 22-14
 - num_punct_byname, locale 22-15
 - num_put, locale 22-13
- O
- objconstruct 20-13
 - objcpy 20-12
 - objdestroy 20-13
 - object 1-3, 3-1/2, 16
 - class —see also class object
 - complete 1-3
 - constructor, local 3-10
 - definition 3-3
 - delete 5-16
 - destructor and placement of 12-6
 - destructor, local 3-10
 - destructor static 3-9
 - initialization, auto 8-12
 - initialization, local 3-10
 - initialization, static 3-9, 8-12/13
 - layout, access specifier and 11-2
 - lifetime 1-3
 - linkage, implementation dependency 7-23
 - linkage specification 7-23
 - static local 3-10
 - storage duration, local 3-10
 - temporary —see temporary
 - type, completely-defined 3-12
 - type, incompletely-defined 3-12
 - undefined deleted 3-11, 5-16
 - unnamed 12-2
 - object-like macro 16-4
 - objmove 20-12
 - observer function 17-1
 - octal
 - literal 2-6
 - number 2-8
 - octal-escape-sequence 2-7
 - octal-literal 2-6
 - of overloading, example 13-1
 - offset
 - POS_T 27-10
 - streampos 27-13
 - offsetof C-13
 - OFF_T 27-9
 - ios_pos_baggage 27-8
 - off_type, ios_pos_baggage 27-8
 - ofstream 27-120
 - old
 - style base class initializer anachronism C-11
 - style function definition anachronism C-10
 - omanip 27-73
 - one-definition rule 3-3
 - one's complement operator 5-12/13
 - open
 - basic_filebuf 27-114
 - basic_ifstream 27-120
 - basic_ofstream 27-121
 - openmode, basic_ios 27-21
 - operand
 - const 5-1
 - reference 5-1
 - volatile 5-1
 - operations on class object 9-1
 - operator
 - %= 5-21
 - &= 5-21
 - *= 5-21
 - += 5-13, 21
 - = 5-21
 - /= 5-21
 - <<= 5-21
 - >>= 5-21
 - ^= 5-21
 - additive 5-18
 - address-of 5-12
 - assignment 5-21, 12-12, 17-18
 - bitwise 5-20
 - bitwise AND 5-20
 - bitwise exclusive OR 5-20
 - bitwise inclusive OR 5-20
 - cast 5-11, 16, 8-2
 - class member access 5-5
 - comma 5-22
 - conditional expression 5-21

- conversion 5-1, 12-4
- decrement 5-7, 12/13
- default assignment 13-16
- division 5-17
- equality 5-20
- example, scope resolution 10-4
- function call 5-4, 13-15
- function call 13-15
- greater than 5-19
- greater than or equal to 5-19
- identities and overloading 13-15
- increment 5-6, 12/13
- indirection 5-12
- inequality 5-20
- left shift —see left shift operator
- less than 5-19
- less than or equal to 5-19
- list 2-5, 13-15
- logical AND 5-20
- logical OR 5-21
- logical negation 5-12
- modulus 5-17
- multiplication 5-17
- multiplicative 5-17
- new —see new
- one's complement 5-12/13
- overloaded 5-1
- overloading —see also overloaded
 - operator
- overloading restrictions 13-15
- pointer to member 5-17
- precedence of 5-1
- relational 5-19
- right shift; right shift operator 5-19
- scope resolution 3-5/6, 5-2/3, 9-7, 10-1, 8
- shift —see left shift operator, right shift operator
- side effects and comma 5-22
- side effects and logical AND 5-20
- side effects and logical OR 5-21
- sizeof 5-11, 13
- subscripting 5-4, 13-15
- unary 5-11/12
- unary minus 5-12
- unary plus 5-12
- use, scope resolution 9-9
- |= 5-21
- operator
 - T*, valarray 26-19
 - bool, basic_ios 27-23
 - delete 17-35, 18-5, 20-13
 - delete 5-16, 12-7
 - delete —see delete
 - delete[] 17-35, 18-6
 - delete[] 5-16, 12-7
 - function 13-15
 - new 17-35, 18-5, 7, 20-13
 - new 5-14, 12-7
 - new[] 17-35, 18-6/7
 - new[] 5-14, 12-7
 - overloaded 13-15
- operator!
 - basic_ios 27-23
 - valarray 26-21
- operator!= 20-1
 - POS_T 27-12
 - basic_string 21-16
 - bit_string 23-15
 - bits 23-6
 - double_complex 26-7
 - float_complex 26-4
 - istreambuf_iterator 27-62
 - locale 22-6
 - long_double_complex 26-10
 - streampos 27-14
 - type_info 18-9
 - valarray 26-23
- operator%, valarray 26-21/22
- operator%=
 - gslice_array 26-29
 - indirect_array 26-32
 - mask_array 26-31
 - slice_array 26-27
 - valarray 26-21/22
- operator&
 - bit_string 23-16
 - bitmask 17-16
 - bits 23-7
 - valarray 26-21/22
- operator&&, valarray 26-21/22
- operator&=
 - bit_string 23-10
 - bitmask 17-16
 - bits 23-4
 - gslice_array 26-29
 - indirect_array 26-32
 - mask_array 26-31
 - slice_array 26-27
 - valarray 26-21/22
- operator(), locale 22-7
- operator*
 - double_complex 26-6
 - float_complex 26-4
 - istreambuf_iterator 27-61
 - long_double_complex 26-9
 - valarray 26-21/22
- operator*=
 - double_complex 26-6
 - float_complex 26-3
 - gslice_array 26-29
 - indirect_array 26-32
 - long_double_complex 26-8
 - mask_array 26-31
 - slice_array 26-27
 - valarray 26-21/22
- operator+
 - POS_T 27-11
 - basic_string 21-15
 - bit_string 23-16
 - double_complex 26-6
 - dyn_array 23-23
 - float_complex 26-3
 - long_double_complex 26-9
 - ptr_dyn_array 23-26
 - streampos 27-14
 - valarray 26-21/22
- operator++, istreambuf_iterator 27-61
- operator+=
 - POS_T 27-11
 - basic_string 21-7
 - bit_string 23-10
 - double_complex 26-5
 - dyn_array 23-19
 - float_complex 26-3
 - gslice_array 26-29
 - indirect_array 26-32
 - long_double_complex 26-8
 - mask_array 26-31
 - ptr_dyn_array 23-24
 - slice_array 26-27
 - streampos 27-14


```

    valarray 26-21/22
operator-
  POS_T 27-10/11
  double_complex 26-6
  float_complex 26-4
  long_double_complex 26-9
  streampos 27-13/14
  valarray 26-21/22
operator==
  POS_T 27-11
  double_complex 26-6
  float_complex 26-3
  gslice_array 26-29
  indirect_array 26-32
  long_double_complex 26-8
  mask_array 26-31
  slice_array 26-27
  streampos 27-14
  valarray 26-21/22
operator/
  double_complex 26-7
  long_double_complex 26-10
  valarray 26-21/22
operator/=
  double_complex 26-6
  float_complex 26-3
  gslice_array 26-29
  indirect_array 26-32
  long_double_complex 26-9
  mask_array 26-31
  slice_array 26-27
  valarray 26-21/22
operator< 26-24
  empty 20-2
  pair 20-2
  restrictor 20-3
  valarray 26-23
operator<< 27-29
  basic_omanip 27-74
  basic_ostream 27-67
  basic_smanip 27-75
  basic_string 21-16
  bit_string 23-15, 17
  bits 23-7/8
  double_complex 26-7
  float_complex 26-5
  locale 22-7
  long_double_complex 26-10
  valarray 26-21/22
operator<<=
  bit_string 23-11
  bits 23-4
  gslice_array 26-29
  indirect_array 26-32
  mask_array 26-31
  slice_array 26-27
  valarray 26-21/22
operator<= 20-1
  valarray 26-23
operator=
  basic_string 21-7
  gslice_array 26-29
  indirect_array 26-32
  mask_array 26-31
  slice_array 26-26
  type_info 18-10
  valarray 26-19
operator===
  POS_T 27-11
  basic_string 21-15
  bit_string 23-15
  bits 23-6
  double_complex 26-7
  empty 20-2
  float_complex 26-4
  istreambuf_iterator 27-62
  locale 22-6
  long_double_complex 26-10
  pair 20-2
  restrictor 20-3
  streampos 27-14
  type_info 18-9
  valarray 26-23
operator> 20-1, 26-24
  valarray 26-23
operator>= 20-2
  valarray 26-23
operator>>
  basic_omanip 27-73
  basic_istream 27-52
  basic_smanip 27-75
  basic_string 21-16
  bit_string 23-15/16
  bits 23-7
  double_complex 26-7
  float_complex 26-4
  locale 22-7
  long_double_complex 26-10
  valarray 26-21/22
operator>>=
  bit_string 23-11
  bits 23-5
  gslice_array 26-29
  indirect_array 26-32
  mask_array 26-31
  slice_array 26-27
  valarray 26-21/22
operator[]
  basic_string 21-10
  dyn_array 23-22
  ptr_dyn_array 23-26
  valarray 26-20
operator^
  bit_string 23-16
  bitmask 17-16
  bits 23-7
  valarray 26-21/22
operator^=
  bit_string 23-11
  bitmask 17-16
  bits 23-4
  gslice_array 26-29
  indirect_array 26-32
  mask_array 26-31
  slice_array 26-27
  valarray 26-21/22
operator|
  bit_string 23-16
  bitmask 17-16
  bits 23-7
  valarray 26-21/22
operator|=
  bit_string 23-10
  bitmask 17-16
  bits 23-4
  gslice_array 26-29
  indirect_array 26-32
  mask_array 26-31
  slice_array 26-27
  valarray 26-21/22
operator|||, valarray 26-21/22
operator~

```

- bit_string 23-16
- bitmask 17-16
- bits 23-5
- valarray 26-21
- operator* 13-15
- operator-function-id* 13-15
- opfx, basic_ostream 27-64
- optimization of temporary —see
 - elimination of temporary
- OR
 - operator, bitwise exclusive 5-20
 - operator, bitwise inclusive 5-20
 - operator, logical 5-21
 - operator, side effects and logical 5-21
- order
 - of argument evaluation 5-5
 - of argument evaluation, unspecified 5-5
 - of base class initialization 12-10
 - of construction 3-10
 - of destruction 3-10
 - of destruction of temporary 12-3
 - of evaluation new, unspecified 5-15
 - of evaluation of expression 5-1
 - of evaluation, unspecified 3-9, 5-1
 - of execution, base class constructor 12-2
 - of execution, base class destructor 12-6
 - of execution, constructor and array 12-2
 - of execution, constructor and static objects 12-9
 - of execution, destructor 12-6
 - of execution, destructor and array 12-6
 - of execution, destructor and static objects 12-9
 - of execution, member constructor 12-2
 - of execution, member destructor 12-6
 - of function call evaluation, unspecified 5-5
 - of initialization 3-9/10, 10-2
 - of member initialization 12-10
 - of virtual base class initialization 12-10
- osfx, basic_ostream 27-64
- ostdiostream 27-126
 - buffered 27-126
 - ostdiostream 27-126
 - ostdiostream 27-126
 - rdbuf 27-126
 - ~ostdiostream 27-126
- ~ostdiostream, ostdiostream 27-126
- <ostream> 27-31
- ostream 27-63
- ostreambuf_iterator 27-70
- ostream_iterator 24-11
- ostringstream 27-98
- out_of_range 19-5, 21-4, 23-3/5, 7, 9/13, 15, 18, 20/22
 - out_of_range 19-5
 - out_of_range 19-5
 - what 19-5
 - ~out_of_range 19-5
- ~out_of_range, out_of_range 19-5
- output_iterator 24-4
 - iterator_category 27-71
- output_iterator_tag 24-3
- overflow 5-1
 - implementation dependency 5-1
- overflow
 - basic_convbuf 27-107
 - basic_filebuf 27-115, 123
 - basic_streambuf 27-39
 - basic_stringbuf 27-93
 - basic_strstreambuf 27-82
 - basicstdiobuf 27-123
- overflow_error 19-7, 23-3, 6
 - overflow_error 19-7
 - overflow_error 19-7
 - what 19-7
 - ~overflow_error 19-7
- ~overflow_error, overflow_error 19-7
- overload
 - resolution 13-4
 - resolution and conversion 13-9
 - resolution and default argument 13-9
 - resolution and ellipsis 13-9
 - resolution and member function 13-4
 - resolution and pointer conversion 13-14
 - resolution contexts 13-4
 - resolution, template 14-23
- overload keyword anachronism C-10
- overloaded
 - assignment and initialization 12-9
 - assignment operator 13-16
 - binary operator 13-16
 - declaration 13-1
 - decrement operator 13-17
 - function, address of 5-12, 13-14
 - function ambiguity detection 13-4
 - function call operator 13-16
 - function call resolution —see also
 - argument matching, overload resolution
 - function declaration matching 13-3
 - function, linkage specification 7-23
 - function name 13-1
 - increment operator 13-17
 - member access operator 13-16
 - member name 9-4
 - name and access declaration 11-4
 - name and friend declaration 11-5
 - operator 13-15
 - operator 5-1
 - operator 13-15
 - operator and default argument 13-15
 - operator, inheritance of 13-15
 - subscripting operator 13-16
 - unary operator 13-15
- overloading 8-9, 9-2, 13-1
 - and access 13-3
 - and const 13-1/2
 - and default argument 8-11
 - and default initializers 13-2
 - and delete 3-11
 - and derived class 13-3
 - and enum 13-2
 - and equivalent parameter declarations 13-2
 - and pointer 13-1
 - and pointer versus array 13-2
 - and reference 13-1
 - and return type 13-2
 - and scope 13-3
 - and specialization 14-25
 - and static 13-2
 - and typedef 13-2
 - and volatile 13-1/2
 - delete, extension to C C-2

- extension to C C-1
 - new, extension to C C-2
 - operator identities and 13-15
 - postfix ++ and -- 13-17
 - prefix ++ and -- 13-17
 - resolution and access control 10-4
 - resolution, template function 14-20
 - restriction 13-15
 - subsequence rule 13-13
 - versus name hiding 13-3
 - overrider, final 10-6
- P**
- pair 20-2
 - operator< 20-2
 - operator== 20-2
 - parameter 1-2, 8-12
 - adjustment, array 8-9
 - adjustment, function 8-9
 - declaration 8-8/9
 - default template 14-16
 - example, unnamed 8-12
 - initialization 5-4
 - list example, variable 8-10
 - list, variable 5-5, 8-8
 - reference 8-5
 - scope of 3-4
 - void 8-8
 - parameter type list* 8-9
 - parameter-declaration* 8-8
 - parameterized type —see template
 - parameters
 - macro 16-5
 - to main() 3-8
 - to main(), implementation dependency 3-8
 - parentheses
 - and ambiguity 5-14
 - in declaration 8-3/4
 - parenthesized expression 5-3
 - partial_sort 25-12
 - partial_sort_copy 25-12
 - partition 25-10
 - pbackfail
 - basic_convbuf 27-107
 - basic_filebuf 27-116, 123
 - basic_streambuf 27-40
 - basic_stringbuf 27-93
 - basic_strstreambuf 27-83
 - basicstdiobuf 27-123
 - pbase, basic_streambuf 27-38
 - pbump, basic_streambuf 27-39
 - :pcount, basic_ostringstream 27-90
 - pcount, basic_strstreambuf 27-82
 - peek, basic_istream 27-59
 - period 17-17
 - phases, translation 2-1
 - placement
 - of object, destructor and 12-6
 - syntax, new 5-15
 - plus 20-4
 - pm-expression* 5-17
 - POD-struct 8-15
 - point
 - of declaration class name 9-3
 - of declaration enumerator 3-6
 - of declaration extern 3-6
 - of declaration friend 3-6
 - of declaration name 3-6
 - of definition, enumerator 7-11
 - of error checking 14-3
 - of instantiation 14-10
 - promotion, floating 4-2
 - type, floating 3-13
 - pointer
 - see also void*
 - arithmetic 5-18
 - cast, integer to 5-10
 - comparison 5-19
 - comparison, implementation dependency 5-19
 - comparison, undefined 5-18/19
 - comparison, void* 5-19
 - constant, null 4-3
 - conversion 4-3
 - conversion, array 4-1
 - conversion, overload resolution and 13-14
 - declaration 8-4
 - declarator * 8-4
 - example, constant 8-4
 - integer conversion, implementation defined 5-9/10
 - null 5-19
 - overloading and 13-1
 - subtraction, implementation dependency 5-18
 - terminology 3-14
 - to abstract class 10-8
 - to bit-field restriction 9-10
 - to function cast 5-10
 - to function cast, implementation dependency 5-10
 - to function comparison 5-19
 - to function conversion 4-1
 - to integer cast 5-9
 - to member 3-14, 5-17
 - to member anachronism, cast of C-12
 - to member cast 5-9/10
 - to member constant expression 5-12
 - to member conversion 4-3
 - to member conversion anachronism C-12
 - to member declarator ::* 8-6
 - to member example 8-6
 - to member, extension to C C-2
 - to member function 5-17
 - to member function, undefined bound C-12
 - to member operator 5-17
 - to member void* conversion 4-4
 - type 3-14
 - type extension to C, void* C-1
 - value, null 4-3
 - value, null member 4-3
 - versus array, overloading and 13-2
 - zero 4-3, 5-19
 - pointer_to_binary_function 20-7
 - pointer_to_unary_function 20-7
 - polar
 - double_complex 26-12
 - float_complex 26-12
 - long_double_complex 26-12
 - polymorphic
 - class 10-5
 - type 10-5
 - pop_heap 25-17
 - POS_T 27-9
 - POS_T 27-10
 - POS_T 27-10
 - ios_pos_baggage 27-8

- offset 27-10
 - operator!= 27-12
 - operator+ 27-11
 - operator+= 27-11
 - operator- 27-10/11
 - operator-= 27-11
 - operator== 27-11
 - postfix
 - ++ and -- 5-6
 - ++ and --, overloading 13-17
 - expression 5-3
 - pos_type, ios_pos_baggage 27-8
 - potential scope 3-1
 - pow 26-24
 - double_complex 26-12
 - float_complex 26-12
 - long_double_complex 26-12
 - pptr, basic_streambuf 27-39
 - pragma directive 16-8
 - #pragma 16-8
 - precedence of operator 5-1
 - precision, basic_ios 27-25
 - prefix
 - ++ and -- 5-13
 - ++ and --, overloading 13-17
 - L 2-7, 9
 - preprocessing 16-1
 - directive 16-1
 - preprocessing-token* 2-2
 - preprocessor, macro 16-1
 - prev_permutation 25-20
 - primary expression 5-2
 - priority_queue 23-35
 - private 11-1
 - base class 11-2
 - program 3-7
 - environment 3-8
 - start 3-8/9
 - startup 17-33, 35
 - termination 3-8/9
 - termination and destructor 12-6
 - promotion
 - floating point 4-2
 - integral 4-2, 5-5
 - to int, bool 4-2
 - protected 11-1
 - extension to C C-2
 - member access 11-6
 - protection 17-37
 - see access control
 - proxy, istreambuf_iterator 27-61
 - ptrdiff_t 5-18, 18-2
 - implementation dependency type of 5-18
 - <ptrdynarray> 23-2
 - ptr_dyn_array 23-23
 - append 23-24
 - assign 23-25
 - data 23-26
 - get_at 23-25
 - insert 23-25
 - length 23-26
 - operator+ 23-26
 - operator+= 23-24
 - operator[] 23-26
 - ptr_dyn_array 23-24
 - ptr_dyn_array 23-24
 - put_at 23-25
 - remove 23-25
 - reserve 23-26
 - resize 23-26
 - sub_array 23-25
 - swap 23-25
 - ptr_fun 20-7/8
 - ptr-operator* 8-1
 - public 11-1
 - base class 11-2
 - pubseekoff, basic_streambuf 27-36
 - pubseekpos, basic_streambuf 27-36
 - pubsetbuf, basic_streambuf 27-36
 - pubsync, basic_streambuf 27-36
 - punctuators 2-5
 - pure
 - specifier 9-3
 - virtual destructor 12-6
 - virtual function 10-8
 - virtual function call, undefined 10-9, 12-12
 - virtual function definition 10-8
 - virtual function example 10-8
 - pure-specifier* 9-3
 - push_heap 25-17
 - put, basic_ostream 27-69
 - put_at
 - basic_string 21-10
 - dyn_array 23-22
 - ptr_dyn_array 23-25
 - putback, basic_istream 27-59
 - pwd, basic_ios 27-26
- ## Q
- qualification
 - conversions 4-2
 - explicit 3-6, 7-13
 - qualified
 - id 5-3
 - name 7-13
 - name, address of 5-12
 - qualified-id* 5-3
 - question mark 2-7
 - queue 23-34
 - quote
 - double 2-7
 - single 2-7
- ## R
- random_access_iterator 24-4
 - random_access_iterator_tag 24-3
 - random_shuffle 25-10
 - range of types, implementation dependency 2-5
 - range_error 19-6
 - what 19-6
 - ~range_error 19-6
 - ~range_error, range_error 19-6
 - range\rror
 - range\rror 19-6
 - range\rror 19-6
 - rank, conversion 13-11
 - rdbuf
 - basic_ifstream 27-119
 - basic_ios 27-24
 - basic_istream 27-97
 - basic_istrstream 27-88
 - basic_ofstream 27-121
 - basic_ostringstream 27-99
 - basic_ostrstream 27-89
 - istdiostream 27-125
 - ostdiostream 27-126
 - rdstate, basic_ios 27-24

- reach 3-6
- read, `basic_istream` 27-58
- read_byte
 - `basic_istream` 27-58
 - `basic_streambuf` 27-44
- readsome, `basic_istream` 27-59
- real 26-3/10
 - `double_complex` 26-12
 - `float_complex` 26-12
 - `long_double_complex` 26-12
- realloc 20-13
- recursive function call 5-5
- redefinition
 - enumerator 7-11
 - `typedef` 7-5
- reentrancy 17-36
 - implementation defined 17-36
- reference 3-14
 - and argument passing 8-15
 - and return 8-15
 - argument 5-4
 - assignment 8-15
 - assignment to 5-22
 - binding 8-16
 - call by 5-4
 - cast 5-9/10
 - `cast, reinterpret_cast`, 5-10
 - `cast, static_cast`, 5-9
 - `const` 8-16
 - declaration 8-5
 - declaration, extern 8-16
 - declarator & 8-5
 - expression 5-1
 - initialization 8-6, 15
 - member initialization 12-10
 - null 8-6
 - operand 5-1
 - overloading and 13-1
 - parameter 8-5
 - restriction 8-6
 - `sizeof` 5-13
 - temporary, scope of 8-17
 - type, extension to C C-1
- reference-compatible 8-16
- reference-related 8-16
- references 3-11
- region, declarative 3-1
- register
 - declaration 7-3
 - restriction 7-3
- reinterpret cast 5-9
- `reinterpret_cast`
 - lvalue cast 5-10
 - reference cast 5-10
- relational operator 5-19
- relational-expression* 5-19
- remainder operator—see modulus operator
- remove 25-8
 - `basic_string` 21-9
 - `bit_string` 23-12
 - `dyn_array` 23-21
 - `ptr_dyn_array` 23-25
- `remove_copy` 25-8
- `remove_copy_if` 25-8
- `remove_if` 25-8
- replace 25-7
 - `basic_string` 21-9
 - `bit_string` 23-12
- `replace_copy` 25-7
- `replace_copy_if` 25-7
- `replace_if` 25-7
- replacement
 - function 17-1
 - macro 16-4
- required behavior 17-2
- reraise 15-2
- rescanning and replacement 16-6
- reserve
 - `basic_string` 21-11
 - `dyn_array` 23-23
 - `ptr_dyn_array` 23-26
- reserved
 - function 17-2
 - identifier 2-5
 - name 17-34
 - word—see keyword
- reset
 - `bit_string` 23-13
 - bits 23-5
- resize
 - `basic_string` 21-10
 - `bit_string` 23-14
 - `dyn_array` 23-22
 - `ptr_dyn_array` 23-26
- resolution
 - and conversion, overload 13-9
 - and default argument, overload 13-9
 - and ellipsis, overload 13-9
 - and member function, overload 13-4
 - and pointer conversion, overload 13-14
 - argument matching—see overload
 - overload 13-4
 - overloaded function call resolution—see also argument matching, overload
 - overloading—see overload resolution
 - resolution overloading—see overload
 - scoping ambiguity 10-4
 - template function overloading 14-20
 - template name 14-3
 - template overload 14-23
- restriction 17-35/37
 - address of bit-field 9-10
 - anonymous union 9-10
 - auto 7-3
 - bit-field 9-10
 - constructor 12-1/2
 - default assignment operator 12-13
 - default copy constructor 12-13
 - destructor 12-5/6
 - enumerator 7-11
 - extern 7-3
 - local class 9-12
 - member of class type 12-9
 - overloading 13-15
 - pointer to bit-field 9-10
 - reference 8-6
 - register 7-3
 - static 7-3
 - static member local class 9-9
 - union 9-9/10, 12-2
- restrictions, operator overloading 13-15
- restrictor 20-3
 - `operator<` 20-3
 - `operator==` 20-3
- rethrow 15-2
- return
 - type 8-9
 - type, class object 12-9
 - type conversion 6-5
 - type, overloading and 13-2
- return 6-4/5
 - constructor and 6-5

- from main() 3-9
- reference and 8-15
- statement—see also return
- reverse 25-9
- reverse_bidirectional_iterator 24-6
- reverse_copy 25-9
- reverse_iterator 24-7
- rewriting rules, inline member function 9-8
- rfind
 - basic_string 21-12
 - bit_string 23-14
- right
 - shift, implementation dependency 5-19
 - shift operator 5-19
- rotate 25-10
- rotate_copy 25-10
- rounding 4-3
- rule, one-definition 3-3
- rules
 - for conditions 6-2
 - inline member function rewriting 9-8
 - summary, scope 10-9
- run-time initialization 3-9
- runtime_error what 19-6
- runtime_error 19-5
 - runtime_error 19-6/7
 - runtime_error 19-6/7
 - ~runtime_error 19-6
- ~runtime_error, runtime_error 19-6
- rvalue 3-16
 - lvalue conversion to 4-1

S

- sbumpc, basic_streambuf 27-36
- s-char 2-9
- s-char-sequence 2-9
- scope 3-1
 - class 3-5
 - destructor and exit from 6-4
 - exception declaration 3-4
 - file 17-34
 - function 3-5
 - function prototype 3-5
 - global 3-5
 - global namespace 3-5
 - iteration-statement 6-3
 - local 3-4
 - macro definition 16-6
 - namespace 3-5
 - of class definition 9-2
 - of class name 9-2
 - of declaration in for 6-4
 - of default argument 8-11
 - of delete example 12-8
 - of enumerator class 7-12
 - of friend declaration 3-5
 - of friend function 11-6
 - of label 3-5, 6-1
 - of local class 9-12
 - of member initializer 12-11
 - of name 3-4
 - of nested class 9-11
 - of nested class anachronism C-12
 - of nested type name 9-12
 - of parameter 3-4
 - of reference temporary 8-17
 - overloading and 13-3
 - potential 3-1
 - resolution operator 3-5/6, 5-2/3, 9-7, 10-1, 8

- resolution operator :: 3-6
- resolution operator example 10-4
- resolution operator use 9-9
- rules summary 10-9
 - selection-statement 6-2
- scoping
 - ambiguity resolution 10-4
 - and new 5-14
- search 25-5
- seekdir, basic_ios 27-21
- seekoff
 - basic_convbuf 27-109
 - basic_filebuf 27-117, 124
 - basic_streambuf 27-43
 - basic_stringbuf 27-94
 - basic_strstreambuf 27-85
 - basicstdiobuf 27-124
- seekpos
 - basic_convbuf 27-109
 - basic_filebuf 27-118, 124
 - basic_streambuf 27-43
 - basic_stringbuf 27-95
 - basic_strstreambuf 27-86
 - basicstdiobuf 27-124
- selection statement 6-2
 - selection-statement 6-2
 - scope 6-2
- semantics, class member 5-5
- separate
 - compilation 2-1
 - translation 2-1
- sequence, statement 6-1
- sequencing operator—see comma operator
- set 23-36
 - bit_string 23-13
 - bits 23-5
- setbuf
 - basic_convbuf 27-109
 - basic_filebuf 27-118, 125
 - basic_streambuf 27-44, 86, 96
 - basic_stringbuf 27-96
 - basic_strstreambuf 27-86
 - basicstdiobuf 27-125
- set_difference 25-16
- setf, basic_ios 27-25
- setg, basic_streambuf 27-38
- set_intersection 25-16
- setjmp 17-34
- <setjmp.h> C-12
- setlocale 17-17
- set_new_handler 18-8
- setp, basic_streambuf 27-39
- setstate, basic_ios 27-24
- set_symmetric_difference 25-16
- setterminate() 15-6
- set_terminate 18-11
- setunexpected() 15-6
- set_unexpected 18-12
- set_union 25-15
- sgetc, basic_streambuf 27-36
- sgetn, basic_streambuf 27-37
- shift operator—see left shift operator, right shift operator
- shift, valarray 26-24
- shift-expression 5-19
- short
 - type 3-13
 - type specifier 7-8
 - type, unsigned 3-13
 - typedef and 7-2
- showmany
 - basic_filebuf 27-117

- basic_streambuf 27-41, 84, 94, 117, 124
- basic_stringbuf 27-94
- basic_strstreambuf 27-84
- basicstdiobuf 27-124
- side
 - effects 5-1
 - effects and comma operator 5-22
 - effects and logical AND operator 5-20
 - effects and logical OR operator 5-21
- sign
 - of bit-field, implementation dependency 9-10
 - of char, implementation dependency 3-13
- sign 2-8
- <signal.h> C-12
- signature 1-2
- signed
 - char type 3-13
 - character 3-13
 - typedef and 7-2
 - unsigned integer conversion 4-3
- simple-escape-sequence 2-7
- simple-type-specifier 7-8
- sin 26-24
 - double_complex 26-12
 - float_complex 26-12
 - long_double_complex 26-12
- single
 - precision arithmetic, extension to C C-1
 - quote 2-7
- sinh
 - double_complex 26-13
 - float_complex 26-13
 - long_double_complex 26-13
- sink 26-24
- sizeof
 - array 5-13
 - class object 5-13
 - empty class 9-1
 - expression, implementation dependency 5-13
 - expression, implementation dependency type of 2-5
 - integral type, implementation dependency 3-13
 - operator 5-11, 13
 - reference 5-13
 - string 2-9
 - type, implementation dependency 3-13
- size_t 5-13, 18-2
 - implementation dependency type of 5-13
- slice 26-25
 - length 26-26
 - slice 26-25
 - slice 26-25
 - start 26-26
 - stride 26-26
- slice_array 26-26
 - fill 26-27
 - operator%= 26-27
 - operator&= 26-27
 - operator*= 26-27
 - operator+= 26-27
 - operator-= 26-27
 - operator/= 26-27
 - operator<<= 26-27
 - operator= 26-26
 - operator>>= 26-27
 - operator^= 26-27
 - operator|= 26-27
- slize_array
 - slize_array 26-26
 - slize_array 26-26
- smanip 27-74
- snextc, basic_streambuf 27-37
- sort 25-11
- sort_heap 25-18
- source
 - file 2-1, 17-33/34
 - file inclusion 16-3
- space, white 2-2
- special member function —see also constructor, destructor, inline function, user-defined conversion, virtual function
- specialization 14-9
 - instantiation and 14-13
 - overloading and 14-25
 - template 14-15
- specialized
 - class 14-9
 - function 14-9
- specification, template argument 14-20
- specifier
 - access —see access specifier
 - auto 7-2
 - declaration 7-2
 - elaborated type 3-6
 - friend 7-6
 - friend 17-37
 - function 7-4
 - inline 7-4
 - missing storage class 7-3
 - static 7-2
 - storage class 7-2
 - type —see type specifier
 - typedef 7-5
 - virtual 7-5
- sputbackc, basic_streambuf 27-37
- sputc, basic_streambuf 27-37
- sputn, basic_streambuf 27-37
- sqrt 26-24
 - double_complex 26-13
 - float_complex 26-13
 - long_double_complex 26-13
- <sstream> 27-77
- stable_partition 25-11
- stable_sort 25-12
- stack unwinding 15-3
- stack 23-34
- Standard
 - C library 17-1, 17-32/C-12, C-14
 - C++ library 17-1, 17/18, 35/37, 18-1/C-12
- standard
 - conversion 4-1
 - headers 2-5
- start, program 3-8/9
- start
 - gslice 26-28
 - slice 26-26
- startup, program 17-33, 35
- statement 6-1
 - see also return, return
 - break 6-4/5
 - compound 6-1
 - continue 6-4/5
 - continue in for 6-4
 - declaration 6-5
 - declaration in for 6-4
 - declaration in switch 6-3
 - do 6-3/4
 - empty 6-1
 - expression 6-1
 - extension to C declaration C-1
 - for 6-3/4
 - goto 6-1, 4/5
 - if 6-2
 - iteration 6-3

- jump 6-4
- labeled 6-1
- null 6-1
- selection 6-2
- sequence 6-1
- switch 6-2/3, 5
- while 6-3/4
- {}, block 6-1
- statement* 6-1
- static
 - NTBS 17-17
 - NTMBS 17-17, 18-9
 - NTWCS 17-18
 - cast 5-8
 - type 1-2
- static
 - class member 3-10
 - destruction of local 6-6
 - initialization, local 6-6
 - linkage of 3-7, 7-3, 23
 - local object 3-10
 - member 9-9
 - member declaration 3-2
 - member definition 9-9
 - member example 9-9
 - member function 9-7, 9
 - member initialization 9-9
 - member local class restriction 9-9
 - member, template and 14-27
 - member, type of 5-12, 9-9
 - member use 9-9
 - object, destructor 3-9
 - object initialization 3-9, 8-12/13
 - objects order of execution, constructor and 12-9
 - objects order of execution, destructor and 12-9
 - overloading and 13-2
 - restriction 7-3
 - specifier 7-2
 - variable, template and 14-27
- static_cast
 - class object cast 5-9
 - conversion to enumeration type 5-8
 - lvalue cast 5-9
 - reference cast 5-9
- <stdarg.h> 8-8/C-12
- __STDC__ 16-9
- implementation dependency 16-9
- <stddef> 18-1
- <stddef.h> 2-5, 7, 2-9/C-13
- <stdexcept> 19-1
- <stdio.h> C-12/13
- <stdlib.h> 2-5/C-13
- <stl
 - algorithms (TBD)> 25-1
 - containers (TBD)> 23-2
 - core (TBD)> 20-1
 - functional (TBD)> 20-3
 - iterators (TBD)> 24-1
 - memory (TBD)> 20-8
 - numerics (TBD)> 26-33
- storage
 - allocation new 5-13
 - class 3-1
 - class declaration 7-2
 - class specifier 7-2
 - class specifier, missing 7-3
 - duration 3-9
 - duration, auto 3-10
 - duration, class member 3-10
 - duration, dynamic 3-10, 5-14
 - duration, local object 3-10
 - management—see new, delete of array 8-8
- str
 - basic_istream 27-98
 - basic_istrstream 27-88
 - basic_ostringstream 27-99
 - basic_ostrstream 27-89
 - basic_stringbuf 27-92
 - basic_strstreambuf 27-82
- strchr 21-19
- <streambuf> 27-31
- streambuf 27-34
- streamoff 27-12
- streampos
 - offset 27-13
 - operator!= 27-14
 - operator+ 27-14
 - operator+= 27-14
 - operator- 27-13/14
 - operator-= 27-14
 - operator== 27-14
- streampos 27-13
- streampos 27-13
- streamsize 27-12
- stride
 - gslice 26-28
 - slice 26-26
- string
 - concatenation 2-9
 - constant 2-9
 - distinct 2-9
 - literal 2-9
 - literal concatenation, undefined 2-9
 - literal, implementation dependency 2-9
 - literal, type of 2-9
 - literal, undefined change to 2-9
 - null-terminated byte 17-17
 - null-terminated multibyte 17-17
 - null-terminated wide-character 17-17
 - sizeof 2-9
 - terminator 0 2-9
 - type of 2-9
 - wide-character 2-9
- <string> 21-1
- string 21-16
- stringbuf 27-91
- string_char_baggage 21-1
- string_char_baggage<char> 21-16
- string_char_baggage<wchar_t> 21-17
- <string.h> C-12/13
- string-literal* 2-9
- strlen 27-81, 89
- strpbrk 21-19
- strrchr 21-19
- strstr 21-19
- <strstream> 27-77
- struct 3-14
 - class versus 9-1
 - default member access 9-1
 - initialization 8-13
 - type specifier 7-9
- structure 3-14, 9-1
- tag—see class name
- sub_array
 - dyn_array 23-21
 - ptr_dyn_array 23-25
- sub-object 1-3
- lattice—see DAG
- subscripting
 - example 8-7
 - explanation 8-7

- operator 5-4, 13-15
- operator, overloaded 13-16
- subsequence rule, overloading 13-13
- substr
 - basic_string 21-14
 - bit_string 23-15
- subtraction
 - implementation dependency pointer 5-18
 - operator 5-18
- suffix
 - E 2-8
 - F 2-8
 - L 2-7/8
 - U 2-7
 - f 2-8
 - l 2-7/8
 - u 2-7
- sum, valarray 26-23
- summary
 - compatibility with C C-1
 - compatibility with ISO C C-2
 - scope rules 10-9
 - syntax A-1
- sungetc, basic_streambuf 27-37
- swap 25-6
 - dyn_array 23-21
 - ptr_dyn_array 23-25
 - swap_ranges 25-6
- switch
 - statement 6-2/3, 5
 - statement, declaration in 6-3
- sync
 - basic_convbuf 27-110
 - basic_filebuf 27-118, 125
 - basic_istream 27-51
 - basic_streambuf 27-44, 87, 96
 - basic_stringbuf 27-96
 - basic_strstreambuf 27-87
 - basicstdiobuf 27-125
- synonym 7-16
 - type name as 7-5
- syntax
 - checking 14-3
 - class member 5-5
 - explicit instantiation 14-14
 - notation 1-3
 - summary A-1

T

- T*, valarray operator 26-19
- tan 26-24
- tanh 26-24
- template 14-1
 - access rules 14-19
 - and < 14-2
 - and friend 14-27
 - and static member 14-27
 - and static variable 14-27
 - argument 14-18
 - argument deduction 14-21
 - argument specification 14-20
 - class 14-2, 23-3, 17
 - definition of 14-1
 - function 14-20
 - function overloading resolution 14-20
 - instantiation 14-9
 - member function 14-26
 - name injection from 14-8
 - name lookup 14-3
 - name resolution 14-3
 - name, use of 14-5
 - overload resolution 14-23
 - parameter, default 14-16
 - specialization 14-15
 - type equivalence 14-20
 - template 14-1
 - template-argument 14-2
 - template-argument-list 14-2
 - template-declaration 14-1
 - template-id 14-2
 - template-name 14-2
 - template-parameter 14-16
 - template-parameter-list 14-1
 - temporary 12-2
 - and declarator initializer 12-3
 - constructor for 12-2
 - destruction of 12-3
 - destructor for 12-2
 - elimination of 12-2
 - implementation dependency generation of 12-2
 - order of destruction of 12-3
 - scope of reference 8-17
 - terminate 18-4, 12
 - terminate() 15-6
 - terminate_handler 18-11
 - termination
 - and destructor, program 12-6
 - program 3-8/9
 - terminator 0, string 2-9
 - terminology, pointer 3-14
 - test
 - bit_string 23-15
 - bits 23-7
 - this 5-2
 - anachronism, assignment to C-11
 - and constructor anachronism C-11
 - and destructor anachronism C-11
 - pointer—see this
 - type of 9-7
 - throw 15-1
 - throw-expression in conditional-expression 5-21
 - throw-expression 15-1
 - throwing, exception 15-1
 - throw-point 15-1
 - tie, basic_ios 27-23
 - time_get, locale 22-17
 - time_get_byname, locale 22-18
 - <time.h> C-12/13
 - time_put, locale 22-18
 - time_put_byname, locale 22-19
 - times 20-4
 - to
 - int, bool promotion 4-2
 - rvalue, lvalue conversion 4-1
 - to_char_type, ios_char_baggage 27-6
 - toggle
 - bit_string 23-13
 - bits 23-5
 - to_int_type, ios_char_baggage 27-6
 - token 2-3, 5
 - token 2-3
 - tolower, locale 22-7
 - to_string
 - bit_string 23-13
 - bits 23-6
 - to_ulong, bits 23-6
 - toupper, locale 22-7
 - to_ushort, bits 23-6
 - transform 25-6
 - translation

- phases 2-1
- separate 2-1
- unit 17-33/34, 36
- unit 2-1, 3-7
- unit, name and 3-2
- translation@unit 2-1
- transparent, locale 22-7
- trigraph 2-1/2
- trim, `bit_string` 23-14
- truncation 4-3
- try 15-1
- try-block* 15-1
- type 3-1
 - Boolean 3-13
 - ambiguity, declaration 7-2
 - arithmetic 3-14
 - array 3-14, 8-9
 - bitmask 17-16
 - char 3-13
 - character 3-13
 - checking, argument 5-4
 - checking, extension to C C-1
 - checking of default argument 8-10
 - class and 9-1
 - completely-defined object 3-12
 - compound 3-14
 - const 7-6
 - conversion, argument 12-3
 - conversion, explicit—see casting
 - declaration 8-4
 - declaration consistency 3-8
 - declaration, typedef as 7-5
 - definition, class name as 9-1
 - destination 8-13
 - double 3-13
 - dynamic 1-2
 - enumerated 3-13, 17-16, 18-2
 - enumeration underlying 7-11
 - equivalence 7-5, 9-1
 - equivalence, template 14-20
 - example of incomplete 3-12
 - extension to C reference C-1
 - extension to C user-defined C-1
 - float 3-13
 - floating point 3-13
 - function 3-14, 8-8/9
 - fundamental 3-13
 - generator—see template
 - implementation 17-16
 - implementation dependency `sizeof` 3-13
 - incomplete 3-12
 - incompletely-defined object 3-12
 - int 3-13
 - integral 3-13
 - long 3-13
 - long double 3-13
 - name 3-15, 8-2
 - name as synonym 7-5
 - name example 8-2
 - name example, nested 9-12
 - name, nested 9-12
 - name, scope of nested 9-12
 - of bit-field 9-10
 - of character literal 2-7
 - of constructor 12-2
 - of conversion 12-4
 - of delete 12-7
 - of enum 7-10/11
 - of floating point literal 2-8
 - of integer literal 2-7
 - of integer literal, implementation dependency 2-7
 - of new 12-7
 - of `ptrdiff_t`, implementation dependency 5-18
 - of `size_t`, implementation dependency 5-13
 - of `sizeof` expression, implementation dependency 2-5
 - of static member 5-12, 9-9
 - of string 2-9
 - of string literal 2-9
 - of this 9-7
 - pointer 3-14
 - polymorphic 10-5
 - short 3-13
 - signed char 3-13
 - specifier, char 7-8
 - specifier, class 7-9
 - specifier, double 7-8
 - specifier, elaborated 14-5
 - specifier, enum 7-9
 - specifier, float 7-8
 - specifier, int 7-8
 - specifier, long 7-8
 - specifier, short 7-8
 - specifier, struct 7-9
 - specifier, union 7-9
 - specifier, unsigned 7-8
 - specifier, void 7-8
 - specifier, volatile 7-7
 - static 1-2
 - unsigned 3-13
 - unsigned char 3-13
 - unsigned int 3-13
 - unsigned long 3-13
 - unsigned short 3-13
 - void 3-14
 - void* 3-14
 - volatile 7-6
 - wchar_t 3-13
 - wchar_t underlying 3-13
- typedef 3-15
 - and long 7-2
 - and short 7-2
 - and signed 7-2
 - and unsigned 7-2
 - as type declaration 7-5
 - class name 7-6, 9-3
 - declaration 3-2
 - enum name 7-6
 - example 7-5
 - overloading and 13-2
 - redefinition 7-5
 - specifier 7-5
- typedef-name* 7-5
- `typeid` 5-8, 18-8
- type-id* 8-2
- type-id-list* 15-4
- <typeinfo> 17-33, 18-8
- `type_info` 5-8, 18-9
 - before 18-9
 - name 18-9
 - operator!= 18-9
 - operator= 18-10
 - operator== 18-9
 - `type_info` 18-10
 - `type_info` 18-10
 - ~`type_info` 18-9
 - ~`type_info`, `type_info` 18-9
- type-parameter* 14-16
- types, implementation dependency range of 2-5
- type-specifier
 - bool 7-8
 - wchart 7-8
- type-specifier* 7-6

U

- U suffix 2-7
- u suffix 2-7
- uflow
 - basic_convbuf 27-108
 - basic_filebuf 27-117, 124
 - basic_streambuf 27-42, 84, 94, 108
 - basic_stringbuf 27-94
 - basic_strstreambuf 27-84
 - basicstdiobuf 27-124
- unary
 - expression 5-11
 - minus operator 5-12
 - operator 5-11/12
 - operator, interpretation of 13-15
 - operator, overloaded 13-15
 - plus operator 5-12
 - unary-expression* 5-11
 - unary_function 20-4
 - unary_negate 20-6
 - unary-operator* 5-12
 - #undef 16-6, 17-34
 - undefined 5-8, 17-2, 34, 18-14, 21-10, 22-5, 25-12, 26-18, 20, 22/24, 28, 32/33, 27-7, 10, 60
 - behavior 1-2
 - bound pointer to member function C-12
 - change to string literal 2-9
 - delete 5-16
 - deleted object 3-11, 5-16
 - division by zero 5-1, 17
 - escape sequence 2-8
 - floating point conversion 4-3
 - function call 5-10
 - left shift 5-19
 - member function call 9-7
 - pointer comparison 5-18/19
 - pure virtual function call 10-9, 12-12
 - string literal concatenation 2-9
 - unrepresentable integral value 4-3
 - value delete 5-16
 - underflow
 - basic_convbuf 27-108
 - basic_filebuf 27-117, 124
 - basic_streambuf 27-41
 - basic_stringbuf 27-94
 - basic_strstreambuf 27-84
 - basicstdiobuf 27-124
 - underlying
 - type, enumeration 7-11
 - type, wchar_t 3-13
 - underscore
 - character 17-34
 - character_ 2-4
 - in identifier_ 2-5
 - unexpected 18-12
 - unexpected() 15-6
 - unexpected_handler 18-12
 - unget, basic_istream 27-59
 - ungetc 27-123
 - uninitialized variable, indeterminate 8-13
 - uninitialized_copy 20-11
 - uninitialized_fill 20-11
 - uninitialized_fill_n 20-12
 - union 3-14, 9-9
 - access control, anonymous 9-10
 - anonymous 9-10
 - class versus 9-1
 - constructor 9-9
 - default member access 9-1
 - destructor 9-9
 - extension to C anonymous C-1
 - global anonymous 9-10
 - initialization 8-14, 9-10
 - member function 9-9
 - restriction 9-9/10, 12-2
 - restriction, anonymous 9-10
 - type specifier 7-9
 - unique 25-9
 - unique_copy 25-9
 - unit, translation 17-33/34, 36
 - unknown argument type 8-8
 - unnamed
 - bit-field 9-10
 - class 7-6
 - object 12-2
 - parameter example 8-12
 - unqualified-id* 5-3
 - unrepresentable integral value, undefined 4-3
 - unreserved name 17-19
 - unsetf, basic_ios 27-25
 - unsigned
 - arithmetic 3-13
 - char type 3-13
 - constant 2-6
 - int type 3-13
 - integer conversion, signed 4-3
 - literal 2-6/7
 - long type 3-13
 - short type 3-13
 - type 3-13
 - type specifier 7-8
 - typedef and 7-2
 - unsigned-suffix* 2-6
 - unspecified 18-5/7, 9, 11, 20-12/13, 21-5, 11, 26-2, 23, 27-6, 41, 80, 83/84, 94, 107
 - argument to constructor 5-15
 - behavior 1-3
 - destructor call 6-6
 - expression 5-5
 - order of argument evaluation 5-5
 - order of evaluation 3-9, 5-1
 - order of evaluation new 5-15
 - order of function call evaluation 5-5
 - value new 5-15
 - unwinding, stack 15-3
 - upper_bound 25-13
 - uppercase 17-17, 34
 - use of template name 14-5
 - use, locale 22-5
 - user-defined
 - conversion 4-1, 5-1, 12-3/4
 - conversion and name hiding 12-5
 - conversion, implicit 12-4
 - conversion, inheritance of 12-4
 - conversion, virtual 12-4
 - type, extension to C C-1
 - using-declaration 7-17
 - using-directive 7-21
 - usual arithmetic conversions 5-2

V

- va_end 17-34
- <valarray> 26-13
- valarray 26-14
 - apply 26-25
 - fill 26-24
 - free 26-25
 - length 26-19
 - max 26-24

- min 26-24
- operator T* 26-19
- operator! 26-21
- operator!= 26-23
- operator% 26-21/22
- operator%= 26-21/22
- operator& 26-21/22
- operator&& 26-21/22
- operator&= 26-21/22
- operator* 26-21/22
- operator*= 26-21/22
- operator+ 26-21/22
- operator+= 26-21/22
- operator- 26-21/22
- operator-- 26-21/22
- operator/ 26-21/22
- operator/= 26-21/22
- operator< 26-23
- operator<< 26-21/22
- operator<= 26-21/22
- operator<= 26-23
- operator= 26-19
- operator== 26-23
- operator> 26-23
- operator>= 26-23
- operator>> 26-21/22
- operator>>= 26-21/22
- operator[] 26-20
- operator^ 26-21/22
- operator^= 26-21/22
- operator| 26-21/22
- operator|= 26-21/22
- operator|| 26-21/22
- operator~ 26-21
- shift 26-24
- sum 26-23
- valarray 26-18
- valarray 26-18
- ~valarray 26-19
- ~valarray, valarray 26-19
- valarray<T> 26-29
- va_list 17-34
- value
 - call by 5-4
 - delete, undefined 5-16
 - new, unspecified 5-15
 - null member pointer 4-3
 - null pointer 4-3
 - of char literal, implementation dependency 2-8
 - of enumerator 7-11
 - of multicharacter literal, implementation dependency 2-7
 - undefined unrepresentable integral 4-3
- value_type 24-4
- variable
 - argument list 8-8
 - indeterminate uninitialized 8-13
 - parameter list 5-5, 8-8
 - parameter list example 8-10
 - template and static 14-27
- vector 23-26
- vector<bool> 23-28
- vertical tab 2-7
- viable function 13-4
- virtual
 - base class 10-2
 - base class DAG 10-2/3
 - base class dominance 10-4
 - base class initialization 12-10, 12
 - base class initialization, order of 12-10
 - destructor 12-6
 - destructor, pure 12-6

- function 10-5
- function access 11-7
- function call 10-8
- function call, constructor and 12-12
- function call, destructor and 12-12
- function call, undefined pure 10-9, 12-12
- function definition 10-6
- function definition, pure 10-8
- function example 10-6/7
- function example, pure 10-8
- function, pure 10-8
- member function 17-18, 35/36
- user-defined conversion 12-4
- virtual
 - and friend 10-6
 - and multiple inheritance 10-7
 - specifier 7-5
- visibility 3-5
- void
 - parameter 8-8
 - type 3-14
 - type specifier 7-8
- void& 8-5
- void*
 - conversion, pointer to member 4-4
 - pointer comparison 5-19
 - pointer type extension to C C-1
 - type 3-14
- volatile 3-15
 - constructor and 9-8, 12-1
 - destructor and 9-8, 12-5
 - extension to C C-2
 - implementation dependency 7-7
 - member function 9-7/8
 - operand 5-1
 - overloading and 13-1/2
 - type 7-6
 - type specifier 7-7

W

- <wchar.h> C-12/13
- wchart type-specifier 7-8
- wchar_t 2-7, 9, 17-17, 18-2
 - implementation dependency 3-13
 - type 3-13
 - underlying type 3-13
- <wctype.h> C-12
- WEOF 18-2
- wfilebuf 27-113
- what
 - bad_alloc 18-7
 - bad_cast 18-10
 - basic_ios::failure 27-19
 - domain_error 19-4
 - exception 18-10, 19-3/7, 27-19
 - invalid_argument 19-4
 - length_error 19-5
 - logic_error 19-3
 - out_of_range 19-5
 - overflow_error 19-7
 - range_error 19-6
 - runtime_error 19-6
- while statement 6-3/4
- white
 - space 2-2
 - space 2-3
- wide-character 2-7
 - string 2-9
 - string, null-terminated 17-17

width, basic_ios 27-26
wifstream 27-119
wimani 27-72
wint_t 18-2
wios 27-17
wistream 27-48
wistreamstream 27-97
wofstream 27-120
womani 27-73
wostream 27-63
wostringstream 27-98
write, basic_ostream 27-69
write_byte
 basic_ostream 27-70
 basic_streambuf 27-44
ws 27-52, 59
wsmani 27-74
wstreambuf 27-34
wstreamoff 27-12
wstreampos 27-13
wstring 21-17
wstringbuf 27-91

X

xsggetn
 basic_convbuf 27-108
 basic_filebuf 27-117
 basic_streambuf 27-43, 84, 94, 108, 117, 124
 basic_stringbuf 27-94
 basic_strstreambuf 27-84
 basicstdiobuf 27-124
xspu 27-109
 basic_convbuf 27-109
 basic_filebuf 27-117
 basic_streambuf 27-43, 84, 94, 109, 117, 124
 basic_stringbuf 27-94
 basic_strstreambuf 27-84
 basicstdiobuf 27-124
X(X&) —see copy constructor

Z

zero
 pointer 4-3, 5-19
 undefined division by 5-1, 17
 width of bit-field 9-10