

Document number: P0631R1

Date: 2017-09-26

Project: Programming Language C++

Audience: SG6 (Numerics), Library Evolution Working Group

Author: Lev Minkovsky

Reply-to: Lev Minkovsky [lminkovsky@outlook.com](mailto:lminkovsky@outlook.com); John McFarlane [john@mcfarlane.name](mailto:john@mcfarlane.name)

# Math Constants

## 1. Changelog

Changes from R0:

- Added changelog, header and footer
- Several readability improvements
- Chapters are numbered
- The 4<sup>th</sup> and 6<sup>th</sup> chapters subdivided into subchapters
- Design goals stated
- A different set of constants proposed
- Naming conventions are now different
- A drop-in replacement for POSIX constants no longer proposed
- All definitions are in the new math\_constants namespace
- Variable template types are inline
- Added new implementation requirements
- *float* and *double* typed constants proposed
- Boost constants described in the chapter 3.
- The 5<sup>th</sup> and 6<sup>th</sup> chapters reworked according to the abovementioned changes
- Links to the lists of Wolfram and Boosts constants added to the 7<sup>th</sup> chapter
- The types of constants should be directly or indirectly constexpr constructible from a fundamental floating-point type.
- Examples added of user-defined types suitable for instantiation of math constants

## 2. Introduction

C++ inherited from C a rich library of mathematical functions which continues to grow with every release. Amid all this abundance, there is a strange gap: none of the major mathematical constants is defined in the standard. This proposal is aimed to rectify this omission.

## 3. Motivation

Mathematical constants such as  $\pi$  and  $e$  frequently appear in mathematical algorithms. A software engineer can easily define them, but from their perspective, this is akin to making a reservation at a

restaurant and being asked to bring their own salt. The C++ implementers appreciate this need and attempt to fulfil it with non-standard extensions.

The IEEE Standard 1003.1™-2008 a.k.a POSIX.1-2008 stipulates that on all systems supporting the X/Open System Interface Extension, “the `<math.h>` header shall define the following symbolic constants. The values shall have type `double` and shall be accurate to at least the precision of the `double` type.”

<code>M_E</code>	- value of e
<code>M_LOG2E</code>	- value of $\log_2 e$
<code>M_LOG10E</code>	- value of $\log_{10} e$
<code>M_LN2</code>	- value of $\ln 2$
<code>M_LN10</code>	- value of $\ln 10$
<code>M_PI</code>	- value of $\pi$
<code>M_PI_2</code>	- value of $\frac{\pi}{2}$
<code>M_PI_4</code>	- value of $\frac{\pi}{4}$
<code>M_1_PI</code>	- value of $\frac{1}{\pi}$
<code>M_2_PI</code>	- value of $\frac{2}{\pi}$
<code>M_2_SQRTPI</code>	- value of $\frac{2}{\sqrt{\pi}}$
<code>M_SQRT2</code>	- value of $\sqrt{2}$
<code>M_SQRT1_2</code>	value of $\frac{\sqrt{2}}{2}$

POSIX.1-2008 explicitly states that these constants are outside of the ISO C standard and should be hidden behind an appropriate feature test macro. On some POSIX-compliant systems, this macro is defined as `_USE_MATH_DEFINES`, which led to a common assumption that defining this macro prior to the inclusion of `math.h` makes these constants accessible. In reality, this is true only in the following scenario:

- 1) The implementation defines these constants, and
- 2) It uses `_USE_MATH_DEFINES` as a feature test macro, and
- 3) This macro is defined prior to the first inclusion of `math.h` or any header file that directly or indirectly includes `math.h`.

These makes the availability of these constants extremely fragile when the code base is ported from one implementation to another or to a newer version of the same implementation. In fact, something as benign as including a new header file may cause them to disappear.

The OpenCL standard by the Kronos Group offers the same set of preprocessor macros in three variants: with a suffix `_H`, with a suffix `_F` and without a suffix, to be used in fp16, fp32 and fp64 calculations respectively. The first and the last sets are macro-protected. It also defines in the `cl` namespace the following variable templates:

`e_v, log2e_v, log10e_v, ln2_v, ln10_v, pi_v, pi_2_v, pi_4_v, one_pi_v, two_pi_v, two_sqrtipi_v, sqrt2_v, sqrt1_2_v,`

as well as their instantiations based on a variety of floating-point types and abovementioned macros. An OpenCL developer can therefore utilize a value of `cl::pi_v<float>`; they can also access `cl::pi_v<double>`, but only if the `cl_khr_fp64` macro is defined.

The GNU C++ library offers an alternative approach. It includes an implementation-specific file `ext\cmath` that defines in the `__gnu_cxx` namespace the templated definitions of the following constants:

```
__pi, __pi_half, __pi_third, __pi_quarter, __root_pi_div_2, __one_div_pi, __two_div_pi, __two_div_root_pi
, __e, __one_div_e, __log2_e, __log10_e, __ln_2, __ln_3, __ln_10, __gamma_e, __phi, __root_2,
__root_3, __root_5, __root_7, __one_div_root_2
```

The access to these constants is quite awkward. For example, to use a *double* value of  $\pi$ , a programmer would have to write `__gnu_cxx::__math_constants::__pi<double>`.

The Boost library has its own extensive set of constants, comprised of the following subsets:

- rational fractions (including  $\frac{1}{2}$ )
- functions of 2 and 10
- functions of  $\pi$ ,  $e$ ,  $\phi$  (golden ratio) and Euler-Mascheroni  $\gamma$  constant
- trigonometric constants
- values of Riemann  $\zeta$  (zeta) function
- statistical constants (various values of skewness and kurtosis)
- Catalan, Glaisher and Khinchin constants

Components of their names are subdivided by an underscore, for example: `one_div_root_pi`. Boost provides their definitions for fundamental floating-point types in the following namespaces:

```
boost::math::constants::float_constants
boost::math::constants::double_constants
boost::math::constants::long_double_constants
```

For user-defined types, Boost constants are accessed through a function call, for example:

```
boost::math::constants::pi<MyFPType>();
```

All these efforts, although helpful, clearly indicate the need for standard C++ to provide a set of math constants that would be both easy to use and appropriately accurate.

## 4. Design considerations and proposed definitions

### 4.0. Design goals.

- 1) The user should be able to easily replace all POSIX constants with standard C++ constants.
- 2) The constants should be available for all fundamental floating-point types without type conversion and with maximum precision of their respective types.
- 3) It should be possible to easily create a set of values of basic trigonometric functions of common angles, also with their maximum precision.
- 4) The standard constants should include the commonly used predefined constants of the Mathematica's Wolfram language.

- 5) They should be at least as concise and readable as POSIX constants.
- 6) They shouldn't cause name collisions. The code that compiled before them should compile with them.
- 7) It should be possible to instantiate them for user defined types.

## 4.1. The set of constants and their names

To achieve the design goals 1), 3) and 4) we need to provide the following constants:

e	- value of e
log2e	- value of $\log_2 e$
log10e	- value of $\log_{10} e$
ln2	- value of ln2
ln10	- value of ln10
pi	- value of $\pi$
invpi	- value of $\frac{1}{\pi}$
invsqrtpi	- value of $\frac{1}{\sqrt{\pi}}$
sqrt2	- value of $\sqrt{2}$
sqrt3	- value of $\sqrt{3}$
invsqrt3	- value of $\frac{1}{\sqrt{3}}$
radian	- value of $\frac{180}{\pi}$
egamma	- value of Euler-Mascheroni γ constant
phi	- value of golden ratio constant $\phi = (1+\sqrt{5})/2$
catalan	- value of Catalan's constant
apery	- value of Apéry's $\zeta(3)$ constant
glaisher	- value of Glaisher's constant

The alternative naming of inverse constants could be inv\_pi, inv\_sqrtpi and inv\_sqrt3. Any underscore usage beyond this would jeopardize the design goal 5).

The presence of radian on this list is perhaps debatable. It is predefined in the Wolfram language and is widely used, however, it comes from our convention to subdivide full circle into 360 degrees. If C++ had a unit library, it would be better to define the radian constant there, together with the inch constant (0.0254) and the mile constant (1609.344).

It should be noted that all fundamental floating-point types are stored internally as a combination of a sign bit, a binary exponent and a binary normalized significand. If a ratio of two floating-point numbers of the same type is an exact power of 2 (within a certain limit), their significands will be identical. Therefore, in order to achieve the design goal 1), we don't have to provide replacements for both M\_PI and M\_PI\_2 and M\_PI\_4. The user will be able to divide the M\_PI replacement by 2 and by 4 and achieve the goals 2), 3) and 5).

## 4.2. Headers and namespaces

We can insert the definitions of math constants into `<cmath>` or `<numeric>`, or alternatively we can create for them a new standard library header `<math_constants>`. The related pros and cons are as follows:

## 1) &lt;cmath&gt;

Pros:

- a) Math constants are typically used together with math functions, so the translation unit that depends on them will almost definitely #include either <math.h> or <cmath>
- b) The proposed names of *float*, *double* and *long double* constants follow the naming conversion of C functions, for example: float pi, double pi, long double pi.

Cons:

- a) As per C++ standard, “The contents and meaning of the header <cmath> are the same as the C standard library header <math.h>, with the addition of a three-dimensional hypotenuse function (29.9.3) and the mathematical special functions described in 29.9.5.”

The addition of 3D hypotenuse and special functions expanded a set of standard C++ math functions without splitting it between different headers. It didn’t bring in any new types of objects. We however introduce such type, constants, without the justification of continuity.

- b) More importantly, in order to let the user instantiate math constants for user-defined types, we have to define these constants as variable templates. C doesn’t have templates, so it would be counter-intuitive to add them into <cmath>.

## 2) &lt;numerics&gt;

Pros:

- a) This is a purely C++ header that we have full control over.
- b) All its definitions are templates, so variable templates would be appropriate there.

Cons:

- a) This header is described in the standard as “Generalized numeric operations”. Math constants do not fit into this description, so we will have to change it.
- b) The *float*/*double*/*long double* constants would be out of place there, because as of now this header has nothing but templates.

## 3) new header &lt;math\_constants&gt;

Pros:

- a) None of the cons of <cmath> and <numerics>.

Cons:

- a) The new header would increase the complexity of the language and the related documentation overhead.
- b) The standard already has several short headers such as <initializer\_list>, but they are either needed for C compatibility or target a significant fraction of C++ users. We also have domain-specific headers such as <ratio> that contain a good deal of functionality. The <math\_constants> however would be a short domain-specific header that has nothing to do with C compatibility.

The best alternative appears to be the header <numeric>.

As stated in the design goal 6), it is essential to avoid possible name collisions with the existing customer code base. Consider, for example, the following code fragment:

```
#include <numeric>
using namespace std;
constexpr double e = 2.71828;
constexpr double esqr = e*e;
```

If we are to introduce an `std::e` constant, this fragment will no longer compile. The GNU C++ library resolves this problem by using the `__math_constants` namespace. The C++ standard already has an `std::regex_constants` namespace, presumably serving the same purpose. There appears to be a strong existing precedent for an introduction of a new namespace `std::math_constants`. Without it, we would have to make variable names long enough to minimize the chance of collisions. This would not help us to achieve the design goal 5).

### 4.3. Definitions

Math constant definitions should begin with the following set of templates:

```
template<typename T> inline constexpr T e_v;
template<typename T> inline constexpr T log2e_v;
template<typename T> inline constexpr T log10e_v;
template<typename T> inline constexpr T pi_v;
template<typename T> inline constexpr T invpi_v;
template<typename T> inline constexpr T invsqrtipi_v;
template<typename T> inline constexpr T ln2_v;
template<typename T> inline constexpr T ln10_v;
template<typename T> inline constexpr T sqrt2_v;
template<typename T> inline constexpr T sqrt3_v;
template<typename T> inline constexpr T invsqrt3_v;
template<typename T> inline constexpr T radian_v;
template<typename T> inline constexpr T egamma_v;
template<typename T> inline constexpr T phi_v;
template<typename T> inline constexpr T catalan_v;
template<typename T> inline constexpr T apery_v;
template<typename T> inline constexpr T glaisher_v;
```

Alternatively, we can place template definitions into their own namespace:

```
namespace std {
    namespace math_constants {
        namespace templates {
            template<typename T> inline constexpr T e;
            template<typename T> inline constexpr T log2e;
            template<typename T> inline constexpr T log10e;
            template<typename T> inline constexpr T pi;
            template<typename T> inline constexpr T invpi;
            template<typename T> inline constexpr T invsqrtipi;
            template<typename T> inline constexpr T ln2;
            template<typename T> inline constexpr T ln10;
            template<typename T> inline constexpr T sqrt2;
            template<typename T> inline constexpr T sqrt3;
            template<typename T> inline constexpr T invsqrt3;
            template<typename T> inline constexpr T radian;
            template<typename T> inline constexpr T egamma;
```

```

        template<typename T> inline constexpr T phi;
        template<typename T> inline constexpr T catalan;
        template<typename T> inline constexpr T apery;
        template<typename T> inline constexpr T glaisher;
    } //templates
} //math_constants
}//std

```

The initialization part of these definitions will be implementation-specific. The implementation may at its discretion supply specializations of these variable templates for some or all fundamental floating-point types. The following requirements however need to be imposed:

- 1) Every implementation should guarantee that math constants can be instantiated for all fundamental floating-point types and for user-defined types constructible from a fundamental floating-point type through a sequence of `constexpr` constructors. For example, all types from the `<complex>` header would satisfy this requirement. Another example would be a possible implementation of quaternions:

```

template <typename T> class quaternion: public std::complex<T>
{
    T m_c;
    T m_d;
public:
    constexpr quaternion(const std::complex<T> value) : std::complex<T>(value),
    m_c(0), m_d(0) {}
    /*
    A lot of other functionality
    */
};

```

A yet another example, a high-precision floating-point type:

```

template <typename N, typename D, typename E, typename F> class floating_t
{
    N m_numerator;
    D m_denominator;
    E m_exponent;

    static_assert(std::numeric_limits<N>::is_integer);
    static_assert(std::numeric_limits<D>::is_integer);
    static_assert(std::numeric_limits<E>::is_integer);
    static_assert(!std::numeric_limits<F>::is_integer);

    static_assert(std::numeric_limits<N>::is_signed);
    static_assert(!std::numeric_limits<D>::is_signed);
    static_assert(std::numeric_limits<E>::is_signed);
    static_assert(std::numeric_limits<N>::digits ==
        std::numeric_limits<D>::digits - 1);

    static constexpr unsigned exponent_length = CHAR_BIT * sizeof(F) -
        std::numeric_limits<F>::digits;
    static constexpr unsigned mantissa_length = std::numeric_limits<F>::digits - 1;

    static_assert(CHAR_BIT * sizeof(D) > mantissa_length);
    static_assert(std::numeric_limits<E>::digits >= exponent_length);

```

```

static_assert(std::numeric_limits<N>::digits >
    std::numeric_limits<F>::digits);

public:

constexpr floating_t(F value) :m_numerator(0),
    m_denomenator(1),m_exponent(std::numeric_limits<F>::max_exponent-1)
{

    m_denomenator <= mantissa_length;

    bool isNegative = false;
    if (value < 0)
    {
        isNegative = true;
        value = -value;
    }

    if (value < 1)
        do
            m_exponent--;
        while ((value = 2 * value) < 1);
    else if (value > 2)
        do
            m_exponent++;
        while ((value = value / 2) > 2);

    m_numerator = static_cast<N>(value*static_cast<F>(m_denomenator));

    if (isNegative)
        m_numerator = - m_numerator;
}

constexpr bool validate(F value) const
{
    double val = static_cast<F>(m_numerator)/
        static_cast<F>(m_denomenator);
    for (E i=std::numeric_limits<F>::max_exponent;i <= m_exponent;    i++)
        val *= 2;
    return value == val;
}
/*
Many other lines of code
*/
};


```

- 2) Every implementation needs to ensure that the instantiations of math constants for fundamental floating-point types are the most accurate approximations of underlying real numbers for these types (design goal 2)). This entails that if two implementations provide fundamental floating-point types with identical lengths of significands, the constants instantiated for these types will be equal. For example, all IEEE-754 compliant implementations will have the value of  $\pi<\text{double}>$  equal to  $0x1.921fb54442d18p+1$ . All numerical libraries having the same internal precision will therefore have identical values of their respective math constants.

After the templated constants, the following definitions should be made:

```

inline constexpr float ef = e_v<float>;
inline constexpr float log2ef = log2e_v<float>;
inline constexpr float log10ef = log10e_v<float>;
inline constexpr float pif = pi_v<float>;
inline constexpr float invpif = invpi_v<float>;
inline constexpr float invsqrtipi = invsqrtipi_v<float>;
inline constexpr float ln2f = ln2_v<float>;
inline constexpr float ln10f = ln10_v<float>;
inline constexpr float sqrt2f = sqrt2_v<float>;
inline constexpr float sqrt3f = sqrt3_v<float>;
inline constexpr float invsqrt3f = invsqrt3_v<float>;
inline constexpr float radianf = radian_v<float>;
inline constexpr float egammaf = egamma_v<float>;
inline constexpr float phif = phi_v<float>;
inline constexpr float catalanf = catalan_v<float>;
inline constexpr float aperyf = aperry_v<float>;
inline constexpr float glaisherf = glaisher_v<float>;
```

  

```

inline constexpr double e = e_v<double>;
inline constexpr double log2e = log2e_v<double>;
inline constexpr double log10e = log10e_v<double>;
inline constexpr double pi = pi_v<double>;
inline constexpr double invpi = invpi_v<double>;
inline constexpr double invsqrtipi = invsqrtipi_v<double>;
inline constexpr double ln2 = ln2_v<double>;
inline constexpr double ln10 = ln10_v<double>;
inline constexpr double sqrt2 = sqrt2_v<double>;
inline constexpr double sqrt3 = sqrt3_v<double>;
inline constexpr double invsqrt3 = invsqrt3_v<double>;
inline constexpr double radian = radian_v<double>;
inline constexpr double egamma = egamma_v<double>;
inline constexpr double phi = phi_v<double>;
inline constexpr double catalan = catalan_v<double>;
inline constexpr double aperry = aperry_v<double>;
inline constexpr double glaisher = glaisher_v<double>;
```

  

```

inline constexpr long double el = e_v<long double>;
inline constexpr long double log2el = log2e_v<long double>;
inline constexpr long double log10el = log10e_v<long double>;
inline constexpr long double pil = pi_v<long double>;
inline constexpr long double invpil = invpi_v<long double>;
inline constexpr long double invsqrtipi = invsqrtipi_v<long double>;
inline constexpr long double ln2l = ln2_v<long double>;
inline constexpr long double ln10l = ln10_v<long double>;
inline constexpr long double sqrt2l = sqrt2_v<long double>;
inline constexpr long double sqrt3l = sqrt3_v<long double>;
inline constexpr long double invsqrt3l = invsqrt3_v<long double>;
inline constexpr long double radianl = radian_v<long double>;
inline constexpr long double egammal = egamma_v<long double>;
inline constexpr long double phil = phi_v<long double>;
inline constexpr long double catalanl = catalan_v<long double>;
inline constexpr long double aperyl = aperry_v<long double>;
inline constexpr long double glaisherl = glaisher_v<long double>;
```

The way these variable and variable template definitions are injected into `std::math_constants` will be implementation-specific.

## 4.4. Access patterns

Because the standard won't provide a drop-in replacement for POSIX/OpenCL/GNU constants, it will be up to the user how, or even whether, to transition to standardized constants. Some motivated users may do this via a global search-and-replace. It is likely however that many C++ projects will have the standard constants introduced alongside with the extant POSIX or user-defined constants. This may cause readability problems as well as subtle computational issues. For example, let's consider the following code fragment:

```
#define _USE_MATH_DEFINES
#include "math.h"

template<typename T> constexpr T pi = 3.14159265358979323846L;

constexpr long double MY_OLD_PI = M_PI; //has been here for 10+ years
constexpr long double MY_NEW_PI = pi<long double>;

static_assert(MY_OLD_PI == MY_NEW_PI, "OMG!");
```

It compiles on Windows, where *long double* is 64-bit, but fails on Linux, where it is 128-bit. The users that need to support 128-bit *long double* will have to carefully assess the risk of having slightly different values of math constants in the same project.

If an existing codebase already has user-defined math constants, their definitions can easily be updated with standard constants, for example:

```
const double PI = std::math_constants::pi;
```

In a more “greenfield” situation, where math constants are just being introduced, they can be imported into a global scope by the `using` directive, for example:

```
using std::math_constants::pi;
```

## 5. A “Hello world” program for math constants

```
#include <numeric>

using std::math_constants::pi;
using std::math_constants::pi_v;

template<typename T> constexpr T circle_area(T r) { return pi_v<T> * r * r; }

int main()
{
    static_assert(!pi);
    static_assert(!circle_area(1.0));
    return 0;
}
```

## 6. Proposed changes in the standard

### 6.1. The clause 29.1 General

The subclause 29.1.2 should be updated as follows:

<sup>2</sup>The following subclauses describe components for complex number types, random number generation, numeric (*n*-at-a-time) arrays, generalized numeric algorithms, mathematic constants and mathematical functions for floating-point types, as summarized in Table 101.

In the table 101, the subclause 29.8 should be updated as follows:

**29.8** Generalized numeric operations and mathematical constants <numeric>

### 6.2. The clause 29.8 Generalized numeric operations

The clause title should be updated as follows:

29.8 Generalized numeric operations and mathematical constants

In the subclause 29.8.1, after

```
// 29.8.14, least common multiple
template <class M, class N>
    constexpr common_type_t<M, N> lcm(M m, N n);
```

the following should be inserted:

```
// 29.8.15 mathematical constants
namespace math_constants {
    template<typename T > inline constexpr T e_v           see below
    template<typename T > inline constexpr T log2e_v       see below
    template<typename T > inline constexpr T log10e_v      see below
    template<typename T > inline constexpr T pi_v          see below
    template<typename T > inline constexpr T invpi_v       see below
    template<typename T > inline constexpr T invsqrtipi_v see below
    template<typename T > inline constexpr T ln2_v          see below
    template<typename T > inline constexpr T ln10_v         see below
    template<typename T > inline constexpr T sqrt2_v        see below
    template<typename T > inline constexpr T sqrt3_v        see below
    template<typename T > inline constexpr T invsqrt3_v     see below
    template<typename T > inline constexpr T radian_v       see below
    template<typename T > inline constexpr T egamma_v       see below
    template<typename T > inline constexpr T phi_v          see below
    template<typename T > inline constexpr T catalan_v      see below
    template<typename T > inline constexpr T apery_v         see below
    template<typename T > inline constexpr T glaisher_v     see below

    inline constexpr float ef = e_v<float>;
    inline constexpr float log2ef = log2e_v<float>;
    inline constexpr float log10ef = log10e_v<float>;
    inline constexpr float pif = pi_v<float>;
```

```

    inline constexpr float invpi_f = invpi_v<float>;
    inline constexpr float invsqrtpif = invsqrtpi_v<float>;
    inline constexpr float ln2f = ln2_v<float>;
    inline constexpr float ln10f = ln10_v<float>;
    inline constexpr float sqrt2f = sqrt2_v<float>;
    inline constexpr float sqrt3f = sqrt3_v<float>;
    inline constexpr float invsqrt3f = invsqrt3_v<float>;
    inline constexpr float radianf = radian_v<float>;
    inline constexpr float egammaf = egamma_v<float>;
    inline constexpr float phif = phi_v<float>;
    inline constexpr float catalanf = catalan_v<float>;
    inline constexpr float aperyf = aperry_v<float>;
    inline constexpr float glaisherf = glaisher_v<float>;

    inline constexpr double e = e_v<double>;
    inline constexpr double log2e = log2e_v<double>;
    inline constexpr double log10e = log10e_v<double>;
    inline constexpr double pi = pi_v<double>;
    inline constexpr double invpi = invpi_v<double>;
    inline constexpr double invsqrtpi = invsqrtpi_v<double>;
    inline constexpr double ln2 = ln2_v<double>;
    inline constexpr double ln10 = ln10_v<double>;
    inline constexpr double sqrt2 = sqrt2_v<double>;
    inline constexpr double sqrt3 = sqrt3_v<double>;
    inline constexpr double invsqrt3 = invsqrt3_v<double>;
    inline constexpr double radian = radian_v<double>;
    inline constexpr double egamma = egamma_v<double>;
    inline constexpr double phi = phi_v<double>;
    inline constexpr double catalan = catalan_v<double>;
    inline constexpr double aperry = aperry_v<double>;
    inline constexpr double glaisher = glaisher_v<double>;

    inline constexpr long double el = e_v<long double>;
    inline constexpr long double log2el = log2e_v<long double>;
    inline constexpr long double log10el = log10e_v<long double>;
    inline constexpr long double pil = pi_v<long double>;
    inline constexpr long double invpil = invpi_v<long double>;
    inline constexpr long double invsqrtpil = invsqrtpi_v<long double>;
    inline constexpr long double ln2l = ln2_v<long double>;
    inline constexpr long double ln10l = ln10_v<long double>;
    inline constexpr long double sqrt2l = sqrt2_v<long double>;
    inline constexpr long double sqrt3l = sqrt3_v<long double>;
    inline constexpr long double invsqrt3l = invsqrt3_v<long double>;
    inline constexpr long double radianl = radian_v<long double>;
    inline constexpr long double egammal = egamma_v<long double>;
    inline constexpr long double phil = phi_v<long double>;
    inline constexpr long double catalanl = catalan_v<long double>;
    inline constexpr long double aperyl = aperry_v<long double>;
    inline constexpr long double glaisherl = glaisher_v<long double>;
}

}

```

After the subclause 29.8.14, a new subclause 29.8.15 should be inserted:

### 29.8.15 Mathematical constants

```

namespace math_constants {
    template<typename T> inline constexpr T e_v           see below

```

```

template<typename T> inline constexpr T log2e_v see below
template<typename T> inline constexpr T log10e_v see below
template<typename T> inline constexpr T pi_v see below
template<typename T> inline constexpr T invpi_v see below
template<typename T> inline constexpr T invsqrtipi_v see below
template<typename T> inline constexpr T ln2_v see below
template<typename T> inline constexpr T ln10_v see below
template<typename T> inline constexpr T sqrt2_v see below
template<typename T> inline constexpr T sqrt3_v see below
template<typename T> inline constexpr T invsqrt3_v see below
template<typename T> inline constexpr T radian_v see below
template<typename T> inline constexpr T egamma_v see below
template<typename T> inline constexpr T phi_v see below
template<typename T> inline constexpr T catalan_v see below
template<typename T> inline constexpr T ap ery_v see below
template<typename T> inline constexpr T glaisher_v see below

inline constexpr float ef = e_v<float>;
inline constexpr float log2ef = log2e_v<float>;
inline constexpr float log10ef = log10e_v<float>;
inline constexpr float pif = pi_v<float>;
inline constexpr float invpif = invpi_v<float>;
inline constexpr float invsqrtipif = invsqrtipi_v<float>;
inline constexpr float ln2f = ln2_v<float>;
inline constexpr float ln10f = ln10_v<float>;
inline constexpr float sqrt2f = sqrt2_v<float>;
inline constexpr float sqrt3f = sqrt3_v<float>;
inline constexpr float invsqrt3f = invsqrt3_v<float>;
inline constexpr float radianf = radian_v<float>;
inline constexpr float egammaf = egamma_v<float>;
inline constexpr float phif = phi_v<float>;
inline constexpr float catalanf = catalan_v<float>;
inline constexpr float ap eryf = ap ery_v<float>;
inline constexpr float glaisherf = glaisher_v<float>;

inline constexpr double e = e_v<double>;
inline constexpr double log2e = log2e_v<double>;
inline constexpr double log10e = log10e_v<double>;
inline constexpr double pi = pi_v<double>;
inline constexpr double invpi = invpi_v<double>;
inline constexpr double invsqrtipi = invsqrtipi_v<double>;
inline constexpr double ln2 = ln2_v<double>;
inline constexpr double ln10 = ln10_v<double>;
inline constexpr double sqrt2 = sqrt2_v<double>;
inline constexpr double sqrt3 = sqrt3_v<double>;
inline constexpr double invsqrt3 = invsqrt3_v<double>;
inline constexpr double radian = radian_v<double>;
inline constexpr double egamma = egamma_v<double>;
inline constexpr double phi = phi_v<double>;
inline constexpr double catalan = catalan_v<double>;
inline constexpr double ap ery = ap ery_v<double>;
inline constexpr double glaisher = glaisher_v<double>;

inline constexpr long double el = e_v<long double>;
inline constexpr long double log2el = log2e_v<long double>;
inline constexpr long double log10el = log10e_v<long double>;
inline constexpr long double pil = pi_v<long double>;
inline constexpr long double invpil = invpi_v<long double>;

```

```

    inline constexpr long double invsqrtpi_l = invsqrtpi_v<long double>;
    inline constexpr long double ln2l = ln2_v<long double>;
    inline constexpr long double ln10l = ln10_v<long double>;
    inline constexpr long double sqrt2l = sqrt2_v<long double>;
    inline constexpr long double sqrt3l = sqrt3_v<long double>;
    inline constexpr long double invsqrt3l = invsqrt3_v<long double>;
    inline constexpr long double radianl = radian_v<long double>;
    inline constexpr long double egammal = egamma_v<long double>;
    inline constexpr long double phil = phi_v<long double>;
    inline constexpr long double catalanl = catalan_v<long double>;
    inline constexpr long double aperyl = aperry_v<long double>;
    inline constexpr long double glaisherl = glaisher_v<long double>;
}

```

<sup>1</sup> *Requires:* T shall either be a fundamental floating-point type or be constructable from such type through a series of `constexpr` constructors.

<sup>2</sup> *Remarks:* These variable templates should be initialized with implementation-defined values of  $e$ ,  $\log_2 e$ ,  $\log_{10} e$ ,  $\pi$ ,  $\frac{1}{\pi}$ ,  $\frac{1}{\sqrt{\pi}}$ ,  $\ln 2$ ,  $\ln 10$ ,  $\sqrt{2}$ ,  $\sqrt{3}$ ,  $\frac{1}{\sqrt{3}}$ ,  $\frac{180}{\pi}$ , Euler-Mascheroni  $\gamma$  constant, golden ratio  $\phi$  constant ( $\frac{1+\sqrt{5}}{2}$ ), Catalan's constant, Apéry's  $\zeta(3)$  constant and Glaisher's constant, respectively. The implementation may provide their specializations for some or all fundamental floating-point types (see 3.9.1). For each fundamental floating-point type, an instantiation of every variable template should be equal to the closest approximation of the underlying real number among the type's set of values.

## 7. References

The POSIX version of `math.h` is described at

<http://pubs.opengroup.org/onlinepubs/9699919799/basedefs/math.h.html>

The OpenCL mathematical constants are defined in a file `opencl_math_constants`, see

[https://raw.githubusercontent.com/KhronosGroup/libclcxx/master/include/opencl\\_math\\_constants](https://raw.githubusercontent.com/KhronosGroup/libclcxx/master/include/opencl_math_constants).

The GNU math extensions: [https://gcc.gnu.org/onlinedocs/gcc-6.1.0/libstdc++/api/a01120\\_source.html](https://gcc.gnu.org/onlinedocs/gcc-6.1.0/libstdc++/api/a01120_source.html)

A list of Booth math constants is at

[http://www.boost.org/doc/libs/1\\_64\\_0/libs/math/doc/html/math\\_toolkit/constants.html](http://www.boost.org/doc/libs/1_64_0/libs/math/doc/html/math_toolkit/constants.html)

A list of built-in Wolfram constants is at

<http://reference.wolfram.com/language/tutorial/MathematicalConstants.html.en>.

## 8. Acknowledgments

The author would like to thank Edward Smith-Rowland for his review of the draft proposal, Vishal Oza, Daniel Krügler and Matthew Woehlke for their participation in the related thread at the std-proposals user group, Walter E. Brown and John McFarlane for volunteering to present the proposal and helpful comments, and participants of discussions at LEWG and SG6 mailing lists for their valuable feedback.

