

## IOstreams Issues List Library Clause 27

---

### Revision History

Pre-Hawaii	X3J16/96-0171 WG21/N0989
Post-Stockholm	X3J16/96-0165 WG21/N0983
Pre-Stockholm	X3J16/96-0099 WG21/N0917
Post-Santa-Cruz	X3J16/96-0079 WG21/N0897
Pre-Santa Cruz	X3J16/96-0009 WG21/N0827
Post-Tokyo	X3J16/95-0221 WG21/N0821
Pre-Tokyo	X3J16/95-0194 WG21/N0794
Pre-Monterey	X3J16/95-0089 WG21/N0689
Pre-Austin	X3J16/95-0034 WG21/N0634

### Summary of open Issues

#### 27.4.3 ios\_base

P. 2

- Active** 27-108 cin, cout ... construction and initialization (Box)
- Active** 27-109 can iword and pword fail, and if so how
- Active** 27-110 use of iword and pword with xalloc

#### 27.4.4 basic\_ios

P. 3

- Active** 27-205 imbue should not call rdbuf()->pubimbue
- Active** 27-207 availability of char\_traits in header ios (Box)
- Active** 27-209 imbueing getloc()::codecvt into the argument stream buffer (Box)

#### 27.6.1 basic\_istream

P. 4

- Active** 27-413 sentence missing (Box)

#### 27.8 fstreams

P. 5

- Active** 27-805 filebuf::imbue semantics
- Active** 27-814 basic\_filebuf::imbue has no description

#### Miscellaneous

P. 6

- Active** 27-922 Cleaning the iostreams header synopsis #include of other header

### Summary of closed Issues

P. 7

## ios\_base issues

**Issue Number:** 27-108  
**Title:** cin, cout ... construction and initialization (Box)  
**Section:** 27.3 **Standard iostream objects** [lib.iostream.objects]  
**Status:** active  
**Description:**

The standard iostreams objects (cin, cout, cerr, clog, wcin, wcout, wcerr, wclog) need to be constructed and associations established before dynamic initialization of file scope variables is begun.

**Possible Resolution:**

**Requestor:** pre-Stockholm Iostreams WG

---

**Issue Number:** 27-109  
**Title:** can iword and pword fail, and if so how  
**Section:** 27.4.3.4 **ios\_base storage functions** [lib.ios.base.storage]  
**Status:** active  
**Description:**

Can iword and pword fail, and if so how (throw bad\_alloc and/or set a bit.)

**Possible Resolution:**

**Requestor:** Jerry Schwarz (jss@a.crl.com)

---

**Issue Number:** 27-110  
**Title:** use of iword and pword with xalloc  
**Section:** 27.4.3.4 **ios\_base storage functions** [lib.ios.base.storage]  
**Status:** active  
**Description:**

The old iostream library was using an array of union (*long* and *void\**) to implement the underlying data maintained by the function *iword* and *pword*, whereas the current WP describes *iword* as maintaining an array of *long* and *pword* as maintaining an array of *void* pointers. The problem with this new scheme, is when trying to combine the use of *iword*, *pword* and *xalloc*. The static function *xalloc* returns a value of type *int*, that can be used as parameter of the functions *iword* and *pword*. The purpose of *xalloc* is to allow users to fix location of *iword* and *pword* data between several stream objects (make sure a certain data will be located at the same place in several stream objects). The problem is that *xalloc* only maintains one set of indices, but *iword* and *pword* are two different arrays. Therefore using *xalloc* to generate indices to be used with *iword* and *pword* will create holes within the underlying arrays. For example, if you want to store X values of type *long* and then store one value of type *void\**, the array maintained by *pword* will have its X first elements empty.

**Possible Resolution:**

Go back to the use of an array of union to maintain *word* and *pword* data as in the old *iostream*.

**Requestor:** Philippe Le Mouël (philippe@roguewave.com)

---

## basic\_ios issues

**Issue Number:** 27-205  
**Title:** imbue should not call `rdbuf()->pubimbue`  
**Section:** 27.4.4.2 **Member functions** [`lib.basic.ios.members`]  
**Status:** active  
**Description:**

`basic_ios::imbue(const locale&)` should call `rdbuf()->pubimbue(loc)` only if `rdbuf()` is not a null pointer. Even better, it should not call `rdbuf()->pubimbue(loc)` at all. Changing the locale that controls stream conversions is best separated from changing the locale that affects numeric formatting, etc. Anyone who knows how to imbue a proper pair of `codecvt` facets in a `streambuf` won't mind having to make an explicit call.

### Possible Resolution:

The first part of the issue has already been resolved, the description of function *locale imbue(const locale& loc)* says:

**Effects:** Calls `ios_base::imbue(loc)` (27.4.3.3) and if `rdbuf() != 0` then `rdbuf()->pubimbue(loc)` (27.5.2.2.1).

Concerning the second part you have two possibilities:

If we leave the `basic_ios::imbue` function unchanged, when users call the `imbue` function from `basic_istream`, `basic_ostream` or the classes derived from them, they are actually changing both the locale of the stream object, and the locale of the stream buffer object attached to the stream object. This is not a real problem, because the stream object is only affected by the `cctype`, `num_get`, `num_put`, and `numpunct` facets, while the stream buffer object is affected by the `codecvt` facet. Therefore, even if you want to have several stream pointing to the same stream buffer objects (with a different locale object for each of them), you can easily do it by having all the different stream locale objects having the same `codecvt` facet. You could also do it by imbuing the stream buffer at last. The advantage of this scheme is that in simple cases you need to imbue just once in the stream object without having to wonder about the stream buffer object attached to it. The drawback is that you need to be more careful when you imbue in a stream object, and make sure that the locale object you are imbuing contains the correct `codecvt` facet; otherwise, you need to imbue the stream buffer object attached to the stream with another locale.

The other possibility is to remove the call to `rdbuf()->pubimbue( loc )`, in which case you just imbue the stream object itself. The problem is that in simple cases you need to imbue both the stream object and the stream buffer attached to it. The advantage is you only imbue the object that needs to have a change of locale.

This issue has to be treated with issue 27-209.

**Requestor:** Public Comment

---

**Issue Number:** 27-207  
**Title:** availability of char\_traits in header ios (Box)  
**Section:** 27.4.2 **Template struct ios\_traits** [lib.ios.traits]  
**Status:** active  
**Description:**

The *ios\_traits* was previously defined in header *ios*. Character traits have now been consolidated into *char\_traits* defined in the string header. Should they still be available after a `#include<ios>`.

**Possible Resolution:**

**Requestor:** pre-Stockholm Iostreams WG

---

**Issue Number:** 27-209  
**Title:** imbueing getloc()::codecvt into the argument stream buffer (Box)  
**Section:** 27.4.4.2 **Member functions** [lib.basic.ios.members]  
**Status:** active  
**Description:**

The first Box of section 27.4.4.2 says:

Note: need to modify so as to describe the occurrence of imbueing getloc()::codecvt into the argument stream buffer.

**Possible Resolution:**

**Requestor:** pre-Stockholm Iostreams WG

---

## basic\_istream issues

**Issue Number:** 27-413  
**Title:** sentence missing (Box)  
**Section:** 27.6.1.1 **Template class basic\_istream** [lib.istream]  
**Status:** active  
**Description:**

X3J16/95-0149==WG21/N0749 deleted a sentence that prevented the formatted and unformatted input functions from calling other streambuf virtuals (such as seek).

**Possible Resolution:**

**Requestor:** pre-Stockholm Iostreams WG

---

## file stream issues

**Issue Number:** 27-805  
**Title:** filebuf::imbue semantics  
**Section:** 27.8.1.4 **Overridden virtual functions** [lib.filebuf.virtuals]  
**Status:** active  
**Description:**

basic\_filebuf::imbue has silly semantics. Whether or not sync() succeeds has little bearing on whether you can safely change the working codecvt facet. The most sensible thing is to establish this facet at construction. (Then pubimbue and imbue can be scrubbed completely.) Next best is while is\_open() is false. (Then imbue can be scrubbed, since it has nothing to do.) Next best is to permit any imbue that doesn't change the facet or is at beginning of file. Next best is to permit change of facet any time provided either the current or new facet does not mandate state-dependent conversions. (See comments under seekoff.)

**Possible Resolution:**

In my current version of the WP, I do not have any description for the virtual filebuf imbue function. See issue 27-814.

**Requestor:** Public Comment

---

**Issue Number:** 27-814  
**Title:** basic\_filebuf::imbue has no description  
**Section:** 27.8.1.4 **Overridden virtual functions** [lib.filebuf.virtuals]  
**Status:** active  
**Description:**

The virtual function basic\_filebuf::imbue has no description.

**Possible Resolution:**

**Requestor:** Philippe Le Mouël (philippe@roguewave.com)

---

## Miscellaneous issues

**Issue Number:** 27-922  
**Title:** Cleaning the iostreams header synopsis #include of other headers  
**Section:** Chapter 27 and Annex D  
**Status:** active  
**Description:**

Several public comments pointed out that the C++ header synopsis #include of other C++ headers were not correct.

**Possible Resolution:**

Add to header <iostream> synopsis:	<istream> and <ostream>
Add to header <sstream> synopsis:	<string> ( already brought by locale )
Add to header <streambuf> synopsis:	<locale>
Add to header <strstream> synopsis:	<streambuf>

**Requestor:** Judy Ward

---

## Summary of closed Issues

### 27.4.2 ios\_traits

- Closed** 27-001 Making newline locale aware (Stockholm)
- Closed** 27-002 is\_whitespace is inconsistent (Stockholm)
- Closed** 27-003 Mention of base struct string\_char\_traits (Tokyo)
- Closed** 27-004 example of changing the behavior of is\_whitespace is incorrect (Stockholm)
- Closed** 27-005 not\_eof specification (Stockholm)
- Closed** 27-006 streamsize should be *SZ\_T* not *INT\_T* (Tokyo)
- Closed** 27-007 ios\_traits typedefs are 'char' oriented (Stockholm)
- Closed** 27-008 ios\_traits::length is missing **Returns:** clause (Stockholm)
- Closed** 27-009 ios\_traits::get\_state should be specified (Stockholm)
- Closed** 27-010 ios\_traits::get\_pos should be specified (Stockholm)
- Closed** 27-011 Return type for ios\_traits::copy is incorrect (Stockholm)

### 27.4.3 ios\_base

- Closed** 27-101 ios\_base manipulators (Santa-Cruz)
- Closed** 27-102 ios\_base::width semantics are incorrect (Santa-Cruz)
- Closed** 27-103 proposal for adding ios\_base::maxwidth (Santa-Cruz)
- Closed** 27-104 ios\_base unitbuf and nunitbuf manipulators (Santa-Cruz)
- Closed** 27-105 ios\_base storage functions are not exception safe (Santa-Cruz)
- Closed** 27-106 Init class should be an implementation detail (Stockholm)
- Closed** 27-107 ios::failure doesn't have the same functionality (Stockholm)

### 27.4.4 basic\_ios

- Closed** 27-201 remove throw specifications for clear and setstate (Tokyo)
- Closed** 27-202 tie not required to be associated with an input sequence (Tokyo)
- Closed** 27-203 operator bool() needs to be fixed (Stockholm)
- Closed** 27-204 replace int\_type by char\_type in int\_type fill() and int\_type fill( int\_type ) (Tokyo)
- Closed** 27-206 clear() should not unconditionally clear the error state (Stockholm)
- Closed** 27-208 move member functions from basic\_ios to ios\_base (Box) (Stockholm)

### 27.5.2 basic\_streambuf

- Closed** 27-301 imbuing on streambufs. When, how often, etc... (Stockholm)
- Closed** 27-302 sungetc has an incorrect return type (Tokyo)
- Closed** 27-303 not\_eof needs to be used where appropriate (Santa-Cruz)
- Closed** 27-304 uflow needs editing (Santa-Cruz)
- Closed** 27-305 basic\_streambuf::showmanyc Incorrect return clause (Santa-Cruz)
- Closed** 27-306 basic\_streambuf::uflow has incorrect default behavior (Santa-Cruz)
- Closed** 27-307 basic\_streambuf::uflow has nonsense returns clause (Santa-Cruz)
- Closed** 27-308 streambuf inlines (Santa-Cruz)
- Closed** 27-309 two return clauses for streambuf::underflow (Santa-Cruz)
- Closed** 27-310 streambuf::pbackfail has incorrect **Notes:** clause (Santa-Cruz)
- Closed** 27-311 caching results of calls to locale functions (Santa-Cruz)
- Closed** 27-312 sync does not say what happens to the input sequence (Box) (Stockholm)

### 27.6.1 basic\_istream

- Closed** 27-401 isfx what does it do? (Santa-Cruz)
- Closed** 27-402 ipfx example is incorrect (Santa-Cruz)
- Closed** 47-403 Clarification of exceptions thrown (Santa-Cruz)
- Closed** 27-404 istream functions need to check for NULL streambuf (Stockholm)
- Closed** 27-405 confusing English in formatted requirements (Stockholm)
- Closed** 27-406 operator>>(char\_type \*) failure (Stockholm)
- Closed** 27-407 operator>>(char\_type) failure (Stockholm)
- Closed** 27-408 ws manipulator (Stockholm)
- Closed** 27-409 unsigned short extractors cannot use unsigned long get function (Stockholm)
- Closed** 27-410 putback function has wrong description (Stockholm)
- Closed** 27-411 getline should not set failbit when reading no characters (Stockholm)
- Closed** 27-412 operator >>(basic\_streambuf \*sb), should not set badbit if sb is null (Stockholm)
- Closed** 27-414 readsome, putback and unget need to check for good (Box) (Stockholm)
- Closed** 27-415 streampos need to be replaced (Box) (Stockholm)

### 27.6.2 basic\_ostream

- Closed** 27-501 op<<(char) needs to be consistent with the other formatted inserters (Stockholm)
- Closed** 27-502 op<<(void \*) should it be const volatile void \* (Santa-Cruz)
- Closed** 27-503 ostream functions need to check for NULL streambuf (Stockholm)
- Closed** 27-504 exceptions in ostream (Santa-Cruz)
- Closed** 27-505 incorrect conversion specifier for operator<<(unsigned long) (Stockholm)
- Closed** 27-506 wrong default behavior for padding (Stockholm)

### 27.6.1-27.6.2 basic\_istream, basic\_ostream

- Closed** 27-601 op[<<|>>](ios\_base&) needed for manipulators (Stockholm)
- Closed** 27-602 positional typedefs in istream/ostream derived classes are not needed (Stockholm)
- Closed** 27-603 read/write should take a void \* instead of a char\_type \* (Stockholm)
- Closed** 27-604 Should we require ios::in to be set for istream's and ios::out to be set for ostream's (Stockholm)
- Closed** 27-605 Should get/put use iterators? (Stockholm)
- Closed** 27-606 seekg and seekp should have their first parameter passed by value. (Stockholm)
- Closed** 27-607 locale getnum needed for void\* extractor (Box) (Stockholm)

### 27.6.3 Standard manipulators

- Closed** 27-651 setfill description is wrong (Stockholm)
- Closed** 27-652 smanip is not a single type (Stockholm)

### 27.7 string streams

- Closed** 27-701 str() needs to clarify return value on else clause (Stockholm)
- Closed** 27-702 string stream classes need to have string\_char\_traits and allocator parameters (Stockholm)
- Closed** 27-703 stringbuf postconditions (Stockholm)
- Closed** 27-704 stringbuf::stringbuf constructor (Stockholm)
- Closed** 27-705 Incorrect calls to setg and setp in Table 14 (Stockholm)
- Closed** 27-706 Incorrect calls to setg and setp in table 16 (Stockholm)
- Closed** 27-707 setbuf function is missing (Stockholm)

## 27.8 fstreams

- Closed** 27-801 filebuf::underflow example is incorrect (Stockholm)
- Closed** 27-802 filebuf::is\_open is a bit confusing (Stockholm)
- Closed** 27-803 ofstream constructor missing trunc as openmode (Stockholm)
- Closed** 27-804 ofstream::open missing trunc in openmode (Stockholm)
- Closed** 27-806 filebuf::seekoff **Effects:** clause needs work (Stockholm)
- Closed** 27-807 filebuf::underflow performance questions (Stockholm)
- Closed** 27-808 Editorial fixes in wording for fstreams (Stockholm)
- Closed** 27-809 description of function setbuf is missing (Stockholm)
- Closed** 27-810 openmode notation is not consistent in basic\_ifstream and basic\_ofstream (Stockholm)
- Closed** 27-811 description of function sync is missing (Stockholm)
- Closed** 27-812 filebuf::overflow example is incorrect (Stockholm)
- Closed** 27-813 basic\_filebuf::overflow does not specifies its return value on success (Stockholm)
- Closed** 27-815 description of function seekpos is missing (Stockholm)
- Closed** 27-816 (i)(o)fstream open functions should not use is\_open (Stockholm)

## Miscellaneous

- Closed** 27-901 input/output of unsigned char, and signed char (Stockholm)
- Closed** 27-902 default locale (Santa-Cruz)
- Closed** 27-903 ipfx/opfx/isfx/osfx not compatible with exceptions (Santa-Cruz)
- Closed** 27-904 iosfwd declarations incomplete (Stockholm)
- Closed** 27-905 istream type classes are missing (Santa-Cruz)
- Closed** 27-906 add a typedef to access the traits parameter in each stream class (Stockholm)
- Closed** 27-907 Use of “instance of” vs. “version of” in descriptions of class ios (Stockholm)
- Closed** 27-908 unnecessary ‘;’ (semicolons) in tables (Stockholm)
- Closed** 27-909 Editorial issues (typo’s) (Stockholm)
- Closed** 27-910 remove streampos in favor of pos\_type (Stockholm)
- Closed** 27-911 stdio synchronization (Stockholm)
- Closed** 27-912 removing **Notes:** from the text (Stockholm)
- Closed** 27-913 Incorporating **Notes:** into the text (Stockholm)
- Closed** 27-914 rethrowing exceptions (Stockholm)
- Closed** 27-915 The use of specialization (Stockholm)
- Closed** 27-916 missing descriptions of specializations (Stockholm)
- Closed** 27-917 Editorial changes (Stockholm)
- Closed** 27-918 Validity of OFF\_T to POS\_T conversion (Stockholm)
- Closed** 27-919 Question on Table 2 assertions (Stockholm)
- Closed** 27-920 destination of clog and wlog (Stockholm)
- Closed** 27-921 default locale argument to constructor (Stockholm)

## Annex D

- Closed** 27-1001 description of function setbuf is not sufficient (Stockholm)
- Closed** 27-1002 strstreambuf Editorial issues (Stockholm)
- Closed** 27-1003 istrstream Editorial issues (Stockholm)
- Closed** 27-1004 ostrstream Editorial issues (Stockholm)