

# **Proposed Wording for Placement Insert**

*Document number:* N2642=08-0152  
*Date:* 2008-05-19  
*Project:* Programming Language C++  
*References:* N2345 = 07-0205  
N2501 = 08-0011  
N2572 = 08-0082  
N2085 = 06-0155  
N2322 = 07-0182  
N2588 = 08-0098  
  
*Reply to:* Alan Talbot  
alan.talbot@teleatlas.com  
Tele Atlas North America  
11 Lafayette St  
Lebanon NH 03766  
USA

## **Abstract**

This paper provides new proposed wording for the addition of placement insert operations to the standard containers, and addresses several issues that have been raised. Readers unfamiliar with the placement insert operations are encouraged to read the latest version of the full proposal (N2345).

Because there are some unresolved issues that have created considerable discussion, and because the Concepts wording is most easily done in the context of the rest of the Containers chapter, the wording in this revision is not final or complete. My intention is to produce a final wording of this paper during the June 2008 meeting, after the remaining decisions have been made. Note that the proposed wording herein is based on the Working Draft (N2588) that includes the prior proposal.

## **Summary of Motivation**

The motivation for placement insert is that containers—especially node-based containers—are very useful for the storage of heavy objects. In some environments efficiency is very important, but there is in general no way to put elements into containers without copying them. A heavy object may store its data directly, in which case move semantics will not improve copy performance. Furthermore, when efficiency is critical the solution cannot depend on compiler optimizations since they are optional and may not occur where they are most needed.

Placement insertion lets us create an element once, in the container where we want it, and never have to move it or copy it. It does so in a simple and direct way by introducing new variadic functions that take arguments that are passed on to the element's constructor using variadic templates and perfect forwarding.

## Pair Issues

Questions have come up as to why `pair` requires a variadic constructor, and why only on the second element. (What makes that special?) The answer to the first question is that `map` is defined to have a value type of (approximately) `pair<key_type, mapped_type>`. In order to in-place construct such a type, the `pair` constructor would in theory have to take arguments to construct both of its members.

However, variadic templates provide no way of supplying two argument lists (such a facility would require a new syntax at the call site). But since the `key_type` of a `map` is in practice much less likely to require in-place construction, I believe that the common (albeit asymmetrical) use case of a copy (or move) constructed `key_type` with an in-place constructed `mapped_type` is well worth supporting.

To provide this, `pair` requires a variadic constructor to pass arguments through to the second element, hence the seemingly strange asymmetrical signature. This is not expected to be commonly used other than by `map`. Indeed, if `map` were not defined in terms of `pair` there would be no need for this constructor.

Note that this is not related to the variadic construction of tuples—that is a different and unrelated use of variadic templates.

There is also a zero problem with `pair`—see below.

## Push\_back Issues

The fundamental problem has to do with perception of the meaning of `push_back` and the meaning of `emplace`. My approach to the `emplace` issue has been based on the premise that if we were redesigning the Library from scratch, there would be no `emplace`. `insert` would work whether you gave it an object or constructor arguments for the object. The same would hold for `push_back` and `push_front`, since they are simply conveniences and (perhaps) optimizations of `insert`. However, we are not designing the Library from scratch, so the prevailing understanding of the meaning of existing members must be preserved. More on this later.

### The pedagogical problem

Concerns were raised on the Library reflector that `push_back` becomes hard to teach if its signature is (only) a variadic template. Further confusion arose over the meaning of `push_back` when called with multiple parameters. Was:

```
list<something> l;  
l.push_back(a, b, c);
```

meant to mean:

```
l.push_back(a);  
l.push_back(b);  
l.push_back(c);
```

or was it meant to mean:

```
l.push_back(something(a, b, c));
```

The answer is the second interpretation, and this is of course easy to document, but the problem is that there was confusion even among experts. The concern is that this confusion would likely be worse for those learning the language.

## The explicit problem

Questions have also been raised as to whether a variadic in-place construction call (e.g. `push_back`, `emplace`) would honor `explicit` (that is, fail if the targeted constructor were `explicit`). In fact it will not fail since it is not (at least technically) violating explicitness:

```
struct A {};  
  
struct B {  
    explicit B(A);  
};  
  
void foo(B) {}  
  
A a;  
foo(a);    // Error: explicit constructor prevents implicit conversion  
foo(B(a)); // OK: constructor is called explicitly  
  
list<B> lb;  
lb.push_back(a);    // 1 - OK: constructor is called explicitly by push_back  
lb.push_back(B(a)); // 2 - OK: constructor is called explicitly at call site
```

Note that the variadic `push_back` has no more license to convert things than the original function. You can't push arguments (1) that would not be legal as direct constructor arguments (2).

Chris Jefferson pointed out: "In particular I often see people trying to push '1' into a `vector<vector<int>>`, when they meant to either push it onto a single vector, or wanted to push back a new vector which contains 1. At the moment this fails, because the `size` constructor to `vector` is `explicit`, as we assume people would not want to implicitly turn an integer into a `vector`. Now this would be silently turned into an `emplace`, pushing back a new vector of length 1."

This same issue exists for any variadic construction function, so it affects `emplace` as well. I do not believe this is a problem for `emplace` because the purpose of `emplace` is to construct an object of (in this case) type `B` by passing something from which `B` can be constructed.

The argument has more weight with `push_back` however, because it is an existing function with a long history of being understood in a particular way. Changing formerly error-producing behavior into legal and possibly surprising behavior could easily be construed as breaking something.

By the way, looking again at Chris's example, with the prior proposal wording you could do the following:

```
vector<vector<int>> vv;  
vv.push_back();  
vv.back().push_back(1);
```

which to do efficiently in C++03 would require:

```
vector<vector<int>> vv;
vv.resize(vv.size() + 1);
vv.back().push_back(1);
```

This works fine, but it seems more confusing and harder to teach than the variadic `push_back` solution.

### The zero problem (LWG 767)

The following code is legal in C++03:

```
vector<int*> v;
v.push_back(0);
```

But under the prior version of this proposal the following occurs:

```
vector<int*> v;
v.push_back();           // OK: first element is null pointer
v.push_back(nullptr);  // OK: first element is null pointer
v.push_back(0);        // Error: int* cannot be initialize with int
```

What happens here is that the magic nature of 0 is lost because the only signature of `push_back` is the template, and the type is deduced to be `int`. This problem can be solved with a combination of restoring the original signature and constraining the template as follows:

```
void push_back(const T& x);
template <class... Args>
    requires Constructible<T, Args&&...>
void push_back(Args&&... args);
```

The same problem occurs with pair constructor templates even without the `emplace` variadic signature:

```
template<class U, class V> pair(U&& x, V&& y); // (One of several constructors)
std::pair<char*, char*> p(0,0); // Error: int* cannot be initialize with int
```

Again, this can be solved with appropriate constraints and non-template overloads.

### Emplace Overloads (LWG 763)

The prior proposal provided two overloads for `emplace` on associative containers that match the first two insert overloads. One provides construction arguments for a value type and the other a hint and construction arguments. This can make the signatures ambiguous if the first construction argument happens to be of type `const_iterator` into the same type of container. Because these are templates, it will not be literally ambiguous, but the one that gets called may not be the one you had in mind. For instance, if you have a set that has a value type that is constructible with a `const_iterator`:

```
class bar {
    bar();
    bar(set<bar>::const_iterator);
};
set<bar> s;
set<bar>::const_iterator i = something();
s.emplace(i); // Oops: effect is insert(i, bar())
```

This calls the hint version, which is probably not what you wanted. While non-pathological examples of this case are probably extremely rare, it is a nasty little problem that would be rather difficult to anticipate or debug if you ran into it.

There is a simple work around:

```
s.emplace(s.begin(), i);
```

In Bellevue I recommended this as the solution, but on reflection I see that it has two problems: 1) you have to have anticipated the problem to know you need to work around it, and 2) using an arbitrary hint like `begin()` is likely to cause poor performance (and performance is the whole reason for `emplace`).

## Container adaptors (LWG 756)

The original proposal omitted container adaptors (23.2.5). This was an oversight on my part; thanks to Paolo Carlini for pointing it out. The wording below includes `emplace` versions of `push` for the adaptors.

## Solutions

Since we are not rewriting the Library from scratch, we have to respect backward compatibility in two ways: technical and psychological. Various solutions have been suggested to each of the problems discussed above, and I believe that the technical problems are mostly or entirely solvable. But these technical solutions do not address the psychological problems. Even if technical problems are solved, I do not believe that we should ship a standard that creates significant psychological problems for users comfortable with the C++03 Library.

The `push_back` problems in particular are mostly psychological. There are reasonable technical solutions to the technical problems. The psychological problem is that many uses of containers are for simple types which do not have value constructors other than a copy constructor and do not exhibit inefficiency when constructed and copied unnecessarily. These types lead to a way of thinking about containers and using their functions makes the behavior of the new overloads rather surprising.

I would like to discuss two approaches to solving these problems. One is rather conservative, but also very straightforward. The other is very slick for the user, but may prove too difficult (or too expensive in some way).

## The Conservative Approach

The simple solution to almost all of the concerns is to have separate names for all functions. For instance for `list`:

```
template<typename... Args> void emplace_front(Args&&... args);
template<typename... Args> void emplace_back(Args&&... args);
template<typename... Args> iterator emplace(const_iterator position, Args&&... args);
```

and for set:

```
template<typename... Args>
    pair<iterator, bool> emplace(Args&&... args);
template<typename... Args>
    iterator emplace_hint(const_iterator position, Args&&... args);
```

Now the pedagogical problem goes away because these are new separate functions and the containers can be taught without reference to them.

The explicit problem becomes less of an issue because the only time you are constructing an object is with some form of `emplace`, which is specifically designed to do just that. `Explicit` is meant to prevent *accidental construction* of an object of an *unexpected* type, but here the construction is not accidental and the type is precisely what is expected.

The zero problem goes away because we can dictate (for new functions) that `nullptr` is the only legal way to specify a non-specific null pointer type. `0` becomes just another `int`.

The ambiguity of overloads goes away because there is a different name for the hint version. This is probably something that would be done for `insert` as well if we were redesigning the Library, in keeping with the philosophy that over-overloading is not a good idea.

There is a reasonable argument that it is not necessary to provide `emplace_back` since it is typically simply a convenience function that calls `emplace(end(), ...)`. But although I can see this point and agree with it in principle, I am not quite comfortable with leaving it out. The reason is that I believe that normal use of containers should be with these new functions, not `insert` and `push_back`. The old functions are made obsolete by `emplace`. If we were starting over, we would provide this functionality in `insert` and `push_back` in the first place. Why not? Given proper use of `nullptr` and separate names for the hint versions, there would be no reason not to.

## The Fancy Approach

Pablo Halpern, Peter Dimov and others had an exchange on the reflector that suggested another, different approach. The final solution (as proposed by Peter) would look something like this in use:

```
list<something> l;
l.push_back(a); // Copy construct an element from a
l.push_back(emplace(b, c)); // In-place construct an element from b,c
l.insert(p, a); // Copy construct an element from a
l.insert(p, emplace(b, c)); // In-place construct an element from b,c
```

This has several excellent properties. One is that it does not require any new named functions. Another is that the overloads would not ever be ambiguous. A third is that an overload could be provided that would allow the in-place construction of the key value in a map. And best of all, it is very simple and easy to use—just add `emplace` wherever you want good performance. Other things in the library could also use this approach.

The only problem is that the implementation would be pretty tricky, involving some fancy metaprogramming with some sort of tuple. And it would have to avoid adding overhead in the passing of the parameters to the constructor. In fact, I am not sure if it is possible to implement

this in practice (without some sort of language support). I am going to research this issue. Please let me know if you have any ideas!

## Proposed Wording

### General Comments

This is an outline of wording changes to the prior proposal pending final decisions and work on Concepts for Chapter 23. A future revision of the paper will have complete wording.

#### 20.2.3 Pairs

##### 20.2.3 Pairs [pairs]

The current WP is correct but needs Constructible requirements. For example:

```
template<class U, class... Args>
requires Constructible<T1, U&&> && Constructible<T2, Args&&...>
pair(U&& x, Args&&... args);
```

```
template <class U, class... Args>
requires Constructible<T, Args&&...>
pair(allocator_arg_t, const Alloc& a, U&& x, Args&&... args);
```

#### 20.6.5 The default allocator [default.allocator]

The current WP is correct but needs Constructible requirements.

### 23.1 Container requirements

The requirements for containers must be adjusted to account for the ability of node-based containers to hold non-movable non-copyable objects. All of the emplace variants need Constructible requirements (or some allocator-aware version of Constructible).

#### 23.1.1 Sequences [sequence.reqmts]

Change push\_front and push\_back to:

```
void push_back(const T& x);
void push_back(T&& x);
```

Add:

```
template<typename... Args> emplace_front(Args&&... args);
template<typename... Args> emplace_back(Args&&... args);
```

#### 23.1.2 Associative containers [associative.reqmts]

Change emplace to:

```
template<typename... Args> emplace(Args&&... args);
template<typename... Args> emplace_hint(r, Args&&... args);
```

### 23.1.2 Unordered associative containers [unord.req]

Change `emplace` to:

```
template<typename... Args> emplace(Args&&... args);  
template<typename... Args> emplace_hint(r, Args&&... args);
```

### 23.2 Sequence containers [sequences]

#### 23.2.5 Container adaptors [container.adaptors]

Add to each adaptor:

```
template<typename... Args> emplace(Args&&... args)  
{ c.emplace_back(forward<Args>(args)...); }
```

## Acknowledgements

The following people asked questions, provided answers, or made suggestions on the Library reflector and in other conversations concerning this proposal. I have tried to represent all of them correctly and fairly. If I have failed to do so, or left someone off the list, my apologies! Thank you all *very* much for your time and thought on this proposal.

Matt Austern  
Paolo Carlini  
Beman Dawes  
Peter Dimov  
Gabriel Dos Reis  
Doug Gregor  
Pablo Halpern  
Howard Hinnant  
Chris Jefferson  
Loïc Joly  
Jens Maurer  
Thorsten Ottosen  
Sylvain Pion  
Bjarne Stroustrup  
David Vandevoorde