

p0408r6 - Efficient Access to `basic_stringbuf`'s Buffer

Including wording from p0407 Allocator-aware `basic_stringbuf`

Peter Sommerlad

2019-01-21

Document Number:	p0408r6
Date:	2019-01-21
Project:	Programming Language C++
Audience:	LEWG / LWG
Target:	C++20

1 Motivation

Streams have been the oldest part of the C++ standard library and their specification doesn't take into account many things introduced since C++11. One of the oversights is that there is no non-copying access to the internal buffer of a `basic_stringbuf` which makes at least the obtaining of the output results from an `ostreamstream` inefficient, because a copy is always made. I personally speculate that this was also the reason why `basic_strbuf` took so long to get deprecated with its `char *` access.

With move semantics and `basic_string_view` there is no longer a reason to keep this pessimisation alive on `basic_stringbuf`.

[I also believe we should remove `basic_strbuf` from the standard's appendix \[depr.str.strstreams\]. This is proposed in p0448, that completes the replacement of that deprecated feature.](#)

2 Introduction

This paper proposes to adjust the API of `basic_stringbuf` and the corresponding stream class templates to allow accessing the underlying string more efficiently.

C++17 and library TS have `basic_string_view` allowing an efficient read-only access to a contiguous sequence of characters which I believe `basic_stringbuf` has to guarantee about its internal buffer, even if it is not implemented using `basic_string` obtaining a `basic_string_view` on the internal buffer should work sidestepping the copy overhead of calling `str()`.

On the other hand, there is no means to construct a `basic_string` and move from it into a `basic_stringbuf` via a constructor or a move-enabled overload of `str(basic_string &&)`.

2.1 History

2.1.1 Changes from r5

There was a review in my absence (again) in San Diego, November 2018. I'll try my best to incorporate the feedback here.

- rebase on n4791.
- undo premature application of p1163 (explicit -> non-explicit multi-parameter ctors by additional overloads) (ARGHHH, but I now think I follow Titus argumentation that it might be a bad idea).
- see table 1. LEWG might need to reconsider the combination of p0407/p0408 to agree on sane ctor overloads. LWG and Ville gave feedback on different ctor overloads. New Design: separate SFINAE'd overloads for "foreign allocator" string arguments.
- clean up `str()` member function overloads. This was in the overlap of p0407 and p0408 and not seen by LEWG in that way (sorry!). Split getter to two, one taking an allocator for the new string. Setter `str(string const&)` member function remains a template on the string's Allocator.
- adjust the *italic* explanations accordingly to the changes.
- LWG question: Do the constructors taking a `SAlloc` template parameter restrict it to *Cpp17Allocator* requirements? It is implicit via `basic_string`.
- Fixed a specification bug in move construction allowing keeping the original wording of move-assign. `rhs` must be "synced" first, by relying initializing `buf` from `std::move(rhs).str()` instead from `std::move(rhs.buf)` directly.
- merge getters `str()` specification of `high_mark` into a single specification for simplification and consistency.
- split copying setters `str(basic_string const &)` into the previously existing one and the one taking a `basic_string` with a different allocator, like with the constructors to reduce ABI problems.
- drive by editorial fix to mention already existing Allocator template parameter in stream classes, i.e., `basic_istream<charT, traits, Allocator>` where mentioned in descriptions
- drive-by fix to postcondition of `basic_stringbuf` move constructor to also refer to `getloc()`.

2.1.2 Changes from r4

Incorporate suggestions from LWG review in Batavia, August 2018. This was the first time the combined proposal was reviewed.

- Adjust specification sections to new naming schema introduced at the Rapperswil Meeting 2018 for C++20. (Requires->(Mandates (compile-time), Expects(contract)), Remarks->Constraints, Postconditions->Ensures).
- change the overloads of constructors with default arguments to only have the single argument version explicit according to p1163.
- introduce an exposition-only member function `init_buf_ptrs()` in `basic_stringbuf` to set

Table 1 — Overview of stringbuf/stringstream constructors

string	which	Allocator	ctor	comment
			default	exists
	yes		explicit	exists
copy	opt		explicit	exists
	<u>yes</u>	<u>yes</u>		407 for stateful allocs
<u>move</u>	<u>opt</u>		<u>explicit</u>	408, combined again
<u>other-copy</u> ¹		<u>yes</u>		407 other kind of strings ²
<u>other-copy</u> ¹	<u>yes</u>	<u>yes</u>		407 other kind of strings ²
<u>other-copy</u> ¹	<u>opt</u>		<u>explicit</u>	407 above with default alloc ³
		<u>yes</u>	<u>explicit</u>	407 for stateful allocators
move	yes	yes		408r5 - useless, copies anyway

1 other-copy means has a different Allocator template argument

2 allow if same or different allocator for string, because allocator is given, see copy-ctor string with allocator parameter.

3 LEWG new design question: requires string Allocator different from stringbuf Allocator (new), otherwise existing ctor is changed ABI (and may be CTAD) breakage.

* in addition a move ctor is defined taking an additional Allocator argument like with basic_string

** Allocator should always be the last Parameter (is that really always the case?).

the streambuf pointers. In the standard version, that was part of the `str(string)` member function and now is needed in more than one place. Add a note there about internally violating invariants of `buf`. Explain the exposition only members in the front matter of the class.

- reduce clutter, since bit operations are possible in enum `ios_base::openmode` parameters.
- Provide a note that allocator properties are propagated along the properties of the `basic_string` member `buf` in the front matter of the class. I hope this is sufficient to address the issue from Batavia about what happens with the allocators. Also all other allocator relevant comments should be addressed through that delegation to `basic_string`'s properties.
- I provided the following definition of `swap` for `basic_stringbuf` adopted from `basic_string`. Note, the base class `swap` does not give a `noexcept` guarantee. I provided that:

```
void swap(basic_stringbuf& s)
    noexcept(allocator_traits<Allocator>::propagate_on_container_swap::value ||
             allocator_traits<Allocator>::is_always_equal::value);
```
- `basic_stringbuf` move constructor now guarantees that `rhs` is empty, as if `std::move(rhs).str()` was called. This seems the easiest way to guarantee its `get` and `put` area are re-initialized accordingly. While technically not required, it makes handling moved-from streambufs (which are rare) consistent with calling the `rvalue-ref-qualified str()` member function. Please note, we do not give such a guarantee to the moved-from state of the stream objects, since they

get their buffer pointer stolen and thus are completely unrelated to a streambuf after been moved-from. Only moving out the underlying string keeps the stream in working condition.

2.1.3 Changes from r3

To make the job of reviewing and integrating my stringstream adjustments easier, I incorporate the changes proposed in p0407r2 (allocator-aware `basic_stringbuf`), since both papers have been forwarded by LEWG to LWG.

- Added full set of reasonable overloads to the constructors with and without allocator (`basic_string&&` does not get an allocator constructor template argument to allow efficient construction from `charT*` literals).

2.1.4 Changes from r2

Discussed in Albuquerque, where LEWG was in favor to forward it to LWG for IS with the following change.

- reestablish rvalue-ref qualified `str()` instead of the previously suggested `pilfer()`.
- address LWG only in document header.

2.1.5 Changes from r1

Discussed in LEWG Issaquah. Answering some questions and raising more. Reflected in this paper.

- reflected new section numbers from the std. now relative to the current working draft.
- implementation is now working with gcc 7. (not relevant for this paper)

2.1.6 Changes from r0

- Added more context to synopsis sections to see all overloads (Thanks Alisdair).
- rename `str_view()` to just `view()`. There was discussion on including an explicit conversion operator as well, but I didn't add it yet (my implementation has it).
- renamed r-value-ref qualified `str()` to `pilfer()` and removed the reference qualification from it and remaining `str()` member.
- Added allocator parameter for the `basic_string` parameter/result to member functions (see p0407 for allocator support for stringstreams in general)

3 Acknowledgements

- Daniel Krüger encouraged me to pursue this track.
- Alisdair Meredith for telling me to include context in the synopsis showing all overloads. That is the only change in this version, no semantic changes!
- Jonathan Wakely to show me the `#undef _GLIBCXX_EXTERN_TEMPLATE`

4 Impact on the Standard

This is an extension to the API of `basic_stringbuf`, `basic_stringstream`, `basic_istringstream`, and `basic_ostringstream` class templates.

~~This paper addresses both Library Fundamentals TS 3 and C++ Next (2020?).~~ When added to the standard draft with p0448 (spanstream), section [depr.str.strstreams] should be removed.

5 Design Decisions

After experimentation I decided that substituting the `(basic_string<charT, traits, Allocator const &)` constructors in favor of passing a `basic_string_view` would lead to ambiguities with the new move-from-string constructors.

5.1 Hint to implementers

In both libcpp and libstdc++ I needed to make `basic_stringbuf` a friend of `basic_string` to allow efficient growth of the buffer beyond the current string length (breaking an invariant) until it is retrieved using one of the `str()` member functions. Other implementations might use a different strategy of caring for the buffer space that should be efficiently be adopted by the returned string object, thus requiring either special `basic_string` constructors or access to its internals as well.

5.2 Open Issues to be discussed by LWG

Note: this list includes the discussion of p0407 features.

- *Does it make sense to add `noexcept` specifications for `move()` and `swap()` members, since the base classes and other streams do not. At least it does not make sense so for stream objects, since the base classes do not specify that.*
- ~~The `basic_string` constructors that move from the string get a default template argument for `SAlloc` in the hope that allows initialization from a character string literal. Need confirmation that this trick works and selects the better constructor for temporary conversion without ambiguity, because for the copying (const-ref) overload the allocator of the string needs to be deduced. This should lead to the effect of optimizing existing usages.~~

5.3 Open Issues discussed by LEWG in Albuquerque

- Should `pilfer()` be rvalue-ref qualified to denote the "destruction" of the underlying buffer? LEWG in Issaquah didn't think so, but I'd like to ask again. LEWG small group in Albuquerque in favor of rvalue-ref qualification. [Re-establish `str\(\)&&`, drop `pilfer`](#)

5.4 Open Issues discussed by LEWG in Issaquah and Albuquerque

- Is the name of the `str_view()` member function ok? No. Renamed to `view()`
- Should the `str()&&` overload be provided for move-out? ~~No. give it another name (`pilfer`) and remove rvalue-ref qualification (Issaquah).~~ [Re-establish `str\(\)&&`, drop `pilfer`](#)

- Should `str()` empty the character sequence or leave it in an unspecified but valid state? Empty it, and specify.
- Provide guidance on validity lifetime of the obtained `string_view` object.

5.5 Open Issues to be discussed by LEWG/LWG (in Kona?)

- LEWG: Please look at constructor overloads (see Table 1) and `str()` overloads that came from the mix of p0407 with p0408.
- Both: Constructor overloads taking a string with a different allocator, esp. SFINAE. Is that OK?
- LWG: Is `!is_same_v<SAlloc, Allocator>` the correct SFINAE predicate for foreign allocator overloads?
- LEWG: `noexcept` for `view()` member function of `stringbuf` (note streams have a precondition on this call and can not be `noexcept`)(suggested by LWG).
- LWG: Does an `Allocator` template parameter that is mapped to `basic_string`'s `Allocator` template parameter need to conform to *Cpp17Allocator* requirements or is that given implicit by its usage?
- LWG: recheck wording.

6 Technical Specifications

The following is relative to n4791.

Remove section on `char*` streams [depr.str.strstreams] and all its subsections from appendix D.

6.1 28.8.2 Adjust synopsis of `basic_stringbuf` [stringbuf]

Add a new constructor overload.

Note that p0407 provides allocator support for `basic_stringbuf`, since now both papers have been forwarded to LWG, the changes proposed in p0407 are integrated here for ease of review and integration. The explanations of those changes are added in italics here. from r6 on some changes that need to be revisited by LEWG are made, since the overlap of the two papers' functionality.

Change each of the non-moving, non-deleted constructors to add a const-ref `Allocator` parameter as last parameter with a default constructed `Allocator` as default argument. Add an overload for the move constructor adding an `Allocator` parameter like with `basic_string`. Add an exposition-only member variable `buf` to allow referring to it for specifying allocator behaviour. May be: Add `noexcept` specification, depending on allocator behavior, like with `basic_string`?

This section also adopts the changes of p1163 by only marking the single argument constructors explicit and provide non-explicit overloads for zero, two or more argument versions. That paper p1163 was tentatively accepted in Batavia, August 2018.

```
// [stringbuf.cons], constructors
basic_stringbuf() : basic_stringbuf(ios_base::in | ios_base::out) {}
explicit basic_stringbuf(ios_base::openmode which);
```

```

explicit basic_stringbuf(
    const basic_string<charT, traits, Allocator>& str,
    ios_base::openmode which = ios_base::in | ios_base::out);
explicit basic_stringbuf(const Allocator& a)
    : basic_stringbuf(ios_base::in | ios_base::out, a) { }

basic_stringbuf(ios_base::openmode which, const Allocator& a);
explicit basic_stringbuf(
    basic_string<charT, traits, Allocator>&& s,
    ios_base::openmode which = ios_base::in | ios_base::out);
template<class SAlloc>
basic_stringbuf(
    const basic_string<charT, traits, SAlloc>& s,
    const Allocator& a)
    : basic_stringbuf(s, ios_base::in | ios_base::out, a) { }
template<class SAlloc>
basic_stringbuf(
    const basic_string<charT, traits, SAlloc>& str,
    ios_base::openmode which,
    const Allocator& a);
template<class SAlloc>
basic_stringbuf(
    const basic_string<charT, traits, SAlloc>& str,
    const Allocator& a) : basic_stringbuf(str, ios_base::in | ios_base::out, a) {}
template<class SAlloc>
explicit basic_stringbuf(
    const basic_string<charT, traits, SAlloc>& str,
    ios_base::openmode which = ios_base::in | ios_base::out);

basic_stringbuf(const basic_stringbuf& rhs) = delete;
basic_stringbuf(basic_stringbuf&& rhs);
basic_stringbuf(basic_stringbuf&& rhs, const Allocator& a);

```

The following list summarizes the edits:

- Add an rvalue-ref overload of `str()` that obtains the underlying string via moving from `buf`.
 - Add a `str(Allocator)` overload template member function to take an `Allocator` for the returned string and add a reference qualification the existing `str()` overload. NEW: was intermingled with existing `str()` member, now separate.
 - Add the `view()` member function obtaining a `string_view` to the underlying internal buffer. NEW: make that `noexcept`.
 - Add a setter `str()` overload as a template member function copying into the string buffer to take an allocator template parameter that differs from the buffer's own `Allocator`
 - Add a `str(string&&)` overload that moves from its string rvalue-reference argument into the internal buffer.
 - Provide an exposition-only member function `init_buf_ptrs()` to ensure `streambuf` pointers are initialized correctly by all `buf` setting operations.
- `// [stringbuf.members], getters and setters:`

```

basic_string<charT, traits, Allocator> str() const &;
template<class SAlloc>
basic_string<charT,traits,SAlloc> str(const SAlloc& sa) const ;
basic_string<charT, traits, Allocator> str() &&;
basic_string_view<charT, traits> view() const noexcept;
void str(const basic_string<charT, traits, Allocator>& s);
template<class SAlloc>
void str(const basic_string<charT, traits, SAlloc>& s);
void str(basic_string<charT, traits, Allocator>&& s);

```

Add the following declaration to the public section of synopsis of the class template `basic_stringbuf`:

```
allocator_type get_allocator() const noexcept;
```

Add the following exposition only member to the private section of synopsis of the class template `basic_stringbuf`. This allows to delegate all details of allocator-related behaviour on what `basic_string` is doing, simplifying this specification a lot.

```

private:
    ios_base::openmode mode; // exposition only
    basic_string<charT, traits, Allocator> buf; // exposition only
    void init_buf_ptrs(); // exposition only

```

Adjust p2 of the section to include the additional exposition only members and add a note on the allocator properties of `basic_stringbuf`.

- 1 The class `basic_stringbuf` is derived from `basic_streambuf` to associate possibly the input sequence and possibly the output sequence with a sequence of arbitrary *characters*. The sequence can be initialized from, or made available as, an object of class `basic_string`.
- 2 For the sake of exposition, the maintained data and internal pointer initialization is presented here as:
 - (2.1) — `ios_base::openmode mode`, has `in` set if the input sequence can be read, and `out` set if the output sequence can be written.
 - (2.2) — `basic_string<charT, traits, Allocator> buf` contains the underlying character sequence.
 - (2.3) — `init_buf_ptrs()` sets the base class' get area (`[streambuf.get.area]`) and put area (`[streambuf.put.area]`) pointers after initializing, moving from, or assigning to `buf` accordingly.

6.1.1 28.8.2.1 `basic_stringbuf` constructors [stringbuf.cons]

Adjust the constructor specifications taking the additional `Allocator` parameter and an overload for the move-constructor taking an `Allocator`. Make the constructors' wording that actually construct a `buf` consistent.

```
explicit basic_stringbuf(ios_base::openmode which);
```

- 1 *Effects:* Constructs an object of class `basic_stringbuf`, initializing the base class with `basic_streambuf()` [streambuf.cons], and initializing `mode` with `which`. It is implementation-defined whether the sequence pointers (`eback()`, `gptr()`, `egptr()`, `pbase()`, `pptr()`, `epptr()`) are initialized to null pointers.

2 *Ensures:* `str() == ""`.

```
explicit basic_stringbuf(
    const basic_string<charT, traits, Allocator>& s,
    ios_base::openmode which = ios_base::in | ios_base::out);
```

3 *Effects:* Constructs an object of class `basic_stringbuf`, initializing the base class with `basic_streambuf()` [`streambuf.cons`], ~~and~~ initializing mode with `which`, and buf with `s`. Calls `init_buf_ptrs()`. ~~Then calls `str(s)`~~.

```
basic_stringbuf(
    ios_base::openmode which,
    const Allocator &a);
```

4 *Effects:* Constructs an object of class `basic_stringbuf`, initializing the base class with `basic_streambuf()` [`streambuf.cons`], initializing mode with `which`, and buf with `a`. Calls `init_buf_ptrs()`.

5 *Ensures:* `str() == ""`.

```
explicit basic_stringbuf(
    basic_string<charT, traits, Allocator>&& s,
    ios_base::openmode which = ios_base::in | ios_base::out);
```

6 *Effects:* Constructs an object of class `basic_stringbuf`, initializing the base class with `basic_streambuf()` [`streambuf.cons`], initializing mode with `which`, and buf with `std::move(s)`. Calls `init_buf_ptrs()`.

```
template<class SAlloc>
basic_stringbuf(
    basic_string<charT, traits, SAlloc>& s,
    ios_base::openmode which,
    const Allocator &a);
```

7 *Effects:* Constructs an object of class `basic_stringbuf`, initializing the base class with `basic_streambuf()` [`streambuf.cons`], initializing mode with `which`, and buf with `{s,a}`. Calls `init_buf_ptrs()`.

```
template<class SAlloc>
explicit basic_stringbuf(
    const basic_string<charT, traits, SAlloc>& s,
    ios_base::openmode which = ios_base::in | ios_base::out);
```

8 *Constraints:* `!is_same_v<SAlloc,Allocator>`.

9 *Effects:* Constructs an object of class `basic_stringbuf`, initializing the base class with `basic_streambuf()` [`streambuf.cons`], initializing mode with `which`, and buf with `s`. Calls `init_buf_ptrs()`.

Add the additional move constructor taking an allocator and adjust the description accordingly:

```
basic_stringbuf(basic_stringbuf&& rhs);
basic_stringbuf(basic_stringbuf&& rhs, const Allocator& a);
```

Note to LWG reviewers: using `std::move(rhs).str()` ensures `rhs.buf` is in a consistent state before the

move happens. Before the spec was wrong, because `rhs.buf` might have been shorter than the actual written characters. Also a drive by (IMHO editorial fix) better spelling out what happens since we now have the exposition only members.

10 *Effects:* Move constructs from the rvalue `rhs`. This is accomplished by copy constructing the base class and initializing `mode` with `rhs.mode`. In the first form `buf` is initialized from `std::move(rhs).str()`. In the second form `buf` is initialized from `{std::move(rhs).str(), a}`. It is implementation-defined whether the sequence pointers in `*this` (`eback()`, `gptr()`, `egptr()`, `pbase()`, `pptr()`, `epptr()`) obtain the values which `rhs` had. Whether they do or not, `*this` and `rhs` reference separate buffers (if any at all) after the construction. ~~The `openmode`, `locale` and any other state of `rhs` is also copied.~~

11 *Ensures:* Let `rhs_p` refer to the state of `rhs` just prior to this construction and let `rhs_a` refer to the state of `rhs` just after this construction.

- (11.1) — `str() == rhs_p.str()`
- (11.2) — `gptr() - eback() == rhs_p.gptr() - rhs_p.eback()`
- (11.3) — `egptr() - eback() == rhs_p.egptr() - rhs_p.eback()`
- (11.4) — `pptr() - pbase() == rhs_p.pptr() - rhs_p.pbase()`
- (11.5) — `epptr() - pbase() == rhs_p.epptr() - rhs_p.pbase()`
- (11.6) — `if (eback()) eback() != rhs_a.eback()`
- (11.7) — `if (gptr()) gptr() != rhs_a.gptr()`
- (11.8) — `if (egptr()) egptr() != rhs_a.egptr()`
- (11.9) — `if (pbase()) pbase() != rhs_a.pbase()`
- (11.10) — `if (pptr()) pptr() != rhs_a.pptr()`
- (11.11) — `if (epptr()) epptr() != rhs_a.epptr()`
- (11.12) — `getloc() == rhs_p.getloc()`
- (11.13) — `rhs` is empty but usable, as if `std::move(rhs).str()` was called.

6.2 28.8.2.2 Assign and swap [stringbuf.assign]

Most of this section is included to allow for simpler adding of conditional `noexcept`.

```
basic_stringbuf& operator=(basic_stringbuf&& rhs);
```

1 *Effects:* After that move assignment `*this` has the observable state it would have had if it had been move constructed from `rhs` (see [stringbuf.cons]).

2 *Returns:* `*this`.

```
void swap(basic_stringbuf& rhs);  
noexcept(allocator_traits<Allocator>::propagate_on_container_swap::value ||  
allocator_traits<Allocator>::is_always_equal::value);
```

3 *Effects:* Exchanges the state of `*this` and `rhs`.

```
template <class charT, class traits, class Allocator>
```

```
void swap(basic_stringbuf<charT, traits, Allocator>& x,
          basic_stringbuf<charT, traits, Allocator>& y)
    noexcept(noexcept(x.swap(y)));
```

4 *Effects:* As if by `x.swap(y)`.

6.2.1 28.8.2.3 Member functions [stringbuf.members]

Provide a section introducing paragraph explaining the high-water-mark. The wording is taken directly from n4791 [stringbuf.members] p.1 with some grammar adjustment to adjust to the fact that we now have multiple setters. Introduce the exposition only private member functions `init_buf_ptrs()` to provide the correct initialization of streambuf pointer members and adjust the `str(s)` member functions with parameters accordingly.

1 The member functions getting the underlying character sequence all refer to a `high_mark` value, where `high_mark` represents the position one past the highest initialized character in the buffer. Characters can be initialized by writing to the stream, by constructing the `basic_stringbuf` with a `basic_string`, or by calling one of the `str(basic_string)` setter member functions. In the case of calling one of the `str(basic_string)` setter member functions, all characters initialized prior to the call are now considered uninitialized (except for those characters re-initialized by the new `basic_string`).

```
void init_buf_ptrs(); // exposition only
```

2 *Effects:* Initializes the input and output sequences from `buf` according to `mode`.

3 *Ensures:* If `mode & ios_base::out` is true, `pbase()` points to `buf.front()` and `eptr() >= pbase() + buf.size()` holds; in addition, if `mode & ios_base::ate` is true, `pptr() == pbase() + buf.size()` holds, otherwise `pptr() == pbase()` is true. If `mode & ios_base::in` is true, `eback()` points to `buf.front()`, and both `gptr() == eback()` and `egptr() == eback() + buf.size()` hold.

4 [Note: For efficiency reasons stream buffer operations might violate invariants of `buf` while it is held encapsulated in the `basic_stringbuf`, i.e., by writing to characters in the range `[buf.data()+buf.size(), buf.data()+buf.capacity())`. All operations retrieving a `basic_string` from `buf` ensure that the `basic_string` invariants hold on the returned value. Implementations might make `basic_stringbuf` a friend class to `basic_string` to achieve that. — end note]

Add the definition of the `get_allocator` function:

```
allocator_type get_allocator() const noexcept;
```

5 *Returns:* `buf.get_allocator()`.

Add a getter overload taking an allocator parameter for the copied from string to allow having a different allocator than the underlying stream and add a ref-qualifier to the existing getter overload to avoid ambiguities with the rvalue-ref qualified overload. Add a getter overload that is rref qualified and mention it.

```
basic_string<charT, traits, Allocator> str() const & ;
template<class SAlloc>
```

```
basic_string<charT, traits, SAlloc> str(const SAlloc& sa) const ;
```

Change *p1* (now *p2*) to use plural for "*str(basic_string)* member functions" and refer to the allocator. Constraints on *SAlloc* were taken from [*container.requirements.general*] *p.17*:

6 *Returns:* A `basic_string` object whose content is equal to the `basic_stringbuf`'s underlying character sequence. In the second form the `basic_string<charT, traits, SAlloc>` is constructed with allocator `sa`. If the `basic_stringbuf` was created only in input mode, the resultant `basic_string` contains the character sequence in the range `[eback(), egptr())`. If the `basic_stringbuf` was created with `which & ios_base::out` being true then the resultant `basic_string` contains the character sequence in the range `[pbase(), high_mark)`, ~~where `high_mark` represents the position one past the highest initialized character in the buffer. Characters can be initialized by writing to the stream, by constructing the `basic_stringbuf` with a `basic_string`, or by calling the `str(basic_string)` member function. In the case of calling the `str(basic_string)` member function, all characters initialized prior to the call are now considered uninitialized (except for those characters re-initialized by the new `basic_string`).~~ Otherwise the `basic_stringbuf` has been created in neither input nor output mode and a zero length `basic_string` is returned.

7 *Constraints:*

(7.1) — The *qualified-id* `SAlloc::value_type` is valid and denotes a type[temp.deduct].

(7.2) — The expression `declval<SAlloc>().allocate(size_t{})` is well-formed when treated as an unevaluated operand.

Add the following specifications for *str()*~~XX~~ and *view()* *const* member function. :

```
basic_string<charT, traits, Allocator> str() &&;
```

8 *Returns:* A `basic_string<charT, traits, Allocator>` object move constructed from the `basic_stringbuf`'s underlying character sequence in `buf`. This can be achieved by first adjusting `buf` to the underlying character sequence as follows.

If the `basic_stringbuf` was created only in input mode, adjust `buf` to contain `basic_string(eback(), egptr()-eback())`. If the `basic_stringbuf` was created with `which & ios_base::out` being true then adjust `buf` to contain `basic_string(pbase(), high_mark-pbase())`. Otherwise the `basic_stringbuf` has been created in neither input nor output mode and a zero length `basic_string` is returned.

9 [Note: The explained effect can be achieved by setting `buf`'s `size()` to the resulting length (`egptr()-eback()` or `high_mark-pbase()`) and returning `std::move(buf)`. However, `basic_string` does not provide setting the length without changing the characters in the buffer in the range `[buf.data()+buf.size(), buf.data()+buf.capacity())` as a public member function. — *end note*]

10 *Ensures:* The underlying character sequence `buf` is empty and `pbase()`, `pptr()`, `epptr()`, `eback()`, `gptr()`, `egptr()` are initialized as if calling `init_buf_ptrs()` with an empty `buf`.

```
basic_string_view<charT, traits> view() const;
```

11 *Returns:* A `basic_string_view` object referring to the `basic_stringbuf`'s underlying character sequence in `buf`. If the `basic_stringbuf` was created only in input mode, `basic_string_`

`view(eback(), egptr()-eback())`. If the `basic_stringbuf` was created with `which & ios_base::out` being true then `basic_string_view(pbase(), high_mark-pbase())`. Otherwise the `basic_stringbuf` has been created in neither input nor output mode and a `basic_string_view` referring to an empty range is returned.

12 [Note: Using the returned `basic_string_view` object after destruction or any modification of the character sequence underlying `*this`, such as output on the holding stream, will cause undefined behavior, because the internal string referred to by the return value might have changed or been re-allocated. — end note]

add setter overloads and simplify their specification trough relying on `buf` and `init_buf_ptrs()`.

```
void str(basic_string<charT, traits, Allocator>&& s);
```

13 *Effects:* `buf = std::move(s); init_buf_ptrs()`.

```
void str(const basic_string<charT, traits, Allocator>& s);
```

```
template<class SAlloc>
```

```
void str(const basic_string<charT, traits, SAlloc>& s);
```

14 *Constraints:* `!is_same_v<SAlloc, Allocator>`.

15 *Effects:* `buf = s; init_buf_ptrs()`. ~~Copies the content of `s` into the `basic_stringbuf` underlying character sequence and initializes the input and output sequences according to mode.~~

16 ~~*Ensures:* If `mode & ios_base::out` is nonzero, `pbase()` points to the first underlying character and `epptr() >= pbase() + s.size()` holds; in addition, if `mode & ios_base::ate` is nonzero, `pptr() == pbase() + s.size()` holds, otherwise `pptr() == pbase()` is true. If `mode & ios_base::in` is nonzero, `eback()` points to the first underlying character, and both `gptra() == eback()` and `egptr() == eback() + s.size()` hold.~~

6.3 28.8.3 Adjust synopsis of `basic_istream` [`istream`]

Provide constructor overloads taking an `Allocator` argument and also those that allow a string with a different allocator type.

```
// [istream.cons], constructors:
basic_istream() : basic_istream(ios_base::in) {}
explicit basic_istream(ios_base::openmode which);
explicit basic_istream(
    const basic_string<charT, traits, Allocator>& str,
    ios_base::openmode which = ios_base::in);

basic_istream(
    ios_base::openmode which ,
    const Allocator& a);
explicit basic_istream(
    basic_string<charT, traits, Allocator>&& s,
    ios_base::openmode which = ios_base::in);

template <class SAlloc>
basic_istream(
    const basic_string<charT, traits, SAlloc>& s,
```

```

    const Allocator& a) : basic_istringstream(s, ios_base::in, a) {}
template <class SAlloc>
basic_istringstream(
    const basic_string<charT, traits, SAlloc>& s,
    ios_base::openmode which,
    const Allocator& a);
template <class SAlloc>
explicit basic_istringstream(
    const basic_string<charT, traits, SAlloc>& s,
    ios_base::openmode which = ios_base::in);

basic_istringstream(const basic_istringstream& rhs) = delete;
basic_istringstream(basic_istringstream&& rhs);

```

Adjust getter/setter members according to `basic_stringbuf`:

```

// [istringstream.members], members:
basic_stringbuf<charT, traits, Allocator>* rdbuf() const;

basic_string<charT, traits, Allocator> str() const & ;
template<class SAlloc>
basic_string<charT,traits,SAlloc> str(const SAlloc& sa) const ;
basic_string<charT, traits, Allocator> str() &&;
basic_string_view<charT, traits> view() const ;

void str(const basic_string<charT, traits, Allocator>& s);

template<class SAlloc>
void str(const basic_string<charT, traits, SAlloc>& s);
void str(basic_string<charT, traits, Allocator>&& s);

```

6.3.1 28.8.3.1 `basic_istringstream` constructors [`istringstream.cons`]

Adjust the constructor specifications analog to `basic_stringbuf`. deliberately do not provide the special move constructor taking an allocator. Drive-by editorial fix to include `Allocator` template argument.

```
explicit basic_istringstream(ios_base::openmode which);
```

- 1 *Effects:* Constructs an object of class `basic_istringstream<charT, traits, Allocator>`, initializing the base class with `basic_istream<charT, traits>(addressof(sb))` [`istream`] and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(which | ios_base::in)` [`stringbuf.cons`].

```
explicit basic_istringstream(
    const basic_string<charT, traits, Allocator>& str,
    ios_base::openmode which = ios_base::in);
```

- 2 *Effects:* Constructs an object of class `basic_istringstream<charT, traits, Allocator>`, initializing the base class with `basic_istream<charT, traits>(addressof(sb))` [`istream`] and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(str, which | ios_base::in)` [`stringbuf.cons`].

```
basic_istringstream(
    ios_base::openmode which,
```

```
const Allocator& a);
```

- 3 *Effects:* Constructs an object of class `basic_istreamstream<charT, traits, Allocator>`, initializing the base class with `basic_istream<charT, traits>(addressof(sb))[istream]` and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(which | ios_base::in, a)` (`[stringbuf.cons]`).

```
explicit basic_istreamstream(
    basic_string<charT, traits, Allocator>&& s,
    ios_base::openmode which = ios_base::in);
```

- 4 *Effects:* Constructs an object of class `basic_istreamstream<charT, traits, Allocator>`, initializing the base class with `basic_istream<charT, traits>(addressof(sb))[istream]` and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(std::move(s), which | ios_base::in)` (`[stringbuf.cons]`).

```
template<class SAlloc>
basic_istreamstream(
    const basic_string<charT, traits, SAlloc>& s,
    ios_base::openmode which,
    const Allocator& a);
```

- 5 *Effects:* Constructs an object of class `basic_istreamstream<charT, traits, Allocator>`, initializing the base class with `basic_istream<charT, traits>(addressof(sb))[istream]` and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(s, which | ios_base::in, a)` (`[stringbuf.cons]`).

```
template<class SAlloc>
explicit basic_istreamstream(
    const basic_string<charT, traits, SAlloc>& s,
    ios_base::openmode which = ios_base::in);
```

- 6 *Constraints:* `!is_same_v<SAlloc, Allocator>`.

- 7 *Effects:* Constructs an object of class `basic_istreamstream<charT, traits, Allocator>`, initializing the base class with `basic_istream<charT, traits>(addressof(sb))[istream]` and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(s, which | ios_base::in)` (`[stringbuf.cons]`).

6.3.2 28.8.3.3 Member functions `[istreamstream.members]`

Extend `str()` overloads according to `basic_stringbuf` and add `view()`:

```
basic_string<charT, traits, Allocator> str() const & ;
```

- 1 *Returns:* `rdbuf()->str()`.

```
template<class SAlloc>
basic_string<charT, traits, SAlloc> str(const SAlloc& sa) const ;
```

- 2 *Returns:* `rdbuf()->str(sa)`.

- 3 *Constraints:*

- (3.1) — The *qualified-id* `SAlloc::value_type` is valid and denotes a type`[temp.deduct]`.

- (3.2) — The expression `declval<SAlloc>().allocate(size_t{})` is well-formed when treated as an unevaluated operand.

```
basic_string<charT,traits,Allocator> str() &&;
```

4 *Returns:* `std::move(*rdbuf()).str()`.

```
basic_string_view<charT, traits> view() const;
```

5 *Returns:* `rdbuf()->view()`.

```
void str(const basic_string<charT, traits, Allocator>& s);
```

6 *Effects:* Calls `rdbuf()->str(s)`.

```
template<class SAlloc>
```

```
void str(const basic_string<charT, traits, SAlloc>& s);
```

7 *Constraints:* `!is_same_v<SAlloc,Allocator>`.

8 *Effects:* Calls `rdbuf()->str(s)`.

```
void str(basic_string<charT, traits, Allocator>&& s);
```

9 *Effects:* Calls `rdbuf()->str(std::move(s))`.

6.4 28.8.4 Adjust synopsis of `basic_ostringstream` [`ostringstream`]

Provide constructor overloads taking an `Allocator` argument and also those that allow a string with a different allocator type.

```
// [ostringstream.cons], constructors:
```

```
basic_ostringstream() : basic_ostringstream(ios_base::in) {}
```

```
explicit basic_ostringstream(ios_base::openmode which);
```

```
explicit basic_ostringstream(
```

```
    const basic_string<charT, traits, Allocator>& str,
```

```
    ios_base::openmode which = ios_base::out);
```

```
basic_ostringstream(
```

```
    ios_base::openmode which,
```

```
    const Allocator& a);
```

```
explicit basic_ostringstream(
```

```
    basic_string<charT, traits, Allocator>&& s,
```

```
    ios_base::openmode which = ios_base::out);
```

```
template <class SAlloc>
```

```
basic_ostringstream(
```

```
    const basic_string<charT, traits, SAlloc>& s,
```

```
    const Allocator& a) : basic_ostringstream(s, ios_base::out, a) {}
```

```
template <class SAlloc>
```

```
basic_ostringstream(
```

```
    const basic_string<charT, traits, SAlloc>& s,
```

```
    ios_base::openmode which ,
```

```
    const Allocator& a);
```

```
template <class SAlloc>
```

```
explicit basic_ostringstream(
```

```

    const basic_string<charT, traits, SAlloc>& s,
    ios_base::openmode which = ios_base::out);
basic_ostringstream(const basic_ostringstream& rhs) = delete;
basic_ostringstream(basic_ostringstream&& rhs);

```

Adjust getter/setter members according to basic_stringbuf:

```

// [ostringstream.members], members:
basic_stringbuf<charT, traits, Allocator>* rdbuf() const;

basic_string<charT, traits, Allocator> str() const & ;
template<class SAlloc>
basic_string<charT,traits,SAlloc> str(const SAlloc& sa) const ;
basic_string<charT, traits, Allocator> str() &&;
basic_string_view<charT, traits> view() const ;
void str(const basic_string<charT, traits, Allocator>& s);
template<class SAlloc>
void str(const basic_string<charT, traits, SAlloc>& s);
void str(basic_string<charT, traits, Allocator>&& s);

```

6.4.1 28.8.4.1 basic_ostringstream constructors [ostringstream.cons]

Adjust the constructor specifications analog to basic_stringbuf. deliberately do not provide the special move constructor taking an allocator. Drive-by editorial fix to include Allocator template argument.

```
explicit basic_ostringstream(ios_base::openmode which);
```

- 1 *Effects:* Constructs an object of class `basic_ostringstream<charT, traits, Allocator>`, initializing the base class with `basic_ostream<charT, traits>(addressof(sb))` [ostream] and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(which | ios_base::out)` [stringbuf.cons].

```
explicit basic_ostringstream(
    const basic_string<charT, traits, Allocator>& str,
    ios_base::openmode which = ios_base::out);
```

- 2 *Effects:* Constructs an object of class `basic_ostringstream<charT, traits, Allocator>`, initializing the base class with `basic_ostream<charT, traits>(addressof(sb))` [ostream] and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(str, which | ios_base::out)` [stringbuf.cons].

```
basic_ostringstream(
    ios_base::openmode which,
    const Allocator& a);
```

- 3 *Effects:* Constructs an object of class `basic_ostringstream<charT, traits, Allocator>`, initializing the base class with `basic_ostream<charT, traits>(addressof(sb))` [ostream] and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(which | ios_base::out, a)` ([stringbuf.cons]).

```
explicit basic_ostringstream(
```

```
basic_string<charT, traits, Allocator>&& s,
ios_base::openmode which = ios_base::out);
```

- 4 *Effects:* Constructs an object of class `basic_ostringstream<charT, traits, Allocator>`, initializing the base class with `basic_ostream<charT, traits>(addressof(sb))` [ostream] and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(std::move(s), which | ios_base::out)` [stringbuf.cons].

```
template<class SAlloc>
basic_ostringstream(
    const basic_string<charT, traits, SAlloc>& s,
    ios_base::openmode which,
    const Allocator& a);
```

- 5 *Effects:* Constructs an object of class `basic_ostringstream<charT, traits, Allocator>`, initializing the base class with `basic_ostream<charT, traits>(addressof(sb))` [ostream] and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(s, which | ios_base::out, a)` ([stringbuf.cons]).

```
template<class SAlloc>
explicit basic_ostringstream(
    const basic_string<charT, traits, SAlloc>& s,
    ios_base::openmode which = ios_base::out);
```

- 6 *Constraints:* `!is_same_v<SAlloc, Allocator>`.

- 7 *Effects:* Constructs an object of class `basic_ostringstream<charT, traits, Allocator>`, initializing the base class with `basic_ostream<charT, traits>(addressof(sb))` [ostream] and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(s, which | ios_base::out)` ([stringbuf.cons]).

6.4.2 28.8.4.3 Member functions [ostream.members]

Extend `str()` overloads according to `basic_stringbuf` and add `view()`:

```
basic_string<charT, traits, Allocator> str() const & ;
```

- 1 *Returns:* `rdbuf()->str()`.

```
template<class SAlloc>
basic_string<charT, traits, SAlloc> str(const SAlloc& sa) const ;
```

- 2 *Returns:* `rdbuf()->str(sa)`.

- 3 *Constraints:*

- (3.1) — The *qualified-id* `SAlloc::value_type` is valid and denotes a type[temp.deduct].
- (3.2) — The expression `declval<SAlloc>().allocate(size_t{})` is well-formed when treated as an unevaluated operand.

```
basic_string<charT, traits, Allocator> str() && ;
```

- 4 *Returns:* `std::move(*rdbuf()).str()`.

```
basic_string_view<charT, traits> view() const ;
```

```

5     Returns: rdbuf()->view().

void str(const basic_string<charT, traits, Allocator>& s);
6     Effects: Calls rdbuf()->str(s).

template<class SAlloc>
void str(const basic_string<charT, traits, SAlloc>& s);
7     Constraints: !is_same_v<SAlloc, Allocator>.
8     Effects: Calls rdbuf()->str(s).

void str(basic_string<charT, traits, Allocator>&& s);
9     Effects: Calls rdbuf()->str(std::move(s)).

```

6.5 28.8.5 Adjust synopsis of basic_stringstream [stringstream]

Provide constructor overloads taking an Allocator argument and also those that allow a string with a different allocator type.

```

// [stringstream.cons], constructors:
basic_stringstream() : basic_stringstream(ios_base::out | ios_base::in) {}
explicit basic_stringstream(ios_base::openmode which);
explicit basic_stringstream(
    const basic_string<charT, traits, Allocator>& str,
    ios_base::openmode which = ios_base::out | ios_base::in);

basic_stringstream(
    ios_base::openmode which,
    const Allocator& a);
explicit basic_stringstream(
    basic_string<charT, traits, Allocator>&& s,
    ios_base::openmode which = ios_base::out | ios_base::in);

template <class SAlloc>
basic_stringstream(
    const basic_string<charT, traits, SAlloc>& s,
    const Allocator& a) : basic_stringstream(s, ios_base::out | ios_base::in, a) {}
template <class SAlloc>
basic_stringstream(
    const basic_string<charT, traits, SAlloc>& s,
    ios_base::openmode which ,
    const Allocator& a);
template <class SAlloc>
explicit basic_stringstream(
    const basic_string<charT, traits, SAlloc>& s,
    ios_base::openmode which = ios_base::out | ios_base::in);

basic_stringstream(const basic_stringstream& rhs) = delete;
basic_stringstream(basic_stringstream&& rhs);

```

Adjust getter/setter members according to basic_stringbuf:

```

// [ostreamstream.members], members:

```

```

basic_stringbuf<charT, traits, Allocator>* rdbuf() const;

basic_string<charT, traits, Allocator> str() const & ;
template<class SAlloc>
basic_string<charT,traits,SAlloc> str(const SAlloc& sa) const ;
basic_string<charT, traits, Allocator> str() &&;
basic_string_view<charT, traits> view() const ;

void str(const basic_string<charT, traits, Allocator>& s);
template<class SAlloc>
void str(const basic_string<charT, traits, SAlloc>& s);
void str(basic_string<charT, traits, Allocator>&& s);

```

6.5.1 28.8.4.1 basic_stringstream constructors [stringstream.cons]

Adjust the constructor specifications analog to `basic_stringbuf`. deliberately do not provide the special move constructor taking an allocator. Drive-by editorial fix to include `Allocator` template argument.

```
explicit basic_stringstream(ios_base::openmode which);
```

- 1 *Effects:* Constructs an object of class `basic_stringstream<charT, traits, Allocator>`, initializing the base class with `basic_istream<charT, traits>(addressof(sb))` [istream.cons] and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(which)` [stringbuf.cons].

```
explicit basic_stringstream(
    const basic_string<charT, traits, Allocator>& str,
    ios_base::openmode which = ios_base::out | ios_base::in);
```

- 2 *Effects:* Constructs an object of class `basic_stringstream<charT, traits, Allocator>`, initializing the base class with `basic_istream<charT, traits>(addressof(sb))` [istream.cons] and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(str, which)` [stringbuf.cons].

```
basic_stringstream(
    ios_base::openmode which,
    const Allocator& a);
```

- 3 *Effects:* Constructs an object of class `basic_stringstream<charT, traits, Allocator>`, initializing the base class with `basic_istream<charT, traits>(addressof(sb))` [istream.cons] and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(which, a)` ([stringbuf.cons]).

```
explicit basic_stringstream(
    basic_string<charT, traits, Allocator>&& s,
    ios_base::openmode which = ios_base::out | ios_base::in);
```

- 4 *Effects:* Constructs an object of class `basic_stringstream<charT, traits, Allocator>`, initializing the base class with `basic_istream<charT, traits>(addressof(sb))` [istream.cons] and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(std::move(s), which)` [stringbuf.cons].

```
template<class SAlloc>
```

```
basic_stringstream(
    const basic_string<charT, traits, SAlloc>& s,
    ios_base::openmode which,
    const Allocator& a);
```

- 5 *Effects:* Constructs an object of class `basic_stringstream<charT, traits, Allocator>`, initializing the base class with `basic_istream<charT, traits>(addressof(sb))` [`istream.cons`] and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(s, which, a)` (`[stringbuf.cons]`).

```
template<class SAlloc>
explicit basic_stringstream(
    const basic_string<charT, traits, SAlloc>& s,
    ios_base::openmode which = ios_base::out | ios_base::in);
```

- 6 *Constraints:* `!is_same_v<SAlloc, Allocator>`.

- 7 *Effects:* Constructs an object of class `basic_stringstream<charT, traits, Allocator>`, initializing the base class with `basic_istream<charT, traits>(addressof(sb))` [`istream.cons`] and initializing `sb` with `basic_stringbuf<charT, traits, Allocator>(s, which)` (`[stringbuf.cons]`).

6.5.2 28.8.4.3 Member functions [stringstream.members]

Extend `str()` overloads according to `basic_stringbuf` and add `view()`:

```
basic_string<charT, traits, Allocator> str() const & ;
```

- 1 *Returns:* `rdbuf()->str()`.

```
template<class SAlloc>
basic_string<charT, traits, SAlloc> str(const SAlloc& sa) const ;
```

- 2 *Returns:* `rdbuf()->str(sa)`.

- 3 *Constraints:*

- (3.1) — The *qualified-id* `SAlloc::value_type` is valid and denotes a type[temp.deduct].
- (3.2) — The expression `declval<SAlloc&>().allocate(size_t{})` is well-formed when treated as an unevaluated operand.

```
basic_string<charT, traits, Allocator> str() &&;
```

- 4 *Returns:* `std::move(*rdbuf()).str()`.

```
basic_string_view<charT, traits> view() const;
```

- 5 *Returns:* `rdbuf()->view()`.

```
void str(const basic_string<charT, traits, Allocator>& s);
```

- 6 *Effects:* Calls `rdbuf()->str(s)`.

```
template<class SAlloc>
void str(const basic_string<charT, traits, SAlloc>& s);
```

```
7     Constraints: !is_same_v<SAlloc, Allocator>.
8     Effects: Calls rdbuf()->str(s).
void str(basic_string<charT, traits, Allocator>&& s);
9     Effects: Calls rdbuf()->str(std::move(s)).
```

7 Appendix: Example Implementations

The given specification has been implemented within a recent version of the `sstream` header of `gcc8`. Modified version of the headers and some tests are available at https://github.com/PeterSommerlad/SC22WG21_Papers/tree/master/workspace/Test_basic_stringbuf_efficient/src.

A corresponding implementation for `clang 7` is available in the vicinity of the one above at: https://github.com/PeterSommerlad/SC22WG21_Papers/tree/master/workspace/Test_clang_p0407_p0408