## ISO/IEC JTC 1/SC 22/OWGV N 0067

Proposal to the ISO/IEC Project 22.24772: Guidance for Avoiding Vulnerabilities through Language Selection and Use: Vulnerabilities to Address in CWE

Date 18 April 2007 Contributed by Larry Wagoner

Original file name sc22\_proposal\_part2.doc

Notes This is a second part of N0066.

## Proposal to the ISO/IEC Project 22.24772: Guidance for Avoiding Vulnerabilities through Language Selection and Use

## **Vulnerabilities to Address in CWE**

Submitted by Larry Wagoner

It would be impractical and simply a waste of time to attempt to address all of the weaknesses listed in CWE. Many are obscure, difficult to exploit and rarely occur in the real world. Therefore we should reduce the number to some reasonable number that would cover the bulk of those seen and exploited in the real world.

There are a couple of considerations that should be made as a list of the vulnerabilities to be addressed is developed. The obvious first consideration is to determine the most frequently occurring weaknesses. Fortunately some of this work has been done, although not to the granularity we need and not always reported in CWE notation. Two primary sources will be used to determine which weaknesses to focus upon. They are:

Christy, Steve, "Vulnerability Type Distributions in CVE," v1.0, 4 October 2006, <a href="http://cwe.mitre.org/documents/vuln-trends.html">http://cwe.mitre.org/documents/vuln-trends.html</a>

OWASP Top Ten Project, http://www.owasp.org/index.php/OWASP\_Top\_Ten\_Project

A second consideration is that some weighting should be made between ease of addressing and the potential and seriousness of exploitation. Many tools and even compiler warnings exist to detect code problems such as unused variables, dead code and memory leaks. These are more likely to be considered code quality issues than security issues. However, these shouldn't be ignored from a security standpoint. These indicate more serious structural problems with the code development process. If code quality is not up to a reasonable level, is there any hope that security will be? So some consideration will be made to ensure the easily detectable issues are addressed.

In order to derive a set of vulnerabilities to be addressed as a standard, the approach taken will be to use the paper by Steve Christy and then to use the OWASP Top Ten to verify and add support to his results. Another crosscheck will be to verify that the 54 entries rated in Likelihood of Exploit as High or Very High in CWE are covered. Not all entries have a Likelihood of Exploit entry and the basis for the ranking is not clear, but those 54 will be used as a crosscheck with the identified entries. Finally, as previously mentioned, a few additional code vulnerabilities will be added that should be straightforward to detect and address.

The first paper by Steve Christy does a very good job of analyzing the current trends. It analyzes three data sets: CVEs publicly reported in 2001 or later, CVEs associated with OS vendor advisories and open/closed source vendor advisories (derived view designed to remove overlapping CVEs from the second set). The table below summarizes the top

## twenty of his results:

Flaw Abbreviation	Flaw Name	Overall percentage of total flaws (2001-2006)	Percentage of total flaws (2006)	CWE Entries
XSS	cross site scripting	13.90%	21.50%	79, 80, 87, 85, 82, 81, 83, 84
buf	buffer overflow	13.30%	7.90%	119, 120
sql-inject	SQL injection	8.70%	14.00%	89
dot	directory transversal	4.70%	4.40%	22,23,36
php-include	PHP remote file inclusion	3.50%	9.50%	98
infoleak	information leak	3.30%	2.60%	205, 212, 203, 209, 207, 200, 215
dos-malform	DoS via malformed input	2.90%	2.00%	238, 234, 166, 230
link	symbolic link following	2.00%	0.50%	61, 64
format-string	Format string vulnerability	1.80%	1.00%	134
crypt	cryptologic error	1.60%	0.90%	310, 311, 347, 320, 325
priv	Bad privilege assignment	1.40%	0.90%	266, 274, 272, 250, 264, 265, 268, 270, 271, 269, 267
metachar	Unescaped shell metacharacters	1.30%	0.30%	78
perm	Assigns bad permissions	1.30%	1.10%	276
int-overflow	Integer overflow	1.00%	1.20%	190
dos-flood	DoS flood	0.80%	0.40%	400
pass	default/hard-code password	0.80%	0.40%	259
auth	weak/bad authentication	0.80%	0.70%	289, 288, 302, 305, 294, 290, 287, 303
webroot	storage of sensitive data w/insufficient access control	0.50%	0.90%	219, 433
form-field	CGI program inherently trusts form field	0.50%	0.50%	472
relpath	untrusted search path	0.40%	0.30%	426, 428, 114

Table 1Vulnerability Type Distributions in CVE overall results from 2001-2006

Table 2, below, refines the results from Table 1 by putting in the CWE entry, name of the

entry and whether it is a parent or a leaf node. Blank lines separate the entries from Table 1. For instance, the first eight entries in the table correspond to the first entry, Cross Site Scripting (XSS), in Table 1. Table 2 contains 64 entries.

CWE Entry	Description	Parent or Leaf node
79	Cross Site Scripting (XSS)	parent
80	Basic XSS	child of 79 - leaf
87	Alternate XSS syntax	child of 79 - leaf
85	Doubled character XSS manipulators, e.g. '< <script'< td=""><td>child of 79 - leaf</td></script'<>	child of 79 - leaf
82	Script in IMG tags	child of 79 - leaf
81	XSS in error pages	child of 79 - leaf
83	XSS using Script in Attributes	child of 79 - leaf
84	XSS using Script Via Encoded URI Schemes	child of 79 - leaf
119	Buffer Errors	parent
120	Unbounded Transfer ('Classic overflow')	child of 119 - parent
89	SQL Injection	leaf
22	Path Traversal	parent
23	Relative Path Traversal	child of 22 - parent
36	Absolute Path Traversal	child of 22 - parent
98	PHP File Inclusion	leaf
205	Behavioral Discrepancy Information Leak	child of 203 - parent
212	Cross-Boundary Cleansing Information Leak	child of 200 - parent
203	Discrepancy Information Leaks	child of 200 - parent

CWE Entry	Description	Parent or Leaf node
209	Error Message Information Leaks	child of 200 - parent
207	External Behavioral Inconsistency Information Leak	child of 205 - leaf
200	Information Leak (information disclosure)	parent
215	Information Leak through Debug Information	child of 200 - leaf
238	Missing Element Error	leaf
234	Missing Parameter Error	leaf
166	Missing Special Element	leaf
230	Missing Value Error	leaf
61	UNIX symbolic link (symlink) following	leaf
64	Windows Shortcut Following (.LNK)	leaf
134	Format String Vulnerability	parent
310	Cryptologic Issues	parent
311	Failure to encrypt data	child of 310 - parent
347	Improperly Verified Signature	leaf
320	Key Management Errors	child of 310 - parent
325	Missing Required Cryptographic Step	child of 310 - leaf
266	Incorrect Privilege Assignment	leaf
274	Insufficient Privileges	child of 265 - leaf
272	Least Privilege Violation	child of 271 - leaf
250	Often Misused: Privilege Management	leaf

CWE Entry	Description	Parent or Leaf node
264	Permissions, Privileges, and Access Controls	parent
265	Privilege/sandbox issues	child of 264 - parent
268	Privilege Chaining	child of 265 - leaf
270	Privilege Context Switching Error	child of 265 -leaf
271	Privilege Dropping/Lowering Errors	child of 265 - parent
269	Privilege Management Error	child of 265 - leaf
267	Unsafe Privilege	child of 265 -leaf
78	OS Command Injection	leaf
276	Insecure Default Permissions	leaf
190	Integer Overflow (wrap or wrap around)	parent
400	Resource Exhaustion (file descriptor, disk space, sockets,)	leaf
259	Hard-coded Password	parent
289	Authentication Bypass by Alternate Name	leaf
288	Authentication Bypass by Alternate Path/Channel	leaf
302	Authentication Bypass by Assumed- Immutable Data	leaf
305	Authentication Bypass by Primary Weakness	leaf
294	Authentication Bypass by Replay	leaf
290	Authentication Bypass by Spoofing	parent

CWE Entry	Description	Parent or Leaf node
287	Authentication Issues	parent
303	Authentication Logic Error	child of 287 -leaf
219	Sensitive Data Under Web Root	leaf
433	Unparsed Raw Web Content Delivery	leaf
Web Parameter Tampering		parent
426	Untrusted Search Path	parent
428	Unquoted Search Path or Element	child of 426 -leaf
114	Process Control	leaf

Table 2Vulnerabilities in CWE notation

Table 3 further refines Table 2 by showing the ancestry and position in the tree of the entries in Table 2. This will give a perspective of where the entries in Table 2 reside in the classification tree of CWE. Higher levels of parentage is to the left. That is, for example, Data Handling is a parent of Input Validation, which is a parent of Path Traversal, which is a parent of Relative Path Traversal. For some entries, intermediate generations may have been skipped between the left most column and the right most. Entries in black are entries that appeared in Table 2. Entries in red have been added to provide context from the CWE classification tree.

GG-Parent	G-Parent	Parent	Child
19. Data Handling			
	20. Input Validation		
		22. Path Traversal	
			23. Relative Path Traversal
			36. Absolute Path Traversal
		63. Link Following	
			61. UNIX symbolic link (symlink) following
			64. Windows Shortcut Following (.LNK)

GG-Parent	G-Parent	Parent	Child
		114. Process Control	
		79. Cross Site Scripting (XSS)	
			80. Basic XSS
			81. XSS in error pages
			82. Script in IMG tags
			83. XSS using Script in Attributes
			84. XSS using Script Via Encoded URI Schemes
			85. Doubled character XSS manipulators, e.g. '< <script'< td=""></script'<>
			87. Alternate XSS syntax
		74. Injection	
			89. SQL Injection
			98. PHP File Inclusion
			134. Format String Vulnerability
	118. Range Errors		
		119. Buffer errors	120. Unbounded transfer ('Classic overflow')
			190. Integer overflow (wrap or wraparound)
	137. Representation Errors		
		159. Common Special Element Manipulations	
			166. Missing Special Element
	189. Numeric Errors		
		78. OS Command Injection	
		190. Integer Overflow (wrap or wrap around)	

GG-Parent	G-Parent	Parent	Child
	199. Information Management Errors		
		200. Information Leak (information disclosure)	
			212. Cross-Boundary Cleansing Information Leak
			203. Discrepancy Information Leaks
			205. Behavioral Discrepancy Information Leak (child of 203)
			207. External Behavioral Inconsistency Information Leak (child of 205)
			209. Error Message Information Leaks
			215. Information Leak through Debug Information
		219. Sensitive Data Under Web Root	
227. API Abuse			
	228. Structure and Validity Problems		
		230. Missing Value Error	
		234. Missing Parameter Error	
		238. Missing Element Error	
254. Security Features			
	264. Permissions, Privileges, and Access Controls		
		265. Privilege/sandbox Issues	
			250. Often Misused: Privilege Management
			266. Incorrect Privilege Assignment
			267. Unsafe Privilege

GG-Parent	G-Parent	Parent	Child
			268. Privilege Chaining
			269. Privilege Management Error
			270. Privilege Context Switching Error
			271. Privilege Dropping/Lowering Errors
			272. Least Privilege Violation (child of 271)
			274. Insufficient Privileges
		275. Permission Issues	
			276. Insecure Default Permissions
	287. Authentication Issues		
		303. Authentication Logic Error	
		592. Authentication Bypass Issues	
			289. Authentication Bypass by Alternate Name
			290. Authentication Bypass by Spoofing
			294. Authentication Bypass by Replay
			302. Authentication Bypass by Assumed-Immutable Data
			305. Authentication Bypass by Primary Weakness
	310. Cryptologic Issues		
		311. Failure to encrypt data	
		320. Key Management Errors	
		325. Missing Required Cryptographic Step	

GG-Parent	G-Parent	Parent	Child
		259. Hard-coded Password	
	345. Insufficient Verification of Data		
			347. Improperly Verified Signature
398. Code Quality			
	399. Resource Management Errors		
		400. Resource Exhaustion (file descriptor, disk space, sockets,)	
	417. Channel and Path Errors		
		288. Authentication Bypass by Alternate Path/Channel	
		426. Untrusted Search Path	
			428. Unquoted Search Path or Element
	429. Handler Errors		
		433. Unparsed Raw Web Content Delivery	
	471. Modification of Assumed-Immutable Data		
		472. Web Parameter Tampering	

Table 3Refinement of Table 2

Although the by Steve Christy is a good summary, we must cross check with the OWASP Top Ten Project. In Table 4, a mapping from the OWASP Top Ten is made to the elements already appearing in Table 3. If an element needs to be added to address the OWASP Top 10, it will appear in the third column.

Appearing to be Added		OWASP Top 10	CWE Mapping – Entries Already Appearing	CWE Mapping – Entries Needed to be Added
-----------------------	--	--------------	--	---

OWASP Top 10	CWE Mapping – Entries Already Appearing	CWE Mapping – Entries Needed to be Added
A1 Unvalidated Input	20. Input Validation	
A2 Broken Access Control		285. Missing or Inconsistent Access Control
A3 Broken Authentication and Session Management		255. Credentials Management
A4 Cross Site Scripting	79. Cross Site Scripting (XSS)	
A5 Buffer Overflow	119. Buffer errors	
A6 Injection Flaws	74. Injection	
A7 Improper Error Handling	200. Information Leak (information disclosure)	
A8 Insecure Storage	311. Failure to Encrypt Data 320. Cryptologic Issues	
A9 Application Denial of Service	400. Resource Exhaustion (file descriptor, disk space, sockets,)	
A10 Insecure Configuration Management	265. Privilege/Sandbox Issues 275. Permission Issues 276. Insecure Default Permissions 259. Hard-coded Password 200. Information Leak (information disclosure)	522. Insufficiently Protected Credentials

Table 4Cross check with OWASP Top 10

Incorporating the results of Table 4 (in red) into Table 3 yields Table 5. Table 5 is also condensed by moving G-Parents, Parents, and Children on the same line as their ancestors.

GG-Parent	G-Parent	Parent	Child
19. Data Handling	20. Input Validation	22. Path Traversal	23. Relative Path Traversal
			36. Absolute Path Traversal
		63. Link Following	61. UNIX symbolic link (symlink) following
			64. Windows Shortcut Following (.LNK)
		114. Process Control	

GG-Parent	G-Parent	Parent	Child
		79. Cross Site Scripting (XSS)	80. Basic XSS
			81. XSS in error pages
			82. Script in IMG tags
			83. XSS using Script in Attributes
			84. XSS using Script Via Encoded URI Schemes
			85. Doubled character XSS manipulators, e.g. '< <script'< td=""></script'<>
			87. Alternate XSS syntax
		74. Injection	89. SQL Injection
			98. PHP File Inclusion
			134. Format String Vulnerability
	118. Range Errors	119. Buffer errors	120. Unbounded transfer ('Classic overflow')
			190. Integer overflow (wrap or wraparound)
	137. Representation Errors	159. Common Special Element Manipulations	166. Missing Special Element
	189. Numeric Errors	78. OS Command Injection	
		190. Integer Overflow (wrap or wrap around)	
	199. Information Management Errors	200. Information Leak (information disclosure)	212. Cross-Boundary Cleansing Information Leak
			203. Discrepancy Information Leaks
			205. Behavioral Discrepancy Information Leak (child of 203)
			207. External Behavioral Inconsistency Information Leak (child of 205)
			209. Error Message Information Leaks

GG-Parent	G-Parent	Parent	Child
			215. Information Leak through Debug Information
		219. Sensitive Data Under Web Root	
227. API Abuse	228. Structure and Validity Problems	230. Missing Value Error	
		234. Missing Parameter Error	
		238. Missing Element Error	
254. Security Features	255. Credentials Management	522. Insufficiently Protected Credentials	
	264. Permissions, Privileges, and Access Controls	265. Privilege/sandbox Issues	250. Often Misused: Privilege Management
			266. Incorrect Privilege Assignment
			267. Unsafe Privilege
			268. Privilege Chaining
			269. Privilege Management Error
			270. Privilege Context Switching Error
			271. Privilege Dropping/Lowering Errors
			272. Least Privilege Violation (child of 271)
			274. Insufficient Privileges
		275. Permission Issues	276. Insecure Default Permissions
		284. Access Control Issues	285. Missing or Inconsistent Access Control
	287. Authentication Issues	303. Authentication Logic Error	
		592. Authentication Bypass Issues	289. Authentication Bypass by Alternate Name

GG-Parent	G-Parent	Parent	Child
			290. Authentication Bypass by Spoofing
			294. Authentication Bypass by Replay
			302. Authentication Bypass by Assumed-Immutable Data
			305. Authentication Bypass by Primary Weakness
	310. Cryptologic Issues	311. Failure to encrypt data	347. Improperly Verified Signature
		320. Key Management Errors	
		325. Missing Required Cryptographic Step	
		259. Hard-coded Password	
	345. Insufficient Verification of Data		347. Improperly Verified Signature
398. Code Quality	399. Resource Management Errors	400. Resource Exhaustion (file descriptor, disk space, sockets,)	
	417. Channel and Path Errors	288. Authentication Bypass by Alternate Path/Channel	
		426. Untrusted Search Path	428. Unquoted Search Path or Element
	429. Handler Errors	433. Unparsed Raw Web Content Delivery	
	471. Modification of Assumed-Immutable Data	472. Web Parameter Tampering	

Table 5Condensed Table with OWASP entries

Table 6 expands all elements in Table 5 to their end leaf node to provide the highest possible granularity. Note that Parent and G-Parent are ancestors of the leaf nodes, but generations may have been skipped to provide the best clarity of the weakness described by each leaf node.

G-Parent	Parent	Leaf
22. Path Traversal	23. Relative Path Traversal	24. Path Issue - dot dot slash - '/filedir'
		25. Path Issue - leading dot dot slash - '//filedir'
		26. Path Issue - leading directory dot dot slash - '/directory//filename'
		27. Path Issue - directory doubled dot dot slash - 'directory///filename'
		28. Path Issue - dot dot backslash - '\filename'
		29. Path Issue - leading dot dot backslash - '\\filename'
		30. Path Issue - leading directory dot dot backslash - \directory\\filename'
		31. Path Issue - directory doubled dot dot backslash - 'directory\\\filename'
		32. Path Issue - triple dot - ''
		33. Path Issue - multiple dot - ''
		34. Path Issue - doubled dot dot slash - '//'
		35. Path Issue - doubled triple dot slash - '///'
	36. Absolute Path Traversal	37. Path Issue - slash absolute path - /absolute/pathname/here
		38. Path Issue - backslash absolute path - \absolute\pathname\here
		39. Path Issue - drive letter or Windows volume - 'C:dirname'
		40. Path Issue - Windows UNC share - '\\UNC\share\name\'
63. Link Following	60. UNIX Path Link Problems	61. UNIX symbolic link (symlink) following
		62. UNIX Hard Link
	63. Windows Path Link Problems	64. Windows Shortcut Following (.LNK)
		65. Windows Hard Link
20. Input Validation		114. Process Control
79. Cross Site Scripting (XSS)		80. Basic XSS

G-Parent	Parent	Leaf
		81. XSS in error pages
		82. Script in IMG tags
		83. XSS using Script in Attributes
		84. XSS using Script Via Encoded URI Schemes
		85. Doubled character XSS manipulators, e.g. '< <script'< td=""></script'<>
		86. Invalid Characters in Identifiers
		87. Alternate XSS syntax
74. Injection	89. SQL Injection	564. SQL Injection: Hibernate
		98. PHP File Inclusion
134. Format String Vulnerability	122. Heap Overflow	121. Stack Overflow
		124. Boundary Beginning Violation ("buffer underwrite")
		128. Wrap-around Error
		192. Integer Coercion Error
		197. Numeric Truncation Error
		231. Extra Value Error
		476. Null Dereference
		365. Race Condition in Switch
		368. Context Switching Race Condition
		415. Double Free
		416. Use after Free
		479. Unsafe Function Call from a Signal Handler
119. Buffer errors	120. Unbounded transfer ('Classic overflow')	122. Heap Overflow
	190. Integer Overflow (wrap or wraparound)	128. Wrap-around Error
		76. Equivalent Special Element Injection
		78. OS Command Injection

G-Parent	Parent	Leaf	
		90. LDAP Injection	
		91. XML Injection (aka Blind Xpath injection)	
		92. Custom Special Character Injection	
		144. Line Delimiter	
		145. Section Delimiter	
		95. Direct Dynamic Code Evaluation ('Eval Injection')	
		97. Server-Side Includes (SSI) Injection	
		98. PHP File Inclusion	
		99. Resource Injunction	
		365. Race Condition in Switch	
		368. Context Switching Race Condition	
		415. Double Free	
		479. Unsafe Function Call from a Signal Handler	
		129. Unchecked Array Indexing	
		476. Null Dereference	
		231. Extra Value Error	
		128. Wrap-around Error	
		192. Integer Coercion Error	
		193. Off-by-one Error	
		194. Sign Extension Error	
		78. OS Command Injection	
159. Common Special Element Manipulations		161. Multiple Leading Special Elements	
		163. Multiple Trailing Special Elements	
		165. Multiple Internal Special Element	
		166. Missing Special Element	
		167. Extra Special Element	
		168. Inconsistent Special Elements	

G-Parent	Parent	Leaf
200. Information Leak (information disclosure)	212. Cross- Boundary Cleansing Information Leak	226. Sensitive Information Uncleared before Use
	203. Discrepancy Information Leaks	204. Response Discrepancy Information Leak
		208. Timing Discrepancy Information Leak
	205. Behavioral Discrepancy Information Leak (child of 203)	206. Internal Behavioral Inconsistency Information Leak
		207. External Behavioral Inconsistency Information Leak
	209. Error Message Information Leaks	81. XSS in Error Pages
		535. Information Leak Through Shell Error Message
		536. Information Leak Through Servlet Runtime Error Message
		537. Information Leak Through Java Runtime Error Message
		550. Information Leak Through Server Error Message
		600. Missing Catch Block
		215. Information Leak through Debug Information
		219. Sensitive Data Under Web Root
		230. Missing Value Error
		234. Missing Parameter Error
		238. Missing Element Error
	522. Insufficiently Protected Credentials	256. Plaintext Storage
		257. Storing Passwords in a Recoverable Format
	265. Privilege/sandbox Issues	250. Often Misused: Privilege Management
		266. Incorrect Privilege Assignment

G-Parent	Parent	Leaf	
		267. Unsafe Privilege	
		268. Privilege Chaining	
		269. Privilege Management Error	
		270. Privilege Context Switching Error	
	271. Privilege Dropping/Lowering Errors	272. Least Privilege Violation	
		273. Failure to Check Whether Privileges were Dropped Successfully	
		274. Insufficient Privileges	
	275. Permission Issues	276. Insecure Default Permissions	
	284. Access Control Issues	285. Missing or Inconsistent Access Control	
		303. Authentication Logic Error	
	592. Authentication Bypass Issues	n 289. Authentication Bypass by Alternate Name	
		290. Authentication Bypass by Spoofing	
		294. Authentication Bypass by Replay	
		302. Authentication Bypass by Assumed-Immutable Data	
		305. Authentication Bypass by Primary Weakness	
311. Failure to encrypt data	Using a Broken or Risky Cryptographic Algorithm	301. Reflection Attack in an Authentication Protocol	
320. Key Management Errors		257. Storing Passwords in a Recoverable Format	
		325. Missing Required Cryptographic Step	
		259. Hard-coded Password	
	345. Insufficient Verification of Data	347. Improperly Verified Signature	
		400. Resource Exhaustion (file descriptor, disk space, sockets,)	

G-Parent	Parent	Leaf
		288. Authentication Bypass by Alternate Path/Channel
	426. Untrusted Search Path	428. Unquoted Search Path or Element
		433. Unparsed Raw Web Content Delivery
398. Code Quality		
	471. Modification of Assumed-Immutable Data	192. Integer Coercion Error
		197. Numeric Truncation Error
		128. Wrap-around Error
		473. PHP External Variable Modification

Table 6Conversion to Leaf Nodes

A consideration that must be made is that the scope of SC22 OWGV is that of what can specifically be done at the coding level to avoid vulnerabilities. There are 122 entries in Table 6, but several of the entries are specifically design issues. The next step will be to differentiate those items which can be affected through coding standards and those that are design standards which are outside of the scope of SC22 OWGV. This is something that the SC22 OWGV group should debate and determine as there is a blur between design and coding and a consensus opinion of the group would be the most valuable. In many cases, the leaf node weaknesses in Table 6 will need to be addressed both as a coding and as a design issue. For the purposes of SC22 OWGV, anything that can be influenced or affected at the coding level should remain in scope and addressed by SC22 OWGV.

One other consideration that SC22 OWGV may want to make are those weaknesses in CWE that can be easily prevented. Code quality issues such as Dead Code (CWE 561), Memory Leak (CWE 401), Unused Variable (CWE 563), and Improper String Length Checking (CWE 135) are indicative of code that isn't well written or rigorously tested. These are usually not serious vulnerabilities (if they even are the basis for vulnerabilities), and may only be used to do an irritating DoS or as aides to crafting some other attack. These are relatively easy to find and fix as there are many tools available to address these issues.

More debatable weaknesses are code quality issues such as User Interface Inconsistency (CWE 446), Suspicious Comment (CWE 546) (e.g. "#workaround" or "#need to fix" or "#hack"), or Memory Locking (CWE 591). These can aid or even be the basis of vulnerabilities. However these seem to be outside of the scope of SC22 OWGV.

Including the weaknesses described in the previous two paragraphs in Table 6 yields Table 7 below.

G-Parent	Parent	Leaf
22. Path Traversal	23. Relative Path Traversal	24. Path Issue - dot dot slash - '/filedir'
		25. Path Issue - leading dot dot slash - '//filedir'
		26. Path Issue - leading directory dot dot slash - '/directory//filename'
		27. Path Issue - directory doubled dot dot slash - 'directory///filename'
		28. Path Issue - dot dot backslash - '\filename'
		29. Path Issue - leading dot dot backslash - \\filename'
		30. Path Issue - leading directory dot dot backslash - \directory\\filename'
		31. Path Issue - directory doubled dot dot backslash - 'directory\\\filename'
		32. Path Issue - triple dot - ''
		33. Path Issue - multiple dot - ''
		34. Path Issue - doubled dot dot slash - '//'
		35. Path Issue - doubled triple dot slash - '//'
	36. Absolute Path Traversal	37. Path Issue - slash absolute path - /absolute/pathname/here
		38. Path Issue - backslash absolute path - \absolute\pathname\here
		39. Path Issue - drive letter or Windows volume - 'C:dirname'
		40. Path Issue - Windows UNC share - '\\UNC\share\name\'

G-Parent	Parent	Leaf
63. Link Following	60. UNIX Path Link Problems	61. UNIX symbolic link (symlink) following
		62. UNIX Hard Link
	63. Windows Path Link Problems	64. Windows Shortcut Following (.LNK)
		65. Windows Hard Link
20. Input Validation		114. Process Control
79. Cross Site Scripting (XSS)		80. Basic XSS
		81. XSS in error pages
		82. Script in IMG tags
		83. XSS using Script in Attributes
		84. XSS using Script Via Encoded URI Schemes
		85. Doubled character XSS manipulators, e.g. '< <script'< td=""></script'<>
		86. Invalid Characters in Identifiers
		87. Alternate XSS syntax
74. Injection	89. SQL Injection	564. SQL Injection: Hibernate
		98. PHP File Inclusion
134. Format String Vulnerability	122. Heap Overflow	121. Stack Overflow
		124. Boundary Beginning Violation ("buffer underwrite")
		128. Wrap-around Error
		192. Integer Coercion Error
		197. Numeric Truncation Error
		231. Extra Value Error
		476. Null Dereference
		365. Race Condition in Switch
		368. Context Switching Race Condition

G-Parent	Parent	Leaf
		415. Double Free
		416. Use after Free
		479. Unsafe Function Call from a Signal Handler
119. Buffer errors	120. Unbounded transfer ('Classic overflow')	122. Heap Overflow
	190. Integer Overflow (wrap or wraparound)	128. Wrap-around Error
		76. Equivalent Special Element Injection
		78. OS Command Injection
		90. LDAP Injection
		91. XML Injection (aka Blind Xpath injection)
		92. Custom Special Character Injection
		144. Line Delimiter
		145. Section Delimiter
		95. Direct Dynamic Code Evaluation ('Eval Injection')
		97. Server-Side Includes (SSI) Injection
		98. PHP File Inclusion
		99. Resource Injunction
		365. Race Condition in Switch
		368. Context Switching Race Condition
		415. Double Free
		479. Unsafe Function Call from a Signal Handler
		129. Unchecked Array Indexing
		476. Null Dereference

G-Parent	Parent	Leaf
		231. Extra Value Error
		128. Wrap-around Error
		192. Integer Coercion Error
		193. Off-by-one Error
		194. Sign Extension Error
		78. OS Command Injection
159. Common Special Element Manipulations		161. Multiple Leading Special Elements
		163. Multiple Trailing Special Elements
		165. Multiple Internal Special Element
		166. Missing Special Element
		167. Extra Special Element
		168. Inconsistent Special Elements
200. Information Leak (information disclosure)	212. Cross-Boundary Cleansing Information Leak	226. Sensitive Information Uncleared before Use
	203. Discrepancy Information Leaks	204. Response Discrepancy Information Leak
		208. Timing Discrepancy Information Leak
	205. Behavioral Discrepancy Information Leak (child of 203)	206. Internal Behavioral Inconsistency Information Leak
		207. External Behavioral Inconsistency Information Leak
	209. Error Message Information Leaks	81. XSS in Error Pages
		535. Information Leak Through Shell Error Message
		536. Information Leak Through Servlet Runtime Error Message
		537. Information Leak Through Java Runtime Error Message

G-Parent	Parent	Leaf
		550. Information Leak Through Server Error Message
		600. Missing Catch Block
		215. Information Leak through Debug Information
		219. Sensitive Data Under Web Root
		230. Missing Value Error
		234. Missing Parameter Error
		238. Missing Element Error
	522. Insufficiently Protected Credentials	256. Plaintext Storage
		257. Storing Passwords in a Recoverable Format
	265. Privilege/sandbox Issues	250. Often Misused: Privilege Management
		266. Incorrect Privilege Assignment
		267. Unsafe Privilege
		268. Privilege Chaining
		269. Privilege Management Error
		270. Privilege Context Switching Error
	271. Privilege Dropping/Lowering Errors	272. Least Privilege Violation
		273. Failure to Check Whether Privileges were Dropped Successfully
		274. Insufficient Privileges
	275. Permission Issues	276. Insecure Default Permissions
	284. Access Control Issues	285. Missing or Inconsistent Access Control
		303. Authentication Logic Error

G-Parent	Parent	Leaf
	592. Authentication Bypass Issues	289. Authentication Bypass by Alternate Name
		290. Authentication Bypass by Spoofing
		294. Authentication Bypass by Replay
		302. Authentication Bypass by Assumed-Immutable Data
		305. Authentication Bypass by Primary Weakness
311. Failure to encrypt data	Using a Broken or Risky Cryptographic Algorithm	301. Reflection Attack in an Authentication Protocol
320. Key Management Errors		257. Storing Passwords in a Recoverable Format
		325. Missing Required Cryptographic Step
		259. Hard-coded Password
	345. Insufficient Verification of Data	347. Improperly Verified Signature
		400. Resource Exhaustion (file descriptor, disk space, sockets,)
		288. Authentication Bypass by Alternate Path/Channel
	426. Untrusted Search Path	428. Unquoted Search Path or Element
		433. Unparsed Raw Web Content Delivery
398. Code Quality		
	399. Resource Management Errors	401. Memory Leak
		591. Memory Locking
		446. User Interface Inconsistency
	471. Modification of Assumed- Immutable Data	192. Integer Coercion Error
		197. Numeric Truncation Error

G-Parent	Parent	Leaf
		128. Wrap-around Error
		473. PHP External Variable Modification
	561. Dead Code	570. Expression is Always False
		571. Expression is Always True
		563. Unused Variable

Table 7Inclusion of Some Code Quality Issues

Table 7 contains 129 items. Once discussion and debate is complete, it is expected that some items will be removed as entirely design issues and a few others added. The final result will be approximately 75-100 vulnerabilities that can to some degree be addressed through language selection and use.