Contents

1 General ..... 1−1

1.1 Scope ..... 1−1

1.2 Normative references ..... 1−1

1.3 Implementation compliance ..... 1−2

1.4 Definitions ..... 1−2
1.4.1 argument ..... 1−2
1.4.2 diagnostic message ..... 1−2
1.4.3 dynamic type ..... 1−3
1.4.4 ill-formed program ..... 1−3
1.4.5 implementation-defined behavior ..... 1−3
1.4.6 implementation limits ..... 1−3
1.4.7 locale-specific behavior ..... 1−3
1.4.8 multibyte character ..... 1−3
1.4.9 parameter ..... 1−3
1.4.10 signature ..... 1−3
1.4.11 static type ..... 1−3
1.4.12 undefined behavior ..... 1−3
1.4.13 unspecified behavior ..... 1−4
1.4.14 well-formed program ..... 1−4

1.5 Syntax notation ..... 1−4

1.6 The C++ memory model ..... 1−4

1.7 The C++ object model ..... 1−4

1.8 Program execution ..... 1−5

1.9 Acknowledgments ..... 1−8

2 Lexical conventions ..... 2−1

2.1 Phases of translation ..... 2−1

2.2 Character sets ..... 2−2

2.3 Trigraph sequences ..... 2−3

2.4 Preprocessing tokens ..... 2−3

2.5 Alternative tokens ..... 2−4

2.6 Tokens ..... 2−4

2.7 Comments ..... 2−5

2.8 Header names ..... 2−5

2.9 Preprocessing numbers ..... 2−5

2.10 Identifiers ..... 2−6

2.11 Keywords ..... 2−6

2.12 Operators and punctuators ..... 2−7

2.13 Literals ..... 2−7
2.13.1 Integer literals ..... 2−7
2.13.2 Character literals ..... 2−8
2.13.3 Floating literals ..... 2−10
2.13.4 String literals ..... 2−11
2.13.5 Boolean literals ..... 2−12

3 Basic concepts ..... 3−1

3.1 Declarations and definitions ..... 3−1

3.2 One definition rule ..... 3−2

3.3 Declarative regions and scopes ..... 3−4
3.3.1 Point of declaration ..... 3−5
3.3.2 Local scope ..... 3−6
3.3.3 Function prototype scope ..... 3−6
3.3.4 Function scope ..... 3−6
3.3.5 Namespace scope ..... 3−7
3.3.6 Class scope ..... 3−7
3.3.7 Name hiding ..... 3−8

3.4 Name lookup ..... 3−9
3.4.1 Unqualified name lookup ..... 3−9
3.4.2 Argument-dependent name lookup ..... 3−12
3.4.3 Qualified name lookup ..... 3−13
3.4.3.1 Class members ..... 3−14
3.4.3.2 Namespace members ..... 3−15
3.4.4 Elaborated type specifiers ..... 3−18
3.4.5 Class member access ..... 3−19
3.4.6 Using-directives and namespace aliases ..... 3−20

3.5 Program and linkage ..... 3−20

3.6 Start and termination ..... 3−22
3.6.1 Main function ..... 3−22

3.6.2 Initialization of non-local objects....3−23
3.6.3 Termination....3−24

3.7 Storage duration....3−25
3.7.1 Static storage duration....3−25
3.7.2 Automatic storage duration....3−25
3.7.3 Dynamic storage duration....3−26
3.7.3.1 Allocation functions....3−26
3.7.3.2 Deallocation functions....3−27
3.7.4 Duration of sub-objects....3−28

3.8 Object Lifetime....3−28

3.9 Types....3−31
3.9.1 Fundamental types....3−32
3.9.2 Compound types....3−34
3.9.3 CV-qualifiers....3−34

3.10 Lvalues and rvalues....3−35

4 Standard conversions....4−1

4.1 Lvalue-to-rvalue conversion....4−2

4.2 Array-to-pointer conversion....4−2

4.3 Function-to-pointer conversion....4−2

4.4 Qualification conversions....4−2

4.5 Integral promotions....4−3

4.6 Floating point promotion....4−4

4.7 Integral conversions....4−4

4.8 Floating point conversions....4−4

4.9 Floating-integral conversions....4−4

4.10 Pointer conversions....4−4

4.11 Pointer to member conversions....4−5

4.12 Boolean conversions....4−5

5 Expressions....5−1

5.1 Primary expressions....5−2

5.2 Postfix expressions....5−4
5.2.1 Subscripting....5−4
5.2.2 Function call....5−5
5.2.3 Explicit type conversion (functional notation)....5−6

5.2.4 Pseudo destructor call ....5−6
5.2.5 Class member access ....5−6
5.2.6 Increment and decrement ....5−8
5.2.7 Dynamic cast ....5−8
5.2.8 Type identification ....5−9
5.2.9 Static cast ....5−10
5.2.10 Reinterpret cast ....5−11
5.2.11 Const cast ....5−12

5.3 Unary expressions ....5−13
5.3.1 Unary operators ....5−14
5.3.2 Increment and decrement ....5−15
5.3.3 Sizeof ....5−15
5.3.4 New ....5−16
5.3.5 Delete ....5−19

5.4 Explicit type conversion (cast notation) ....5−20

5.5 Pointer-to-member operators ....5−21

5.6 Multiplicative operators ....5−21

5.7 Additive operators ....5−22

5.8 Shift operators ....5−23

5.9 Relational operators ....5−23

5.10 Equality operators ....5−25

5.11 Bitwise AND operator ....5−25

5.12 Bitwise exclusive OR operator ....5−25

5.13 Bitwise inclusive OR operator ....5−26

5.14 Logical AND operator ....5−26

5.15 Logical OR operator ....5−26

5.16 Conditional operator ....5−26

5.17 Assignment operators ....5−27

5.18 Comma operator ....5−28

5.19 Constant expressions ....5−28

6 Statements ....6−1

6.1 Labeled statement ....6−1

6.2 Expression statement ....6−1

6.3 Compound statement or block 6–1

6.4 Selection statements 6–2
6.4.1 The `if` statement 6–3
6.4.2 The `switch` statement 6–3

6.5 Iteration statements 6–3
6.5.1 The `while` statement 6–4
6.5.2 The `do` statement 6–5
6.5.3 The `for` statement 6–5

6.6 Jump statements 6–5
6.6.1 The `break` statement 6–6
6.6.2 The `continue` statement 6–6
6.6.3 The `return` statement 6–6
6.6.4 The `goto` statement 6–6

6.7 Declaration statement 6–6

6.8 Ambiguity resolution 6–7

7 Declarations 7–1

7.1 Specifiers 7–2
7.1.1 Storage class specifiers 7–3
7.1.2 Function specifiers 7–4
7.1.3 The `typedef` specifier 7–5
7.1.4 The `friend` specifier 7–6
7.1.5 Type specifiers 7–6
7.1.5.1 The *cv-qualifiers* 7–7
7.1.5.2 Simple type specifiers 7–8
7.1.5.3 Elaborated type specifiers 7–9

7.2 Enumeration declarations 7–10

7.3 Namespaces 7–12
7.3.1 Namespace definition 7–12
7.3.1.1 Unnamed namespaces 7–13
7.3.1.2 Namespace member definitions 7–13
7.3.2 Namespace alias 7–15
7.3.3 The `using` declaration 7–15
7.3.4 Using directive 7–20

7.4 The `asm` declaration 7–23

7.5 Linkage specifications 7–23

8 Declarators 8–1

8.1 Type names 8–2

8.2 Ambiguity resolution 8–3

8.3 Meaning of declarators 8–4

8.3.1 Pointers....8−5
8.3.2 References....8−6
8.3.3 Pointers to members....8−7
8.3.4 Arrays....8−8
8.3.5 Functions....8−9
8.3.6 Default arguments....8−11

8.4 Function definitions....8−14

8.5 Initializers....8−15
8.5.1 Aggregates....8−18
8.5.2 Character arrays....8−20
8.5.3 References....8−21

9 Classes....9−1

9.1 Class names....9−2

9.2 Class members....9−3

9.3 Member functions....9−5
9.3.1 Nonstatic member functions....9−6
9.3.2 The `this` pointer....9−7

9.4 Static members....9−8
9.4.1 Static member functions....9−9
9.4.2 Static data members....9−9

9.5 Unions....9−10

9.6 Bit-fields....9−11

9.7 Nested class declarations....9−12

9.8 Local class declarations....9−13

9.9 Nested type names....9−14

10 Derived classes....10−1

10.1 Multiple base classes....10−2

10.2 Member name lookup....10−4

10.3 Virtual functions....10−6

10.4 Abstract classes....10−10

11 Member access control....11−1

11.1 Access specifiers....11−2

11.2 Accessibility of base classes and base class members....11−3

11.3 Access declarations ....11−5

11.4 Friends....11−6

11.5 Protected member access ....11−8

11.6 Access to virtual functions ....11−9

11.7 Multiple access....11−10

11.8 Nested classes....11−10

12 Special member functions ....12−1

12.1 Constructors ....12−1

12.2 Temporary objects....12−3

12.3 Conversions....12−4
12.3.1 Conversion by constructor ....12−5
12.3.2 Conversion functions ....12−6

12.4 Destructors ....12−7

12.5 Free store....12−9

12.6 Initialization ....12−11
12.6.1 Explicit initialization....12−11
12.6.2 Initializing bases and members ....12−13

12.7 Construction and destruction....12−16

12.8 Copying class objects....12−19

13 Overloading....13−1

13.1 Overloadable declarations....13−1

13.2 Declaration matching ....13−3

13.3 Overload resolution....13−4
13.3.1 Candidate functions and argument lists ....13−5
13.3.1.1 Function call syntax ....13−6
13.3.1.1.1 Call to named function....13−7
13.3.1.1.2 Call to object of class type ....13−7
13.3.1.2 Operators in expressions ....13−8
13.3.1.3 Initialization by constructor ....13−10
13.3.1.4 Copy-initialization of class by user-defined conversion....13−11
13.3.1.5 Initialization by conversion function ....13−11
13.3.1.6 Initialization by conversion function for direct reference binding....13−11
13.3.2 Viable functions ....13−11
13.3.3 Best Viable Function....13−12
13.3.3.1 Implicit conversion sequences ....13−13
13.3.3.1.1 Standard conversion sequences....13−15

13.3.3.1.2 User-defined conversion sequences ....13−15
13.3.3.1.3 Ellipsis conversion sequences ....13−16
13.3.3.1.4 Reference binding ....13−16
13.3.3.2 Ranking implicit conversion sequences ....13−17

13.4 Address of overloaded function ....13−19

13.5 Overloaded operators ....13−20
13.5.1 Unary operators ....13−21
13.5.2 Binary operators ....13−21
13.5.3 Assignment ....13−21
13.5.4 Function call ....13−22
13.5.5 Subscripting ....13−22
13.5.6 Class member access ....13−22
13.5.7 Increment and decrement ....13−22

13.6 Built-in operators ....13−23

14 Templates ....14−1

14.1 Template parameters ....14−2

14.2 Names of template specializations ....14−4

14.3 Template arguments ....14−6
14.3.1 Template type arguments ....14−7
14.3.2 Template non-type arguments ....14−8
14.3.3 Template template arguments ....14−10

14.4 Type equivalence ....14−10

14.5 Template declarations ....14−11
14.5.1 Class templates ....14−11
14.5.1.1 Member functions of class templates ....14−12
14.5.1.2 Member classes of class templates ....14−12
14.5.1.3 Static data members of class templates ....14−13
14.5.2 Member templates ....14−13
14.5.3 Friends ....14−14
14.5.4 Class template partial specializations ....14−17
14.5.4.1 Matching of class template partial specializations ....14−18
14.5.4.2 Partial ordering of class template specializations ....14−19
14.5.4.3 Members of class template specializations ....14−19
14.5.5 Function templates ....14−21
14.5.5.1 Function template overloading ....14−21
14.5.5.2 Partial ordering of function templates ....14−22

14.6 Name resolution ....14−24
14.6.1 Locally declared names ....14−26
14.6.2 Dependent names ....14−28
14.6.2.1 Dependent types ....14−29
14.6.2.2 Type-dependent expressions ....14−30
14.6.2.3 Value-dependent expressions ....14−30
14.6.2.4 Dependent template arguments ....14−31
14.6.3 Non-dependent names ....14−31

14.6.4 Dependent name resolution 14–31
14.6.4.1 Point of instantiation 14–32
14.6.4.2 Candidate functions 14–32
14.6.5 Friend names declared within a class template 14–32

14.7 Template instantiation and specialization 14–33
14.7.1 Implicit instantiation 14–34
14.7.2 Explicit instantiation 14–37
14.7.3 Explicit specialization 14–39

14.8 Function template specializations 14–44
14.8.1 Explicit template argument specification 14–44
14.8.2 Template argument deduction 14–46
14.8.2.1 Deducing template arguments from a function call 14–48
14.8.2.2 Deducing template arguments taking the address of a function template 14–49
14.8.2.3 Deducing conversion function template arguments 14–49
14.8.2.4 Deducing template arguments from a type 14–49
14.8.3 Overload resolution 14–54

15 Exception handling 15–1

15.1 Throwing an exception 15–2

15.2 Constructors and destructors 15–4

15.3 Handling an exception 15–4

15.4 Exception specifications 15–6

15.5 Special functions 15–8
15.5.1 The `terminate()` function 15–8
15.5.2 The `unexpected()` function 15–9
15.5.3 The `uncaught_exception()` function 15–9

15.6 Exceptions and access 15–10

16 Preprocessing directives 16–1

16.1 Conditional inclusion 16–2

16.2 Source file inclusion 16–3

16.3 Macro replacement 16–4
16.3.1 Argument substitution 16–5
16.3.2 The # operator 16–6
16.3.3 The ## operator 16–6
16.3.4 Rescanning and further replacement 16–6
16.3.5 Scope of macro definitions 16–6

16.4 Line control 16–8

16.5 Error directive 16–8

16.6 Pragma directive 16–9

16.7 Null directive 16–9

16.8 Predefined macro names 16–9

17 Library introduction 17–1

17.1 Definitions 17–1
17.1.1 arbitrary-positional stream 17–1
17.1.2 character 17–1
17.1.3 character container type 17–2
17.1.4 comparison function 17–2
17.1.5 component 17–2
17.1.6 default behavior 17–2
17.1.7 handler function 17–2
17.1.8 iostream class templates 17–2
17.1.9 modifier function 17–2
17.1.10 object state 17–2
17.1.11 narrow-oriented iostream classes 17–2
17.1.12 NTCTS 17–2
17.1.13 observer function 17–2
17.1.14 replacement function 17–2
17.1.15 required behavior 17–3
17.1.16 repositional stream 17–3
17.1.17 reserved function 17–3
17.1.18 traits class 17–3
17.1.19 wide-oriented iostream classes 17–3

17.2 Additional definitions 17–3

17.3 Method of description (Informative) 17–3
17.3.1 Structure of each subclause 17–3
17.3.1.1 Summary 17–4
17.3.1.2 Requirements 17–4
17.3.1.3 Specifications 17–5
17.3.1.4 C Library 17–5
17.3.2 Other conventions 17–6
17.3.2.1 Type descriptions 17–6
17.3.2.1.1 Enumerated types 17–6
17.3.2.1.2 Bitmask types 17–6
17.3.2.1.3 Character sequences 17–7
17.3.2.1.3.1 Byte strings 17–8
17.3.2.1.3.2 Multibyte strings 17–8
17.3.2.1.3.3 Wide-character sequences 17–8
17.3.2.2 Functions within classes 17–8
17.3.2.3 Private members 17–8

17.4 Library-wide requirements 17–9
17.4.1 Library contents and organization 17–9
17.4.1.1 Library contents 17–9
17.4.1.2 Headers 17–9
17.4.1.3 Freestanding implementations 17–10
17.4.2 Using the library 17–11
17.4.2.1 Headers 17–11
17.4.2.2 Linkage 17–11

17.4.3 Constraints on programs ....17−11
17.4.3.1 Reserved names ....17−11
17.4.3.1.1 Macro names ....17−12
17.4.3.1.2 Global names ....17−12
17.4.3.1.3 External linkage ....17−12
17.4.3.1.4 Types ....17−12
17.4.3.2 Headers ....17−12
17.4.3.3 Derived classes ....17−13
17.4.3.4 Replacement functions ....17−13
17.4.3.5 Handler functions ....17−13
17.4.3.6 Other functions ....17−13
17.4.3.7 Function arguments ....17−14
17.4.3.8 Required paragraph ....17−14
17.4.4 Conforming implementations ....17−14
17.4.4.1 Headers ....17−14
17.4.4.2 Restrictions on macro definitions ....17−14
17.4.4.3 Global functions ....17−15
17.4.4.4 Member functions ....17−15
17.4.4.5 Reentrancy ....17−15
17.4.4.6 Protection within classes ....17−15
17.4.4.7 Derived classes ....17−15
17.4.4.8 Restrictions on exception handling ....17−16

18 Language support library ....18−1

18.1 Types ....18−1

18.2 Implementation properties ....18−2
18.2.1 Numeric limits ....18−2
18.2.1.1 Template class `numeric_limits` ....18−3
18.2.1.2 `numeric_limits` members ....18−3
18.2.1.3 Type `float_round_style` ....18−7
18.2.1.4 Type `float_denorm_style` ....18−8
18.2.1.5 `numeric_limits` specializations ....18−8
18.2.2 C Library ....18−9

18.3 Start and termination ....18−10

18.4 Dynamic memory management ....18−11
18.4.1 Storage allocation and deallocation ....18−11
18.4.1.1 Single-object forms ....18−11
18.4.1.2 Array forms ....18−12
18.4.1.3 Placement forms ....18−13
18.4.2 Storage allocation errors ....18−14
18.4.2.1 Class `bad_alloc` ....18−14
18.4.2.2 Type `new_handler` ....18−14
18.4.2.3 `set_new_handler` ....18−15

18.5 Type identification ....18−15
18.5.1 Class `type_info` ....18−15
18.5.2 Class `bad_cast` ....18−16
18.5.3 Class `bad_typeid` ....18−16

18.6 Exception handling ....18−17

18.6.1 Class `exception` ....18−17
18.6.2 Violating *`exception-specifications`* ....18−18
18.6.2.1 Class `bad_exception` ....18−18
18.6.2.2 Type `unexpected_handler` ....18−18
18.6.2.3 `set_unexpected` ....18−19
18.6.2.4 `unexpected` ....18−19
18.6.3 Abnormal termination ....18−19
18.6.3.1 Type `terminate_handler` ....18−19
18.6.3.2 `set_terminate` ....18−19
18.6.3.3 `terminate` ....18−19
18.6.4 `uncaught_exception` ....18−19

18.7 Other runtime support ....18−20

19 Diagnostics library ....19−1

19.1 Exception classes ....19−1
19.1.1 Class `logic_error` ....19−1
19.1.2 Class `domain_error` ....19−2
19.1.3 Class `invalid_argument` ....19−2
19.1.4 Class `length_error` ....19−2
19.1.5 Class `out_of_range` ....19−3
19.1.6 Class `runtime_error` ....19−3
19.1.7 Class `range_error` ....19−3
19.1.8 Class `overflow_error` ....19−4
19.1.9 Class `underflow_error` ....19−4

19.2 Assertions ....19−4

19.3 Error numbers ....19−4

20 General utilities library ....20−1

20.1 Requirements ....20−1
20.1.1 Equality comparison ....20−1
20.1.2 Less than comparison ....20−1
20.1.3 Copy construction ....20−2
20.1.4 Default construction ....20−2
20.1.5 Allocator requirements ....20−2

20.2 Utility components ....20−5
20.2.1 Operators ....20−5
20.2.2 Pairs ....20−6

20.3 Function objects ....20−7
20.3.1 Base ....20−9
20.3.2 Arithmetic operations ....20−9
20.3.3 Comparisons ....20−10
20.3.4 Logical operations ....20−10
20.3.5 Negators ....20−11
20.3.6 Binders ....20−11
20.3.6.1 Template class `binder1st` ....20−12
20.3.6.2 `bind1st` ....20−12
20.3.6.3 Template class `binder2nd` ....20−12

20.3.6.4 bind2nd 20–12
20.3.7 Adaptors for pointers to functions 20–13
20.3.8 Adaptors for pointers to members 20–13

20.4 Memory 20–15
20.4.1 The default allocator 20–16
20.4.1.1 allocator members 20–17
20.4.1.2 allocator globals 20–18
20.4.2 Raw storage iterator 20–18
20.4.3 Temporary buffers 20–18
20.4.4 Specialized algorithms 20–19
20.4.4.1 uninitialized_copy 20–19
20.4.4.2 uninitialized_fill 20–19
20.4.4.3 uninitialized_fill_n 20–19
20.4.5 Template class auto_ptr 20–20
20.4.5.1 auto_ptr constructors 20–20
20.4.5.2 auto_ptr members 20–21
20.4.5.3 auto_ptr conversions 20–21
20.4.6 C Library 20–22

20.5 Date and time 20–22

21 Strings library 21–1

21.1 Character traits 21–1
21.1.1 Character traits requirements 21–1
21.1.2 traits typedefs 21–3
21.1.3 char_traits specializations 21–3
21.1.3.1 struct char_traits<char> 21–3
21.1.3.2 struct char_traits<wchar_t> 21–4

21.2 String classes 21–5

21.3 Template class basic_string 21–8
21.3.1 basic_string constructors 21–11
21.3.2 basic_string iterator support 21–14
21.3.3 basic_string capacity 21–14
21.3.4 basic_string element access 21–15
21.3.5 basic_string modifiers 21–16
21.3.5.1 basic_string::operator+= 21–16
21.3.5.2 basic_string::append 21–16
21.3.5.3 basic_string::assign 21–17
21.3.5.4 basic_string::insert 21–17
21.3.5.5 basic_string::erase 21–18
21.3.5.6 basic_string::replace 21–19
21.3.5.7 basic_string::copy 21–20
21.3.5.8 basic_string::swap 21–20
21.3.6 basic_string string operations 21–21
21.3.6.1 basic_string::find 21–21
21.3.6.2 basic_string::rfind 21–21
21.3.6.3 basic_string::find_first_of 21–22
21.3.6.4 basic_string::find_last_of 21–22
21.3.6.5 basic_string::find_first_not_of 21–23
21.3.6.6 basic_string::find_last_not_of 21–23

21.3.6.7 basic_string::substr ..... 21−24
21.3.6.8 basic_string::compare ..... 21−24
21.3.7 basic_string non-member functions ..... 21−25
21.3.7.1 operator+ ..... 21−25
21.3.7.2 operator== ..... 21−25
21.3.7.3 operator!= ..... 21−26
21.3.7.4 operator< ..... 21−26
21.3.7.5 operator> ..... 21−26
21.3.7.6 operator<= ..... 21−27
21.3.7.7 operator>= ..... 21−27
21.3.7.8 swap ..... 21−27
21.3.7.9 Inserters and extractors ..... 21−28

21.4 Null-terminated sequence utilities ..... 21−29

22 Localization library ..... 22−1

22.1 Locales ..... 22−1
22.1.1 Class locale ..... 22−2
22.1.1.1 locale types ..... 22−4
22.1.1.1.1 Type locale::category ..... 22−4
22.1.1.1.2 Class locale::facet ..... 22−6
22.1.1.1.3 Class locale::id ..... 22−7
22.1.1.2 locale constructors and destructor ..... 22−7
22.1.1.3 locale members ..... 22−8
22.1.1.4 locale operators ..... 22−8
22.1.1.5 locale static members ..... 22−9
22.1.2 locale globals ..... 22−9
22.1.3 Convenience interfaces ..... 22−9
22.1.3.1 Character classification ..... 22−9
22.1.3.2 Character conversions ..... 22−10

22.2 Standard locale categories ..... 22−10
22.2.1 The ctype category ..... 22−10
22.2.1.1 Template class ctype ..... 22−10
22.2.1.1.1 ctype members ..... 22−11
22.2.1.1.2 ctype virtual functions ..... 22−12
22.2.1.2 Template class ctype_byname ..... 22−13
22.2.1.3 ctype specializations ..... 22−14
22.2.1.3.1 ctype<char> destructor ..... 22−15
22.2.1.3.2 ctype<char> members ..... 22−15
22.2.1.3.3 ctype<char> static members ..... 22−16
22.2.1.3.4 ctype<char> virtual functions ..... 22−16
22.2.1.4 Class ctype_byname<char> ..... 22−17
22.2.1.5 Template class codecvt ..... 22−17
22.2.1.5.1 codecvt members ..... 22−18
22.2.1.5.2 codecvt virtual functions ..... 22−19
22.2.1.6 Template class codecvt_byname ..... 22−20
22.2.2 The numeric category ..... 22−21
22.2.2.1 Template class num_get ..... 22−21
22.2.2.1.1 num_get members ..... 22−22
22.2.2.1.2 num_get virtual functions ..... 22−23
22.2.2.2 Template class num_put ..... 22−25
22.2.2.2.1 num_put members ..... 22−26

22.2.2.2.2 num_put virtual functions....22-26
22.2.3 The numeric punctuation facet....22-29
22.2.3.1 Template class numpunct....22-29
22.2.3.1.1 numpunct members....22-30
22.2.3.1.2 numpunct virtual functions....22-30
22.2.3.2 Template class numpunct_byname....22-31
22.2.4 The collate category....22-31
22.2.4.1 Template class collate....22-31
22.2.4.1.1 collate members....22-32
22.2.4.1.2 collate virtual functions....22-32
22.2.4.2 Template class collate_byname....22-33
22.2.5 The time category....22-33
22.2.5.1 Template class time_get....22-33
22.2.5.1.1 time_get members....22-34
22.2.5.1.2 time_get virtual functions....22-35
22.2.5.2 Template class time_get_byname....22-35
22.2.5.3 Template class time_put....22-36
22.2.5.3.1 time_put members....22-36
22.2.5.3.2 time_put virtual functions....22-37
22.2.5.4 Template class time_put_byname....22-37
22.2.6 The monetary category....22-37
22.2.6.1 Template class money_get....22-38
22.2.6.1.1 money_get members....22-38
22.2.6.1.2 money_get virtual functions....22-38
22.2.6.2 Template class money_put....22-39
22.2.6.2.1 money_put members....22-40
22.2.6.2.2 money_put virtual functions....22-40
22.2.6.3 Template class moneypunct....22-41
22.2.6.3.1 moneypunct members....22-42
22.2.6.3.2 moneypunct virtual functions....22-42
22.2.6.4 Template class moneypunct_byname....22-43
22.2.7 The message retrieval category....22-43
22.2.7.1 Template class messages....22-43
22.2.7.1.1 messages members....22-44
22.2.7.1.2 messages virtual functions....22-44
22.2.7.2 Template class messages_byname....22-45
22.2.8 Program-defined facets....22-45

22.3 C Library Locales....22-48

23 Containers library....23-1

23.1 Container requirements....23-1
23.1.1 Sequences....23-4
23.1.2 Associative containers....23-7

23.2 Sequences....23-10
23.2.1 Template class deque....23-13
23.2.1.1 deque constructors, copy, and assignment....23-15
23.2.1.2 deque capacity....23-16
23.2.1.3 deque modifiers....23-16
23.2.1.4 deque specialized algorithms....23-17
23.2.2 Template class list....23-17
23.2.2.1 list constructors, copy, and assignment....23-19

23.2.2.2 `list` capacity 23–19
23.2.2.3 `list` modifiers 23–20
23.2.2.4 `list` operations 23–20
23.2.2.5 `list` specialized algorithms 23–22
23.2.3 Container adaptors 23–22
23.2.3.1 Template class `queue` 23–22
23.2.3.2 Template class `priority_queue` 23–23
23.2.3.2.1 `priority_queue` constructors 23–24
23.2.3.2.2 `priority_queue` members 23–24
23.2.3.3 Template class `stack` 23–24
23.2.4 Template class `vector` 23–25
23.2.4.1 `vector` constructors, copy, and assignment 23–27
23.2.4.2 `vector` capacity 23–27
23.2.4.3 `vector` modifiers 23–28
23.2.4.4 `vector` specialized algorithms 23–28
23.2.5 Class `vector<bool>` 23–29

23.3 Associative containers 23–31
23.3.1 Template class `map` 23–32
23.3.1.1 `map` constructors, copy, and assignment 23–35
23.3.1.2 `map` element access 23–35
23.3.1.3 `map` operations 23–35
23.3.1.4 `map` specialized algorithms 23–35
23.3.2 Template class `multimap` 23–36
23.3.2.1 `multimap` constructors 23–38
23.3.2.2 `multimap` operations 23–38
23.3.2.3 `multimap` specialized algorithms 23–39
23.3.3 Template class `set` 23–39
23.3.3.1 `set` constructors, copy, and assignment 23–41
23.3.3.2 `set` specialized algorithms 23–41
23.3.4 Template class `multiset` 23–41
23.3.4.1 `multiset` constructors 23–43
23.3.4.2 `multiset` specialized algorithms 23–44
23.3.5 Template class `bitset` 23–44
23.3.5.1 `bitset` constructors 23–46
23.3.5.2 `bitset` members 23–46
23.3.5.3 `bitset` operators 23–48

24 Iterators library 24–1

24.1 Iterator requirements 24–1
24.1.1 Input iterators 24–2
24.1.2 Output iterators 24–3
24.1.3 Forward iterators 24–4
24.1.4 Bidirectional iterators 24–5
24.1.5 Random access iterators 24–5

24.2 Header `<iterator>` synopsis 24–6

24.3 Iterator primitives 24–8
24.3.1 Iterator traits 24–8
24.3.2 Basic iterator 24–9
24.3.3 Standard iterator tags 24–10
24.3.4 Iterator operations 24–11

24.4 Predefined iterators ....24−11
24.4.1 Reverse iterators ....24−11
24.4.1.1 Template class `reverse_iterator` ....24−11
24.4.1.2 `reverse_iterator` requirements ....24−12
24.4.1.3 `reverse_iterator` operations ....24−13
24.4.1.3.1 `reverse_iterator` constructor ....24−13
24.4.1.3.2 Conversion ....24−13
24.4.1.3.3 `operator*` ....24−13
24.4.1.3.4 `operator->` ....24−13
24.4.1.3.5 `operator++` ....24−13
24.4.1.3.6 `operator--` ....24−13
24.4.1.3.7 `operator+` ....24−14
24.4.1.3.8 `operator+=` ....24−14
24.4.1.3.9 `operator-` ....24−14
24.4.1.3.10 `operator-=` ....24−14
24.4.1.3.11 `operator[]` ....24−14
24.4.1.3.12 `operator==` ....24−14
24.4.1.3.13 `operator<` ....24−15
24.4.1.3.14 `operator!=` ....24−15
24.4.1.3.15 `operator>` ....24−15
24.4.1.3.16 `operator>=` ....24−15
24.4.1.3.17 `operator<=` ....24−15
24.4.1.3.18 `operator-` ....24−15
24.4.1.3.19 `operator+` ....24−15
24.4.2 Insert iterators ....24−16
24.4.2.1 Template class `back_insert_iterator` ....24−16
24.4.2.2 `back_insert_iterator` operations ....24−16
24.4.2.2.1 `back_insert_iterator` constructor ....24−16
24.4.2.2.2 `back_insert_iterator::operator=` ....24−17
24.4.2.2.3 `back_insert_iterator::operator*` ....24−17
24.4.2.2.4 `back_insert_iterator::operator++` ....24−17
24.4.2.2.5 `back_inserter` ....24−17
24.4.2.3 Template class `front_insert_iterator` ....24−17
24.4.2.4 `front_insert_iterator` operations ....24−17
24.4.2.4.1 `front_insert_iterator` constructor ....24−17
24.4.2.4.2 `front_insert_iterator::operator=` ....24−18
24.4.2.4.3 `front_insert_iterator::operator*` ....24−18
24.4.2.4.4 `front_insert_iterator::operator++` ....24−18
24.4.2.4.5 `front_inserter` ....24−18
24.4.2.5 Template class `insert_iterator` ....24−18
24.4.2.6 `insert_iterator` operations ....24−19
24.4.2.6.1 `insert_iterator` constructor ....24−19
24.4.2.6.2 `insert_iterator::operator=` ....24−19
24.4.2.6.3 `insert_iterator::operator*` ....24−19
24.4.2.6.4 `insert_iterator::operator++` ....24−19
24.4.2.6.5 `inserter` ....24−19

24.5 Stream iterators ....24−19
24.5.1 Template class `istream_iterator` ....24−19
24.5.1.1 `istream_iterator` constructors and destructor ....24−20
24.5.1.2 `istream_iterator` operations ....24−21
24.5.2 Template class `ostream_iterator` ....24−21
24.5.2.1 `ostream_iterator` constructors and destructor ....24−22
24.5.2.2 `ostream_iterator` operations ....24−22

24.5.3 Template class `istreambuf_iterator` 24–22
24.5.3.1 Template class `istreambuf_iterator::proxy` 24–23
24.5.3.2 `istreambuf_iterator` constructors....24–24
24.5.3.3 `istreambuf_iterator::operator*`....24–24
24.5.3.4 `istreambuf_iterator::operator++` 24–24
24.5.3.5 `istreambuf_iterator::equal` 24–24
24.5.3.6 `operator==`....24–24
24.5.3.7 `operator!=`....24–25
24.5.4 Template class `ostreambuf_iterator` 24–25
24.5.4.1 `ostreambuf_iterator` constructors....24–25
24.5.4.2 `ostreambuf_iterator` operations 24–25

25 Algorithms library....25–1

25.1 Non-modifying sequence operations....25–9
25.1.1 For each....25–9
25.1.2 Find 25–10
25.1.3 Find End....25–10
25.1.4 Find First....25–10
25.1.5 Adjacent find....25–11
25.1.6 Count....25–11
25.1.7 Mismatch....25–11
25.1.8 Equal 25–11
25.1.9 Search....25–12

25.2 Mutating sequence operations....25–13
25.2.1 Copy....25–13
25.2.2 Swap....25–13
25.2.3 Transform....25–14
25.2.4 Replace....25–14
25.2.5 Fill....25–15
25.2.6 Generate 25–15
25.2.7 Remove 25–15
25.2.8 Unique....25–16
25.2.9 Reverse....25–16
25.2.10 Rotate 25–17
25.2.11 Random shuffle....25–17
25.2.12 Partitions 25–18

25.3 Sorting and related operations....25–18
25.3.1 Sorting....25–19
25.3.1.1 `sort` 25–19
25.3.1.2 `stable_sort` 25–19
25.3.1.3 `partial_sort`....25–19
25.3.1.4 `partial_sort_copy`....25–20
25.3.2 Nth element....25–20
25.3.3 Binary search....25–20
25.3.3.1 `lower_bound`....25–20
25.3.3.2 `upper_bound`....25–21
25.3.3.3 `equal_range`....25–21
25.3.3.4 `binary_search`....25–21
25.3.4 Merge 25–22
25.3.5 Set operations on sorted structures....25–22
25.3.5.1 `includes`....25–23

25.3.5.2 set_union 25–23
25.3.5.3 set_intersection 25–23
25.3.5.4 set_difference 25–24
25.3.5.5 set_symmetric_difference 25–24
25.3.6 Heap operations 25–24
25.3.6.1 push_heap 25–25
25.3.6.2 pop_heap 25–25
25.3.6.3 make_heap 25–25
25.3.6.4 sort_heap 25–25
25.3.7 Minimum and maximum 25–26
25.3.8 Lexicographical comparison 25–26
25.3.9 Permutation generators 25–27

25.4 C library algorithms 25–27

26 Numerics library 26–1

26.1 Numeric type requirements 26–1

26.2 Complex numbers 26–2
26.2.1 Header <complex> synopsis 26–2
26.2.2 Template class complex 26–3
26.2.3 complex specializations 26–5
26.2.4 complex member functions 26–6
26.2.5 complex member operators 26–6
26.2.6 complex non-member operations 26–7
26.2.7 complex value operations 26–8
26.2.8 complex transcendentals 26–9

26.3 Numeric arrays 26–10
26.3.1 Header <valarray> synopsis 26–10
26.3.2 Template class valarray 26–12
26.3.2.1 valarray constructors 26–14
26.3.2.2 valarray assignment 26–15
26.3.2.3 valarray element access 26–15
26.3.2.4 valarray subset operations 26–16
26.3.2.5 valarray unary operators 26–16
26.3.2.6 valarray computed assignment 26–16
26.3.2.7 valarray member functions 26–17
26.3.3 valarray non-member operations 26–18
26.3.3.1 valarray binary operators 26–18
26.3.3.2 valarray logical operators 26–19
26.3.3.3 valarray transcendentals 26–20
26.3.4 Class slice 26–21
26.3.4.1 slice constructors 26–21
26.3.4.2 slice access functions 26–21
26.3.5 Template class slice_array 26–21
26.3.5.1 slice_array constructors 26–22
26.3.5.2 slice_array assignment 26–22
26.3.5.3 slice_array computed assignment 26–23
26.3.5.4 slice_array fill function 26–23
26.3.6 The gslice class 26–23
26.3.6.1 gslice constructors 26–24
26.3.6.2 gslice access functions 26–24

26.3.7 Template class `gslice_array` 26–25
26.3.7.1 `gslice_array` constructors 26–25
26.3.7.2 `gslice_array` assignment 26–25
26.3.7.3 `gslice_array computed assignment` 26–26
26.3.7.4 `gslice_array` fill function 26–26
26.3.8 Template class `mask_array` 26–26
26.3.8.1 `mask_array` constructors 26–27
26.3.8.2 `mask_array` assignment 26–27
26.3.8.3 `mask_array` computed assignment 26–27
26.3.8.4 `mask_array` fill function 26–27
26.3.9 Template class `indirect_array` 26–27
26.3.9.1 `indirect_array` constructors 26–28
26.3.9.2 `indirect_array` assignment 26–28
26.3.9.3 `indirect_array` computed assignment 26–29
26.3.9.4 `indirect_array` fill function 26–29

26.4 Generalized numeric operations 26–29
26.4.1 Accumulate 26–30
26.4.2 Inner product 26–30
26.4.3 Partial sum 26–31
26.4.4 Adjacent difference 26–31

26.5 C Library 26–31

27 Input/output library 27–1

27.1 Iostreams requirements 27–1
27.1.1 Limitations 27–1
27.1.1.1 Imbue Limitations 27–1
27.1.1.2 Positioning Type Limitations 27–1

27.2 Forward declarations 27–2

27.3 Standard iostream objects 27–4
27.3.1 Narrow stream objects 27–4
27.3.2 Wide stream objects 27–5

27.4 Iostreams base classes 27–6
27.4.1 Types 27–6
27.4.2 Class `ios_base` 27–7
27.4.2.1 Types 27–9
27.4.2.1.1 Class `ios_base::failure` 27–9
27.4.2.1.2 Type `ios_base::fmtflags` 27–9
27.4.2.1.3 Type `ios_base::iostate` 27–10
27.4.2.1.4 Type `ios_base::openmode` 27–11
27.4.2.1.5 Type `ios_base::seekdir` 27–11
27.4.2.1.6 Class `ios_base::Init` 27–11
27.4.2.2 `ios_base fmtflags` state functions 27–12
27.4.2.3 `ios_base locale` functions 27–12
27.4.2.4 `ios_base` static members 27–13
27.4.2.5 `ios_base` storage functions 27–13
27.4.2.6 `ios_base` callbacks 27–14
27.4.2.7 `ios_base` constructors/destructors 27–14
27.4.3 Template class `fpos` 27–14

27.4.3.1 fpos Members ....27−14
27.4.4 fpos requirements ....27−14
27.4.5 Template class basic_ios ....27−15
27.4.5.1 basic_ios constructors ....27−16
27.4.5.2 Member functions ....27−17
27.4.5.3 basic_ios iostate flags functions ....27−18
27.4.6 ios_base manipulators ....27−19
27.4.6.1 fmtflags manipulators ....27−19
27.4.6.2 adjustfield manipulators ....27−20
27.4.6.3 basefield manipulators ....27−20
27.4.6.4 floatfield manipulators ....27−21

27.5 Stream buffers ....27−21
27.5.1 Stream buffer requirements ....27−21
27.5.2 Template class basic_streambuf<charT,traits> ....27−22
27.5.2.1 basic_streambuf constructors ....27−24
27.5.2.2 basic_streambuf public member functions ....27−24
27.5.2.2.1 Locales ....27−24
27.5.2.2.2 Buffer management and positioning ....27−24
27.5.2.2.3 Get area ....27−25
27.5.2.2.4 Putback ....27−25
27.5.2.2.5 Put area ....27−25
27.5.2.3 basic_streambuf protected member functions ....27−26
27.5.2.3.1 Get area access ....27−26
27.5.2.3.2 Put area access ....27−26
27.5.2.4 basic_streambuf virtual functions ....27−26
27.5.2.4.1 Locales ....27−26
27.5.2.4.2 Buffer management and positioning ....27−27
27.5.2.4.3 Get area ....27−27
27.5.2.4.4 Putback ....27−28
27.5.2.4.5 Put area ....27−29

27.6 Formatting and manipulators ....27−30
27.6.1 Input streams ....27−30
27.6.1.1 Template class basic_istream ....27−30
27.6.1.1.1 basic_istream constructors ....27−32
27.6.1.1.2 Class basic_istream::sentry ....27−33
27.6.1.2 Formatted input functions ....27−34
27.6.1.2.1 Common requirements ....27−34
27.6.1.2.2 Arithmetic Extractors ....27−34
27.6.1.2.3 basic_istream::operator>> ....27−35
27.6.1.3 Unformatted input functions ....27−36
27.6.1.4 Standard basic_istream manipulators ....27−40
27.6.1.5 Template class basic_iostream ....27−40
27.6.1.5.1 basic_iostream constructors ....27−40
27.6.1.5.2 basic_iostream destructor ....27−40
27.6.2 Output streams ....27−41
27.6.2.1 Template class basic_ostream ....27−41
27.6.2.2 basic_ostream constructors ....27−42
27.6.2.3 Class basic_ostream::sentry ....27−43
27.6.2.4 basic_ostream seek members ....27−43
27.6.2.5 Formatted output functions ....27−44
27.6.2.5.1 Common requirements ....27−44
27.6.2.5.2 Arithmetic Inserters ....27−44

27.6.2.5.3 `basic_ostream::operator<<` ..... 27−45
27.6.2.5.4 Character inserter template functions ..... 27−45
27.6.2.6 Unformatted output functions ..... 27−46
27.6.2.7 Standard `basic_ostream` manipulators ..... 27−47
27.6.3 Standard manipulators ..... 27−47

27.7 String-based streams ..... 27−49
27.7.1 Template class `basic_stringbuf` ..... 27−50
27.7.1.1 `basic_stringbuf` constructors ..... 27−51
27.7.1.2 Member functions ..... 27−51
27.7.1.3 Overridden virtual functions ..... 27−52
27.7.2 Template class `basic_istringstream` ..... 27−54
27.7.2.1 `basic_istringstream` constructors ..... 27−54
27.7.2.2 Member functions ..... 27−55
27.7.3 Class `basic_ostringstream` ..... 27−55
27.7.3.1 `basic_ostringstream` constructors ..... 27−55
27.7.3.2 Member functions ..... 27−56
27.7.4 Template class `basic_stringstream` ..... 27−56
27.7.5 basic_stringstream constructors ..... 27−57
27.7.6 Member functions ..... 27−57

27.8 File-based streams ..... 27−57
27.8.1 File streams ..... 27−57
27.8.1.1 Template class `basic_filebuf` ..... 27−58
27.8.1.2 `basic_filebuf` constructors ..... 27−59
27.8.1.3 Member functions ..... 27−60
27.8.1.4 Overridden virtual functions ..... 27−61
27.8.1.5 Template class `basic_ifstream` ..... 27−63
27.8.1.6 `basic_ifstream` constructors ..... 27−64
27.8.1.7 Member functions ..... 27−64
27.8.1.8 Template class `basic_ofstream` ..... 27−64
27.8.1.9 `basic_ofstream` constructors ..... 27−65
27.8.1.10 Member functions ..... 27−65
27.8.1.11 Template class `basic_fstream` ..... 27−66
27.8.1.12 `basic_fstream` constructors ..... 27−66
27.8.1.13 Member functions ..... 27−66
27.8.2 C Library files ..... 27−67

A Grammar summary ..... A−1

A.1 Keywords ..... A−1

A.2 Lexical conventions ..... A−1

A.3 Basic concepts ..... A−5

A.4 Expressions ..... A−5

A.5 Statements ..... A−8

A.6 Declarations ..... A−9

A.7 Declarators ..... A−11

A.8 Classes ..... A−13

A.9 Derived classes ..... A−14

A.10 Special member functions ..... A−14

A.11 Overloading ..... A−14

A.12 Templates ..... A−15

A.13 Exception handling ..... A−15

A.14 Preprocessing directives ..... A−16

B Implementation quantities ..... B−1

C Compatibility ..... C−1

C.1 C++ and ISO C ..... C−1
C.1.1 Clause 2: lexical conventions ..... C−1
C.1.2 Clause 3: basic concepts ..... C−2
C.1.3 Clause 5: expressions ..... C−4
C.1.4 Clause 6: statements ..... C−4
C.1.5 Clause 7: declarations ..... C−5
C.1.6 Clause 8: declarators ..... C−7
C.1.7 Clause 9: classes ..... C−8
C.1.8 Clause 12: special member functions ..... C−9
C.1.9 Clause 16: preprocessing directives ..... C−10

C.2 Standard C library ..... C−10
C.2.1 Modifications to headers ..... C−12
C.2.2 Modifications to definitions ..... C−12
C.2.2.1 Type `wchar_t` ..... C−12
C.2.2.2 Header `<iso646.h>` ..... C−12
C.2.2.3 Macro `NULL` ..... C−13
C.2.3 Modifications to declarations ..... C−13
C.2.4 Modifications to behavior ..... C−13
C.2.4.1 Macro `offsetof(`*`type, member-designator`*`)` ..... C−13
C.2.4.2 Memory allocation functions ..... C−13

D Compatibility features ..... D−1

D.1 Postfix increment operator ..... D−1

D.2 static keyword ..... D−1

D.3 Access declarations ..... D−1

D.4 Implicit conversion from const strings ..... D−1

D.5 Standard C library headers ..... D−1

D.6 Old iostreams members ..... D−2

D.7 `char*` streams D–3
D.7.1 Class `strstreambuf` D–3
D.7.1.1 `strstreambuf` constructors D–5
D.7.1.2 Member functions D–6
D.7.1.3 `strstreambuf` overridden virtual functions D–6
D.7.2 Class `istrstream` D–9
D.7.2.1 `istrstream` constructors D–9
D.7.2.2 Member functions D–9
D.7.3 Class `ostrstream` D–10
D.7.3.1 `ostrstream` constructors D–10
D.7.3.2 Member functions D–10
D.7.4 Class `strstream` D–11
D.7.4.1 `strstream` constructors D–11
D.7.4.2 `strstream` destructor D–12
D.7.4.3 `strstream` operations D–12

E Universal-character-names E–1