

ISO/IEC JTC1/SC22 N 969

JUNE 1991

TITLE:

Disposition of Comments Report on comments received on a proposal that N842 - WD on Programming Languages Common Language -Independent Datatypes be registered as a CD

SOURCE:

Secretariat ISO/IEC JTC1/SC22

WORK ITEM:

JTC1.22.17

STATUS:

New

CROSS REFERENCE: N970 (CD 11404), N906, N842

DOCUMENT TYPE: . Disposition of Comments Report

ACTION:

For information to by Member Bodies.



Editor's notes to CLI Datatypes WD5 - SC22/WG11 N245

wd5.enotes

Doc. No.: SC22/MG11 N245
X3T2/91-110
Date: 3 May 1991
Raply to: Ed Barkmeyer
Mational Institute

Mational Institute of
Standards & Technology
Bldg 220 Room A127
Gaithersburg, MD 20899

0.S.A. +1 (301) 975-3528

Common Language-Independent Datatypes Editor's Notes for Working Draft 5

Overview

1. Working draft 5 is a revision of CLI Datatypes working draft 4, designated WG11 N190 (X372/90-211), per committee decisions of WG11 (September, 1990 and January, 1991). WPM was circulated for CD ballot in SC22 (as SC22 N842), and WD5 contains all changes required by resolution of the SC22 ballot comments (SC22 N906). Not all such comments were, however, resolved.

The Outstanding Issues section remains in the draft until all officially raised issues have been resolved. The Outstanding Issues list must be empty and removed before the document is progressed beyond the Committee Draft stage.

Section B below, Annotations to Changes, identifies individual changes clause-by-clause and the source of those changes.

Section C below, Disposition of Comments, identifies all comment documents resolved by the committee since the release of MD.4 and the disposition of each comment.

- 2. The major changes from Working Draft 4 are:
- a. The datatype definition syntax, and consequently many of the productions for individual datatypes, has been considerably revised.
- b. The compliance rules have been revised to require partial direct compliance to support a specific list of datatypes and generators. The proper contents of this list is an open Issue (2).
- c. The effect of type properties on mapping requirements is now detailed, although the text of this (in clause 6) should be regarded tentative.

3. Abbreviated references

All comment documents are referenced by both WG11 and X372 document number wherever they are applied. Abbreviated references are used for the following documents, which recommend many individual chances:

[FR n] refers to SC22 M906, comments on the CD ballot, from France. The n is the number of the French comment.

[US] refers to SC22 M906, comments on the CD ballot, from USA.

[N176] refers to a Greengrass proposal (WG11 N176) which the editor was directed to introduce into MD4 (committee decision, 6/90) and was unable to do. Greengrass expanded on the proposal in X3T2/90-293 (WG11 N777) and it is the expansion which is here

incorporated.
[N196] refers to WG11 N196 from Mike Sykes.
[N208] refers to WG11 N208, the resolution of sev

[N208] refers to WG11 N208, the resolution of several comment documents by WG11 in September, 1990.
[IDN] refers to changes made to accommodate alignment with the

Annotations to Changes

March, 1991, RPC IDN working draft.

In keeping with the view that the CLID has become a standing document of the committee, all changes from MD4 are indicated by "change bars" in the document margins. The editor applopines that his text processing software felt compelled to change-bar all cross-references, even those which did not change, and to change-bar certain paragraphs because of formatting changes.

- 1. Resolution of Outstanding Issues in WD4:
- Distinguished datatypes and generators.
 Partially resolved, reformulated in MD5.
- Required datatypes and generators.Open, requires collaboration with RPC community.
- Pragmata/Attributes.
 Required, Resolved Issue 21.
- 4. Mappings.
- Required, Resolved Issue 22.
- Syntax.
 CLID/CLIPC/RPC shall use a common syntax. Resolved Issue 23.
- Ordering of CharacterString.Partly resolved, reformulated in WDS. Outstanding Issue 3.
- Open. Outstanding Issue

Null values of Pointer.

Yes. Resolved Issue 24.

- User-defined datatypes and generators.
 Reformulated for proposed IDN. Outstanding Issue 5.
- . Outstanding Issues in MD5:
- 1. Slightly revised from WD4 Issue 1.
- 3. Reformulated from MD4 Issue 2.
- 3. Reformulated from MD4 Issue 6.
- 6. Carried over from WD4 Issue 7.
- Reformulated from HD4 Issue 9. [IDN]
 Formally added by committee 9/90, and unresolved ballot
- comments. [N196] [US] [FR 39, 40, 42, 43, 44, 45].
- 7. Unresolved ballot comment. [FR 15]
- Unresolved ballot comment. [FR 17]
 Unresolved ballot comment. [FR 34]
- 10. Alignment issue with RPC, alignment issue with LCAS, and ballot comment. [FR 36] [IDN]
- 11. Unresolved ballot comments. [FR 41, 51], supported by Yellin (N221), Greengrass (N232), and Hamilton/Treat (N219).
- . Global changes

Major revision to the syntax to match proposed IDN. The grammar is, for several reasons, not identical to the current IDN draft. It is believed, however, that the language described thereby is identical to that described by the current IDN draft, except for the following:

a. array-index supports index-type, not present in the IDN.

b. attribute-value-spec allows the equal-sign (-) character, to prevent having to rewrite Annex D in this draft. The feature may be

otherwise desirable.

c. datatype-declaration and generator-declaration could not be

Editor's notes of CLI Datatypes with - SC27 will in 143

changed to the IDN syntax without committee decision on the semantic

- implications. The IDN syntax does not support the CLID concepts.

 d. lowerbound, upperbound and select-range syntax was made uniform,
 to avoid the introduction of IDN "infinity" which does not generalize
 to non-numeric datatypes.
- e. exponent added to real-literal.
- f. "max" and "min" subtypes changed to "size" with syntax and semantics similar to the "limit-spec" in MD4, to support the semantics of MD4 limit-spec.
- g. time-type changed to support WG11 semantic changes.
 h. inclusion in the CLID of many intermediate productions needed to associate CLID semantic notions with syntactic objects, resulting in syntactic limitations on special cases to support the semantics.

The syntax notation used in the CLID also differs from that used in the draft IDM, both being convenient derivatives of classical BNF. While these should be aligned at all levels in the dIS, the notational change requires a rewrite of clause 4, which was not available.

Where possible, non-terminal symbols retained the same spelling as the IDN non-terminals, although in some cases the IDN abbreviation was expanded to the corresponding English word, as twalue-exprise to "value-expression". The IDN type-specy was uniformly replaced by the WD4 "datatype", as being more consistent with the semantics of CLID. In WD4 and WD5, the words "parameter" and "parametric" appearing in symbols always refer to the parameters of defined-datatypes and defined-generators, while the word "argument" always refers to the parameters of defined declared procedures and procedure-types - the IDN symbols were replaced accordingly.

Specific changes:

Foreword.

Reference for PHIGS added. [FR 4]
Revised to correct the name of JTC1. [

Revised to correct the name of JTC1. [Ed.]

Revised the paragraphs on use of the standard to support the model discussed in committee jointly with RPC (1/91). The former text emphasized the outward mapping; the change emphasizes the inward mapping. The outward mapping alone is never sufficient; in the current view, the inward mapping may be. [Ed.]

Explanation that Notes are not normative added. [FR 6]

- Scope. Example added to explain the difference between language semantics and program semantics. [FR 9]
- Normative References. ISO 8824 and 9836 added because of OSI-Object-Id (B.9). [Ed.]
- 3. Definitions:

 pragma changed to attribute and redefined. [IDN]
 generated internal datatype added. [FR 10]
 generated primitive datatype added. [FR 10]
 mapping added. [FR 10]
 primitive datatype redefined. [US]
 variable added, to support Pointer [Ed.]
- 4.1. Syntax. Minor editorial changes. [FR 12]
- 4.2 any-character defined. [FR 13] Many clarifications added to support the IDM. [Ed.]
- 5. Compliance. Note extended, per committee discussion of [FR 3].
- Direct compliance.
 Note 3 added, per committee discussion of [FR 3]. Text is

wd5,cnotes

5.2. Rewritten following committee discussion (9/90) of Tanner's comment (b) in WG11 N197. [N208]

5.3 Note 2. revised to define "generic". [FR 10

6.1 Datatype.

"Relationships" changed to "properties" (see 6.3).
NOTE moved to 6.3. [FR 1]

6.2 Added statement that a value belongs to only one datatype. (Rabin, in committee, 1/91)

6.3 Value Relationships merged with 6.4 Datatype Properties.
Merger and mapping requirements derived from [N176].
Description of the abstract computational model added. Associated NOTE moved from 6.1. [FR 1]

6.3.1 "Equivalence" changed to "Equality". [FR 20] (The word "equivalent" is used frequently in the text with other meanings.)
"Properties" changed to "rules", to avoid confusion [Ed.]

Mapping requirements added. [N176]

6.3.2 Ordering

"Properties" changed to "rules", to avoid confusion [Ed.]

Mapping requirements added. (N176)
6.3.3 Bound

Mapping requirements added. [N176]

6.3.4 (former 6.4.1) Cardinality.

Mapping requirements added. [N176]

Computational notion described. [FR 1]

6.3.5 (former 6.4.2) Dense.

Mapping requirements added. [N176]

Computational notion described. [FR 1]

6.3.6 (former 6.4.3) Numeric.
Mapping requirements added. [N17

6.5 renumbered 6.4.

6.5 (former 6.6) Note/example added to explain the need for characterizing operations. (Committee response to [FR 19]).

6.7 renumbered 6.6.

ndatatype-designator introduced to accommodate attributes [IDN]. Paragraph added to defend the notation for values. [FR 11]

7.1. Description of "syntax" in the template changed to refer to datatype designator. [FR 23]

Definition of operation descriptions added. [FR 24]

Pseudo-definition of Equal deleted, per committee decision (1/91).

7.1.1. Boolean. Equal added, per committee decision (1/91)

7.1.2. State.

Syntax changes. [IDN] [FR 25] References to "equivalence" changed to Equal, per committee decision

Editor's notes to CLI Datatypes WD5 - SC22/WG11 N245

(1/91). [FR 27]

Syntax changes. (IDN) "Enumerated" in the operations expanded to a type reference. [Ed.] Equal added, per committee decision (1/91). Enumerated. [FR 25]

explain the raison d'etre of Annex E. [Ed. per ISO directives.] cases to "character set". [N208] following N196. 7.1.4. Character. "Character" in the operations expanded to a type reference. Mote 2 added to relate CLID to the "registration problem" and Example added. [FR 28] Equal added, per committee decision (1/91). Editorial change "alphabet" to "repertoire" and in some

7.1.5. Ordinal. Equal added, per committee decision (1/91).

7.1.6. Time.

avoid confusion. [N208], following Sykes in WG11 N196. required changing the syntactic object "resolution" to "unit-type" to Editorial changes to change "accuracy" to "resolution", which

time-zones, [M196, M204, M208]. Change "designating" to "whose values are". [FR 30] Reference to UTC added to satisfy the Sykes comment on Equal added, per committee decision (1/91).

7.1.7. Bit. Equal added, per committee decision (1/91).

Extend and Round re-worded to improve clarity.

[FR 31]

7.1.8. Integer.

Equal added, per committee decision (1/91).

7.1.9. Rational.

Measure removed, per committee decision (1/91). Equal added, per committee decision (1/91).

7.1.10. Scaled. Definition of scaled-literal (value) added and Note 6 added. A new Note 1 added to expand on the former Note 4. [FR 32] Equal added, per committee decision (1/91). Note 3 reworded. radix**factor changed to radix** (- factor) uniformly. [Ed.] [FR 34]

or consistent. this was supplied by the editor, and is not necessarily either correct This required specification of the meaning of relative-error. Wost of 7.1.11. Real. Syntax change, including the relative-error parameter. [IDN

Equal added, per committee decision (1/91) Definition of real-literal (value) added. [FR 36] Measure removed, per committee decision (1/91). Note 2 added, per committee decision (1/91).

7.1.12 Complex.

This required specification of the meaning of relative-error. Most of or consistent. this was supplied by the editor, and is not necessarily either correct Syntax change, including the relative-error parameter. [IDN]

others. Definition of complex-literal modified to match the style of the Measure removed, per committee decision (1/91). [FR 37] Equal added, per committee decision (1/91).

wd5.cnotes

7.1.13. Null. Equal defined properly. [Ed.] The null-value changed to "nil" [N195, N208].

resulted from keystroke error). 7.1.14 Undefined. Disposition in doubt - no changes. (change bars

7.1.15 Private.

7.1.16 Procedure.

to Note 1. [FR 46] "functions" changed to "algorithms" and "terminating" relegated "Equals" changed to "Equal" [Ed.] Major syntax change with numerous consequences. [IDN]

Note 2 added, deferring to the CLIPC to define the concept of Apply.

7.2.2 Selected renamed Selecting, for symmetry with Excluding. [Ed.] Major syntax change. [IDN]

7.2.3 Excluding. New. [US] Syntax generalized, per committee decision (1/91).

was no longer true. 7.2.4 Extended. former 7.2.3. Second sentence of the Note removed. Syntax and semantics derived from those of Selected. [Ed.] In view of Excluding, it

CharacterString and BitString types. [IDN] Size also meets the requirement for a means of limiting the size of 7.2.5 Size subtype. Introduced to conform to the handling of limits in the IDN syntax. New.

7.2.6 Explicit subtypes. former 7.2.4. Properties corrected. [Ed.]

7.3 Generators. Syntax changes in the example in Note 3. Reference to the description of operations added. [FR 24]

7.3.1. Choice.

committee decision (1/91). Rewritten to describe Choice as a "discriminated union", per Add value denotation. [FR 53]

7.3.2 Record. Correct "values" to "named values". Add value denotation. (FR 53) [FR 49]

mathematical meaning, which is not the meaning here. [Yellin, WGI1 N221] of a value" is used frequently in the document in its more common 7.3.3. Pointer. "instance" changed to "variable", because the term "instance Mull-value added. [US]

avoid the problem of infinite sets. Committee decision (1/91). 7.3.4. Set. Complement operation removed and replaced by Difference, to Add value denotation. Limits syntax and semantics moved to "Size" subtype. [IDN [FR 53]

Limits syntax and semantics moved to "Size" subtype. [IDN]

Editor's notes 'n CLI Datatypes WD3 - SC22/WULL N '43

Add value denotation. [FR 53]

7.3.6 Bag. Limits syntax and semantics moved to "Size" subtype. [IDN] and walue denotation. [FR 53]

7.3.7 Array.

Array generalized to multidimensional. Major syntactic change with numerous side effects. Notes 1,2 replace former Note, explaining the change. Example replaced. [IDM] Notes 3 and 4 added to defend choices (committee, 1/91).

Add value denotation. Limits syntax and semantics moved to "Size" subtype. [IDN] [FR 53]

7.3.8 Table.

7.3.9 Declared-generator-types. Syntax changes and corresponding wording changes.

Declared-datatypes. [IDW]

Datatype-declarations. Syntax changes and corresponding wording changes.

Generator-declarations. Syntax changes and corresponding wording changes.

Value-declarations. Syntax changes and corresponding wording changes.

Major syntax change and corresponding re-wording.

Attributes. Rewritten. (IDN) (US) (formerly "Pragmata").

5 Mappings. no changes.

Null removed. [us]

Array added. [US]

(WG11 M200). [M208] [FR 54] Corrected list of operations inherited from List, per Pickett BitString.

CharacterString.

set". [M200] following Sykes (WG11 N196). Changed "alphabet" to "repertoire" and in some cases to "character

decision (9/90). [N208] [FR 54] Corrected list of operations inherited from List, per Pickett (MG11 M200). Note 3 added to define "concatenate" per committee

resolution (9/90) of collating sequence issues raised in N196. [N208] Definition of InOrder changed and Note 1 revised per committee

B.7 Interval (new).

Added after committee discussion of [N196].

The text is supplied by the editor and is tentative.

The text is supplied by the editor and is tentative. Added to satisfy RPC requirement for the type. [IDN]

B.9 OSI-Object-Id (new) .

Added by committee decision, to support RPC (1/90). text is supplied by the editor and is tentative.

wd5.enotes

The few substantive changes are identified below. Recommended Representation Attributes (formerly "Recommended Pragmata"). Major change in format and terminology. (IDN)

D.3. Floating-point.

Missing text at end supplied. (Burch, private communication).

D.0. Alignment. Added sync-point "both". (FR 56

Annex F. Draft Syntax for the IDN. replaces Collected Syntax. [IDN]

on "file objects", arising from [FR 22]. Annex G. Issue 20. Paragraph added to reflect committee consensus

Disposition of Comments

N208 from WGll: resolution of comments N196, N197, N200, N204. The document describes the disposition of the comments. indicated in N208 have been made to MD5. All changes

JTC1/SC22 N906, Ballot comments on Proposal to Register CLI Datatypes WD4 as a Committee Draft.

France:

revisions to 6.4. The intended model is an "abstract computational model".
 recommendation that the model should be defined is accepted. See

Accepted.

4. accepted.

3. Accepted

5. not accepted. The paragraph was rewritten

6. accepted. ISO directives say that Notes are not normative.

and 0 will remain largely unchanged. this standard and future addenda, while it is hoped that Clauses 7 contents of Annexes B and C may change considerably over drafts of the relationships between Compliance and Annex A to be carefully described. Annexes B and C contain the datatypes which are less placing it in clause 5, to avoid unintentional implications and allow normative or informative. The reason for consolidating the "minimum" datatype set in Annex A was to locate it in a single place and avoid "fundamental" than those in Clauses 7 and 8. It is expected that the 7. rejected. ISO requires Annexes to indicate whether they are

accepted.

accepted.

and "generic mapping" is now explained in the Note which contains its only occurrence. accepted, references to "generic datatype" have been removed,

Procedure, and Pointer are given. now given in clause 7. Value notations for all datatypes but Private, accepted in principle. The rationale for value notations is

not accepted. The unnecessary phrase was struck



Editor's notes to CLI Datatypes WD5 - SC22/WG11 N245 wd5.enotes

3. accepted.

 agreed. Informative annexes to be provided before further circulation of this document, although not in WD5.

5. No consensus. This is Outstanding Issue 7.

16. It is expected that datatype definitions will occur in at least the following places:

a. the CLID Annexes

standards containing the outward mappings of programming languages

atandards defining service interfaces

d. the CLI Procedure Calling and Remote Procedure Calling standards
 e. users using the Interface Definition Notation for the CLIPC/RPC.

other user applications

In all of cases a-d, the reference to a STANDARD ensures common understanding of the name and meaning of the defined-datatype. In case e, it is expected that all users of the same procedure interface will share a common IDM description - a kind of "local standard" ensuring common understanding. In case f, if the application is private to a particular user, it is not necessary for it to be shared, and if it is not private, then one of the means a-e should be sought.

The committee recognizes that, over time, multiple definitions of a common datatype will occur in cases b and c. This would certainly be grounds for modifying Annexes B and C of the CLID itself. On the other hand, definitions of different datatypes with the same name can be expected in cases b, c and e as well. This is unfortunate and cannot be avoided in the general case, but it does not affect the interchange of datatypes, except when conflicting standards are used in the same application. A work-around for this should be provided in the CLIPC/RPC, but in general, this situation is probably grounds for a defect report for the standards in question.

argued that COBOL must provide a datatype which can be mapped into contents of Annex A are still unresolved. procedures. that Boolean should not be a member of the minimum list, implying that used to define the interfaces to standard services. In essence, the commonality among language datatypes, especially where they may be CLI datatypes for the purpose of identifying the datatype semantics of the language, and thus the "outward mapping of COBOL" should not be it should be avoided in defining interfaces to ISO standard Boolean for standard procedure calls. for standard procedures may be chosen. In this sense, it can be minimum list may become the maximum list from which argument datatypes have a minimum list, in order to achieve the greatest possible part in the definition of procedure interfaces, it is necessary to required to contain Boolean. But to the extent that mappings play a programming languages should not be required to support any particular no consensus. See Outstanding Issues 2 and 8. The functionality of outward mappings and the Alternatively, it can be argued The committee agreed that

18. rejected. The word "value" is, in English at least, commonly used in both mathematical and computational discourse to have exactly the gense in which it is used in the CLID. It may be that the proper French equivalent is not obvious, and this then is an important matter for translation of the eventual standard. The word "element" implies a set or structure, which is inappropriate. The word "object" is more general than intended, and therefore less acceptable — it was proposed and discarded in discussing Brown's commentary on WD3 (WG11 N172, N191).

 accepted in principle. The rationale for character 'ng operations is now in 6.6.

- 20. not clear what is wanted. The term "equivalence" was changed to "equality" in MD5 and certain related editorial changes were made.
- accepted. The Note and the definition of dense have been considerably revised in MD5.
- 22. rejected. This point is addressed in Resolved Issue 20.
- 23. accepted
- 24. accepted.
- 25. accepted. The production was in 8.3.
- rejected. The production is on page 40.
- 27. accepted in principle. Equal is now defined for every datatype.
- 28. accepted
- 29. There is a difference in the characterizing operations. Note, however, that this is a part of Outstanding Issue 1.
- accepted in principle. Several changes made to 7.1.6.
- 31. accepted.
- 12. Yes, but that is deprecated. See 7.1.10 Note 1.
- 3. Yes, and that is preferred. See 7.1.10 Note 1.
- Unresolved. The value notation problem is part of Issue 9.
- Accepted. The Note has been reworded.

Unresolved. This is a part of Outstanding Issue 10.

38. Accepted. Reworded.

Measure has been removed.

"Dense" has been redefined.

- 9. No consensus. Outstanding Issue 6.
- 40. Rejected. Resolved Issue 10. (But see outstanding Issue 6.)
- 41. a. Pointer can be Null. Accepted.
- b. Is Pointer primitive? Unresolved. Outstanding issue 11.
- 42-45. No consensus. Outstanding Issue 6.
- . accepted.
- No, but Choice has been considerably revised.
- accepted. Is the new text satisfactory?
- accepted.
- O. Yes.
- Unresolved. See Outstanding Issue 11.
- 52. rejected. Selen is a necessary characterizing operation

Editor's notes to CLI Datatypes WD5 - SC22/wG11 N245 wd5.enotes

by some implementation-dependent algorithm and some form of Select is a supported operation.

- accepted. Value notations are now provided for everything but Private, Pointer and Procedure.
- 54. accepted.
- 55. not accepted. Resolved by limits subtype from IDN.
- 56. accepted.
- 57. accepted.
- . agreed, but it is not available at this time.
- agreed, an informative annex containing one mapping will be provided.
- 60. agreed, see response to 59.

United States:

with regard to the U.S. principal objection, the committee agrees that the outstanding issues must be resolved before this document can be processed BEYOND the Committee Draft stage. Nevertheless, it is the consensus of the committee that the document does include all main elements in the scope of the work item, and is presented in a form which is that envisaged for the eventual international Standard, and that therefore this document is suitable for registration as a CD. The outstanding issues which might have significantly affected the scope of the document, namely the inclusion of mappings and pragmata, have been resolved to the satisfaction of the U.S. delegation.

Specific bulleted comments:

- Add Array to A.2. accepted.
- . Remove Null. No consensus. This is outstanding issue 6.
- Remove Null from A.1. accepted.
- Keep mappings. accepted.
- Annotation mechanism. accepted.
- b. Module concept. Not accepted. This is an IDN problem which goes beyond the scope and needs of the CLID itself. There is agreement that the CLID syntax will be compatible with that of the IDN.
- 6. Null value of Pointer. accepted.
- Add "exclude" subtype. accepted.
- change 3.32. accepted.
- add definitions.
 data interchange format. rejected. Does not appear in the draft.
 datatype identifier. rejected. Does not appear in the draft.