

G6 FCD Cover Page

Final Committee Draft ISO/IEC 10646-1/FPDAM 28	
Date: 1999-04-07	Reference number: ISO/JTC 1/SC 2 N 3312
Supersedes document SC 2 N 3186	

THIS DOCUMENT IS STILL UNDER STUDY AND SUBJECT TO CHANGE. IT SHOULD NOT BE USED FOR REFERENCE PURPOSES.

ISO/IEC JTC 1/SC 2 Coded Character Sets Secretariat: Japan (JISC)	Circulated to P- and O-members, and to technical committees and organizations in liaison for voting (P-members only) by: 1999-08-13 Please return all votes and comments in electronic form directly to the SC 2 Secretariat by the due date indicated.
--------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

ISO/IEC 10646-1/FPDAM 28

Title: Information technology -- Universal Multiple-Octet Coded Character Set (UCS) -- Part 1: Architecture and Basic Multilingual Plane -- AMENDMENT 28: Ideographic description characters

Project: 1.02.18.01.28

Introductory note:

At its eighth plenary meeting held in Redmond, Washington, USA, 1998-03-24/25, SC 2 approved this subproject (Resolution M08.13). JTC 1's endorsement has been obtained as shown in JTC 1 N 5481. A combined PDAM registration and consideration ballot was conducted as SC 2 N 3213 and its summary of voting is contained in SC 2 N 3247. The disposition of comments report was prepared at the 36th meeting of WG 2 held in Fukuoka, Japan, 1999-03-09/15 and is contained in SC 2 N 3281. In accordance with Resolution M09.09 adopted at the 9th SC 2 Plenary Meeting held in Fukuoka, Japan, 1999-03-16, this document is circulated to the SC 2 members for a four-month FPDAM ballot. Please submit all votes and comments in electronic form directly to the SC 2 Secretariat as soon as possible **but not later than 1999-08-13.**

Medium: Web

No. of pages: Cover+6+LB

Address Reply to: Secretariat ISO/IEC JTC 1/SC 2 - Toshiko KIMURA

IPSJ/ITSCJ (Information Processing Society of Japan/Information Technology Standards Commission of Japan)*

Room 308-3, Kikai-Shinko-Kaikan Bldg., 3-5-8, Shiba-Koen, Minato-ku, Tokyo 105-0011 JAPAN

Tel: +81 3 3431 2808; Fax: +81 3 3431 6493; E-mail: kimura@itscj.ipsj.or.jp; <http://www.dkuug.dk/jtc1/sc2>

*A Standard Organization accredited by JISC

Information technology — Universal Multiple-Octet Coded Character Set (UCS) —

Part 1:

Architecture and Basic Multilingual Plane

AMENDMENT 28: Ideographic description characters

Page 11, Clause 19

In the list of Block names, after the entry BRAILLE PATTERNS (see Amd. 16) insert new entries as follows:

IDEOGRAPHIC DESCRIPTION CHARACTERS
2FF0 - 2FFF

Page 15, Clause 25, Figure 4 (see Amendment 5)

In Figure 4 (Amd.5), in the cross-hatched area for rows 28 to 2F, insert a zone corresponding to 2FF0 to 2FFF containing the words:

Ideographic Description Characters

centred on a white background.

















After page 113

Add the following new tables titled:

Table 247 - Row 2F: IDEOGRAPHIC DESCRIPTION CHARACTERS

Table 247 - Row 2F: IDEOGRAPHIC DESCRIPTION CHARACTERS

2FF

0	
1	
2	
3	
4	
5	
6	
7	
8	
9	
A	
B	
C	
D	
E	
F	

G = 00

P = 00

Table 247 - Row 2F: IDEOGRAPHIC DESCRIPTION CHARACTERS

dec	hex	Name
240	F0	IDEOGRAPHIC DESCRIPTION CHARACTER LEFT TO RIGHT
241	F1	IDEOGRAPHIC DESCRIPTION CHARACTER ABOVE TO BELOW
242	F2	IDEOGRAPHIC DESCRIPTION CHARACTER LEFT TO MIDDLE AND RIGHT
243	F3	IDEOGRAPHIC DESCRIPTION CHARACTER ABOVE TO MIDDLE AND BELOW
244	F4	IDEOGRAPHIC DESCRIPTION CHARACTER FULL SURROUND
245	F5	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM ABOVE
246	F6	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM BELOW
247	F7	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM LEFT
248	F8	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM UPPER LEFT
249	F9	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM UPPER RIGHT
250	FA	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM LOWER LEFT
251	FB	IDEOGRAPHIC DESCRIPTION CHARACTER OVERLAID
252	FC	(This position shall not be used)
253	FD	(This position shall not be used)
254	FE	(This position shall not be used)
255	FF	(This position shall not be used)

Group 00

dec	hex	Name

Plane 00

Row 2F

Page 700, Annex A

In the list of collection numbers and names, after
206 NUMERIC SHAPE SELECTORS

insert a new entry as follows:

207 IDEOGRAPHIC DESCRIPTION
CHARACTERS 2FF0 - 2FFF

and in the the entry:

251 SCRIPT-SPECIFIC FORMAT CHARACTERS
amend the second line to read:
Collections 204 - 207

Page 708. Annex D - Alternate format characters

Add the following text at the end of the Annex.

D.3 Ideographic description characters

An Ideographic Description Character (IDC) is a graphic character, which is used with a sequence of other graphic characters to form an Ideographic Description Sequence (IDS). Such a sequence may be used to describe an ideographic character which is not specified within this International Standard.

The IDS describes the ideograph in the abstract form. It is not interpreted as a composed character and does not imply any specific form of rendering.

D.3.1 Syntax of an ideographic description sequence

An IDS consists of an IDC followed by a fixed number of Description Components (DC). A DC may be any one of the following :

- a coded ideograph
- a coded radical
- another IDS

NOTE - The above description implies that any IDS may be nested within another IDS.

Each IDC has four properties as summarized in Table-D.1 below.

- the number of DCs used in the IDS that commences with that IDC,
- the definition of its acronym,
- the syntax of the corresponding IDS,
- the relative positions of the DCs in the visual representation of the ideograph that is being described in its abstract form.

The syntax of the IDS introduced by each IDC is indicated in the "IDS Acronym and Syntax" column of the table by the abbreviated name of the IDC (e.g. IDC-LTR) followed by the corresponding number of DCs, i.e. (D₁ D₂) or (D₁ D₂ D₃).

D.3.2 Individual definitions of the ideographic description characters**IDEOGRAPHIC DESCRIPTION CHARACTER LEFT TO RIGHT (2FF0):**

The IDS introduced by this character describes the abstract form of the ideograph with D₁ on the left and D₂ on the right.

IDEOGRAPHIC DESCRIPTION CHARACTER ABOVE TO BELOW (2FF1):

The IDS introduced by this character describes the abstract form of the ideograph with D₁ above D₂.

IDEOGRAPHIC DESCRIPTION CHARACTER LEFT TO MIDDLE AND RIGHT (2FF2):

The IDS introduced by this character describes the abstract form of the ideograph with D₁ on the left of D₂, and D₂ on the left of D₃.

IDEOGRAPHIC DESCRIPTION CHARACTER ABOVE TO MIDDLE AND BELOW (2FF3):

The IDS introduced by this character describes the abstract form of the ideograph with D₁ above D₂, and D₂ above D₃.

IDEOGRAPHIC DESCRIPTION CHARACTER FULL SURROUND (2FF4):

The IDS introduced by this character describes the abstract form of the ideograph with D₁ surrounding D₂.

IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM ABOVE (2FF5):

The IDS introduced by this character describes the abstract form of the ideograph with D₁ above D₂, and surrounding D₂ on both sides.

IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM BELOW (2FF6):

The IDS introduced by this character describes the abstract form of the ideograph with D₁ below D₂, and surrounding D₂ on both sides.

IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM LEFT (2FF7):

The IDS introduced by this character describes the abstract form of the ideograph with D₁ on the left of D₂, and surrounding D₂ above and below.

IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM UPPER LEFT (2FF8):

The IDS introduced by this character describes the abstract form of the ideograph with D₁ at the top left corner of D₂, and partly surrounding D₂ above and to the left.

IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM UPPER RIGHT (2FF9):

The IDS introduced by this character describes the abstract form of the ideograph with D_1 at the top right corner of D_2 , and partly surrounding D_2 above and to the right.

IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM LOWER LEFT (2FFA):

The IDS introduced by this character describes the abstract form of the ideograph with D_1 at the bottom left corner of D_2 , and partly surrounding D_2 below and to the left.

IDEOGRAPHIC DESCRIPTION CHARACTER OVERLAID (2FFB):

The IDS introduced by this character describes the abstract form of the ideograph with D_1 and D_2 overlaying each other.

Add Table D.1 (see overleaf) after the preceding text.

Page 729, Annex E

After the entry IDEOGRAPHIC DEPARTING TONE MARK *insert the following character name entries:*

























2FF1	IDEOGRAPHIC DESCRIPTION CHARACTER ABOVE TO BELOW
2FF3	IDEOGRAPHIC DESCRIPTION CHARACTER ABOVE TO MIDDLE AND BELOW
2FF4	IDEOGRAPHIC DESCRIPTION CHARACTER FULL SURROUND
2FF2	IDEOGRAPHIC DESCRIPTION CHARACTER LEFT TO MIDDLE AND RIGHT
2FF0	IDEOGRAPHIC DESCRIPTION CHARACTER LEFT TO RIGHT
2FFB	IDEOGRAPHIC DESCRIPTION CHARACTER OVERLAID
2FF5	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM ABOVE
2FF6	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM BELOW
2FF7	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM LEFT
2FFA	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM LOWER LEFT
2FF8	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM UPPER LEFT
2FF9	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM UPPER RIGHT

Page 751, Annex L

After the entry for GB 2312-1980 insert new entry as follows.

GBK (*Guo Biao Kuo*) Han character internal code extension specification: *Jishu Biaozhun Chubanshe* (Technical Standards Publishing)

Table D.1: Properties of ideographic description characters

Character Name: IDEOGRAPHIC DESCRIPTION CHARACTER ...	no. of DCs	IDS Acronym and Syntax	Relative positions of DCs	Example of IDS	IDS example represents:
LEFT TO RIGHT	2	IDC-LTR D ₁ D ₂			𠄎
ABOVE TO BELOW	2	IDC-ATB D ₁ D ₂			𠄑
LEFT TO MIDDLE AND RIGHT	3	IDC-LMR D ₁ D ₂ D ₃			𠄔
ABOVE TO MIDDLE AND BELOW	3	IDC-AMB D ₁ D ₂ D ₃			𠄘
FULL SURROUND	2	IDC-FSD D ₁ D ₂			𠄜
SURROUND FROM ABOVE	2	IDC-SAV D ₁ D ₂			𠄟
SURROUND FROM BELOW	2	IDC-SBL D ₁ D ₂			𠄢
SURROUND FROM LEFT	2	IDC-SLT D ₁ D ₂			𠄥
SURROUND FROM UPPER LEFT	2	IDC-SUL D ₁ D ₂			𠄩
SURROUND FROM UPPER RIGHT	2	IDC-SUR D ₁ D ₂			𠄭
SURROUND FROM LOWER LEFT	2	IDC-SLL D ₁ D ₂			𠄱
OVERLAID	2	IDC-OVL D ₁ D ₂			𠄴

* NOTE: D₁ and D₂ overlap each other. This diagram does not imply that D₁ is on the top left corner and D₂ is on the bottom right corner.