

G5 CD Cover Page

Committee Draft ISO/IEC CD 2375	
Date: 1999-11-15	Reference number: ISO/JTC 1/SC 2 N 3390
Supersedes document: none	

THIS DOCUMENT IS STILL UNDER STUDY AND SUBJECT TO CHANGE. IT SHOULD NOT BE USED FOR REFERENCE PURPOSES.

ISO/IEC JTC 1/SC 2 Coded Character Sets Secretariat: Japan (JISC)	Circulated to P- and O-members, and to technical committees and organizations in liaison for: - discussion at x comment by x voting by (P-members only) 2000-02-15 Please return all votes and comments in electronic form directly to the SC 2 Secretariat by the due date indicated.
--	--

ISO/IEC CD 2375

Title: Information technology — Procedure for registration of escape sequences and coded character sets (Fourth Edition)

Project: 1.02.04.00.00.00.04

Introductory note:

At the Fukuoka plenary meeting, SC 2 approved SC 2 N 3295 as the scope of this revision and delegated the authority for CD Registration to WG 3 (Resolution M09.06). In accordance with Resolution M15.3 of the WG 3 Copenhagen meeting, this document is circulated to SC 2 for a three-month CD letter ballot. Please submit all votes and comments to the SC 2 Secretariat **as soon as possible but not later than 2000-02-15.**

Medium: Web

No. of pages: Cover +23

Address Reply to:

Secretariat, ISO/IEC JTC 1/SC 2

IPSJ/ITSCJ (Information Processing Society of Japan/Information Technology Standards Commission of Japan)*

Room 308-3, Kikai-Shinko-Kaikan Bldg., 3-5-8, Shiba-Koen, Minato-ku, Tokyo 105 JAPAN

Tel: +81 3 3431 2808; Fax: +81 3 3431 6493; E-mail: kimura@itsecj.ipsj.or.jp;

<http://www.dkuug.dk/jtc1/sc2>

*A Standard Organization accredited by JISC

Source: Michael Everson

Title: Committee draft for the revision of ISO 2375

Date: 1999-11-05

Status: Committee draft

TITLE PAGE

To be provided by ITTF

Contents

	Page
Foreword	iii
Introduction	iv
1 Scope	1
2 Field of application	1
3 Normative references	1
4 Definitions	1
5 Registration Authority.	1
6 Sponsoring Authorities.	1
7 Registration procedure.	2
8 Review procedure	2
9 Withdrawal procedure.	3
10 Correction procedure	3
11 Revision procedure.	3
12 Appeal procedure	3
Annex A Registration Authority	4
Annex B International Register	4
Annex C Criteria for the allocation of ESC F_s sequences.	7
Annex D The Registration Authority's Joint Advisory Committee (RA-JAC).	7
Annex E Layout of code tables	8
Annex F Flowchart showing the registration process	13
Annex G Example registration.	13
Annex H Principal differences between this fourth edition of ISO/IEC 2375 (2000-xx-xx) and the third edition of ISO 2375 (1985-11-01).	14

© ISO/IEC 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and nongovernmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC1. Draft International Standards adopted by the joint technical committee are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75% of the national bodies casting a vote.

International Standard ISO/IEC 2375 was prepared by Joint Technical Committee ISO/IEC JTC1, *Information technology*, Subcommittee SC2, *Coded character sets*.

Introduction

International standard codes (coded character sets) have been adopted for the interchange of information between information processing systems and within message transmission systems. However, circumstances occur where applications require additional characters not included in international standard codes, or require them with variant code positions.

Provision for additional characters is made by code extension techniques in which the additional characters or character sets are identified by escape sequences. The procedures for code extension and the structure and use of escape sequences are fully documented in ISO/IEC 2022, which defines classes of escape sequences, but does not assign specific meanings to individual escape sequences. Instead, it depends on ISO/IEC 2375 to assign the meanings.

This International Standard specifies the procedures to be followed in preparing and maintaining a register of specific escape-sequence meanings. The registry associates escape sequences to specific coded character sets. The purpose of this register is to inform all concerned of coded character sets already developed and of the specific escape sequences assigned to them.

The publication of the register should promote compatibility in international information interchange and avoid duplication of effort in developing application-oriented coded character sets. Registration provides a standardized identifier for a coded character set but it should not be regarded as procedure to standardize a coded character set – it is not a standardization procedure. Nevertheless, as a matter apart from registration the coded character set may, but need not, be the subject of an international, national, or other standard. When such a standard is prepared subsequent to the registration of an escape sequence, it would be appropriate to specify the escape sequence identifying the coded character set in the standard.

Information technology — Procedure for registration of escape sequences and coded character sets

1 Scope

This International Standard specifies the procedures to be followed by a Registration Authority in preparing, maintaining, and publishing a register of escape sequences and of the coded character sets they identify.

2 Field of application

2.1 ISO/IEC 2022 describes the escape sequences referenced in this International Standard, with the exception of escape sequences described in ISO/IEC 2022 but reserved for private use.

2.2 The use of these escape sequences includes code extension, that is, the provision of additional sets of characters, or of additional control functions in accordance with ISO/IEC 2022.

2.3 An escape sequence registered in accordance with this International Standard shall serve as an identification of the character, the set of characters, or the control function associated with it in the register.

3 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of ISO/IEC 2375. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on ISO/IEC 2375 are encouraged to investigate the possibility of applying the most recent editions of the standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO/IEC 646: 1991, *Information processing – ISO 7-bit coded character set for information interchange*.

ISO/IEC 2022: 1994, *Information technology – Character code structure and extension techniques*.

ISO/IEC 4873: 1991, *Information technology – ISO 8-bit code for information interchange – Structure and rules for implementation*.

ISO/IEC 6937: 1994, *Information technology – Coded graphic set for text communication – Latin alphabet*.

ISO/IEC 10646-1: 1993, *Information technology – Universal Multiple-Octet Coded Character Set (UCS) – Part 1: Architecture and Basic Multilingual Plane*.

4 Definitions

4.1 combining character A member of an identified subset of the coded character set of ISO/IEC 10646 intended for combination with the preceding non-combining graphic character, or with a sequence of combining characters preceded by a non-combining character.

4.2 code table A table showing the characters allocated to each bit combination in a code.

4.3 code position That part of a code table identified by its column and row coordinates.

5 Registration Authority

5.1 The Registration Authority shall be an organization nominated by the ISO/IEC JTC1 subcommittee concerned with coding and appointed by ISO to act as the Registration Authority for the purpose of this International Standard.

5.2 The Registration Authority shall maintain a register of the meanings assigned to escape sequences. The contents of this register shall be available upon request to ISO or IEC member bodies, to liaison organizations of ISO or IEC, and to any interested party.

5.3 The registration itself does not specify the rules in accordance with which a character or character set identified by an escape sequence is to be used. Rather, the registration shall identify the documents, for example, standards, which specify such rules.

6 Sponsoring Authorities

6.1 Sponsoring Authorities can submit proposals concerning the meanings of escape sequences to the Registration Authority. For the purposes of this International Standard, Sponsoring Authorities are limited to the following:

- any ISO or IEC technical committee or subcommittee;
- any group within the ISO/IEC JTC1 subcommittee concerned with coding in

information processing, appointed by the subcommittee for purposes connected with code extension or the use of escape sequences;

- any member body of ISO or IEC;
- any organization having liaison status with ISO or IEC or with any of their technical committees or subcommittees.

NOTE: In the instance of proposals concerning single additional control functions to be represented by the F_s escape sequence (see ISO/IEC 2022), the only Sponsoring Authority shall be the coding subcommittee (see annex C). This is necessary because of the extremely limited number of escape sequences available for that purpose.

6.2 The responsibilities of a Sponsoring Authority shall be as follows.

6.2.1 A Sponsoring Authority shall receive proposals concerning the meanings of escape sequences from within its respective countries or organizations.

6.2.2 A Sponsoring Authority shall effect such justification or coordination of these proposals as it may desire.

NOTE: This International Standard requires only that an application for registration meets the requirements of clause 7.3, but a Sponsoring Authority is free to specify additional requirements to be met to receive its support.

6.2.3 A Sponsoring Authority shall forward those proposals that have its support to the Registration Authority.

6.2.4 A Sponsoring Authority shall make known within its respective country or organization the outcome of the registration procedure.

6.3 A Sponsoring Authority shall forward proposals to the Registration Authority on the prescribed form, the layout of which shall be available from the Registration Authority. (Annex E contains samples of the prescribed form.)

6.4 A Sponsoring Authority should, when convenient and applicable, propose mappings of the characters proposed in the registration to ISO/IEC 10646.

6.5 The Sponsoring Authority is the owner and has ultimate authority over the content of its character sets.

7 Registration procedure

7.1 With regard to the initial assignment of meanings to escape sequences and of subsequent additions to the register, the responsibilities of the

Registration Authority shall be as follows.

7.2 The Registration Authority shall receive from sponsoring authorities proposals for meanings to be assigned to escape sequences.

7.3 The Registration Authority shall ascertain that the proposals received are formally in accordance with this International Standard, technically in accordance with ISO/IEC 2022, and, where applicable, with ISO/IEC 646 and ISO/IEC 4873; it shall ascertain that the proposals received meet the presentation practice of the the Registration Authority.

NOTE: Complete coding systems registered need not be in accordance with ISO/IEC 2022; see clause B.1.5. It is the escape sequence which must be in accordance with ISO/IEC 2022.

7.4 When required, the Registration Authority shall indicate to the Sponsoring Authority the changes needed to meet the requirements of 7.3 above.

7.5 The Registration Authority shall circulate the proposals first to the members of the Joint Advisory Committee as specified in clause 8 for a three-month review period, and subsequently shall circulate the proposals to the members of the coding subcommittee for a three-month information and comment period.

7.6 The Registration Authority shall consider comments received and, when appropriate, shall incorporate them in the final document.

7.7 The Registration Authority shall assign the escape sequence.

7.8 The Registration Authority shall promulgate to the member bodies and liaison organizations of ISO/IEC JTC1 the meaning that has been assigned to each escape sequence.

8 Review procedure

8.1 Review is a formal procedure by which the Registration Authority's Joint Advisory Committee (RA-JAC) examines a proposed registration for technical suitability prior to circulation to members of the coding subcommittee as specified in clause 7.5.

8.2 The RA-JAC shall be constituted as specified in annex D.

8.3 The RA-JAC shall verify which proposed coded characters mapped by the Sponsoring Authority to ISO/IEC 10646 correspond in fact to characters coded in ISO/IEC 10646.

8.4 The RA-JAC shall note the (U+)xxxx or

(U-)xxxxxxx) code position and character name of each proposed character that has a corresponding character in ISO/IEC 10646.

NOTE 1: It is strongly recommended that the Sponsoring Authority assist the RA-JAC by providing a proposed ISO/IEC 10646 mapping, but it is not required that such a mapping be provided.

NOTE 2: The ultimate right of character identification and mapping, and ownership of any registered coded character set remains with the Sponsoring Authority.

8.5 The RA-JAC shall determine whether or not character names proposed conform to the names of existing characters in ISO/IEC 10646. Where a character has been identified as being identical to a character encoded in ISO/IEC 10646, but where the name proposed does not conform to the name for that character in ISO/IEC 10646, the RA-JAC may propose the amendment of that name in order to ensure conformity.

NOTE: It is strongly recommended that the Sponsoring Authority ensure that the names of characters mappable to ISO/IEC 10646 characters conform to the names used in ISO/IEC 10646. Where a character name in the proposed registration differs from the character name in ISO/IEC 10646, the Sponsoring authority shall provide the ISO/IEC 10646 name in addition to (but not in replacement of) the source name.

9 Withdrawal procedure

9.1 Withdrawal is a formal declaration by which the Sponsoring Authority informs the Registration Authority that it withdraws its support of the proposal.

9.2 Such a declaration may, but need not, be accompanied by a statement of the reasons for the withdrawal.

9.3 The Registration Authority shall inform the interested parties of the reception of such a declaration.

9.4 After withdrawal, the registration shall remain in the register and continue to be identified by the allocated escape sequence.

9.5 After withdrawal, the Registration Authority shall note in the registry that the Sponsoring Authority withdrew the registration.

10 Correction procedure

10.1 The Registration Authority shall correct material errors, for example typographical errors and glyph errors, as soon as detected.

10.2 The Registration Authority shall add the date to the corrected pages and issue the new corrected pages of the register.

11 Revision procedure

11.1 In general, no changes to registrations are permitted, as this would be contrary to the principles on which the registrations are based. An exception to this is the case of upwardly-compatible versions as specified by ISO/IEC 2022.

11.2 The Registration Authority may exceptionally grant a waiver to international, governmental organizations issuing internationally recognized and world-wide implemented standards. However, for these types of registrations, the first application papers and the register shall mention the possibility that such a registration may be modified in future without the allocation of a new escape sequence.

12 Appeal procedure

12.1 Appeal by a Sponsoring Authority can be made in the following instances.

12.1.1 The Registration Authority will accept appeals only from the Sponsoring Authority, or from the subcommittee responsible for codes and character sets if at least four member bodies of the subcommittee object to a forthcoming publication of a registration by the Registration Authority.

12.1.2 The only acceptable reasons for appeals to the Sponsoring Authority are either

- disagreement with the Registration Authority on whether the application meets the requirement of clause 7.3, or
- the Registration Authority refuses to grant a waiver according to clause 11.2.

12.2 Appeals shall be filed with the Registration Authority by registered mail

- either within 30 days of reception of the refusal of the Registration Authority, or
- before the end of the circulation period to the member bodies according to clause 7.5.

NOTE 1: Simultaneously with the registered mail posting, for expediency, the appeal can be filed simultaneously by alternative parallel means such as electronic mail or facsimile.

NOTE 2: See the flowchart in annex F.

12.3 Within 30 days after receipt from the Sponsoring Authority, or after the end of the

circulation period to the members of the coding subcommittee, the Registration Authority shall submit the received appeal to the members of the Joint Advisory Committee (see annex D). If the matter cannot be resolved by the Joint Advisory Committee the appeal shall be submitted to the P-members of the subcommittee responsible for codes and character sets for vote according to the Directives for the technical work of ISO.

Annex A (normative) **Registration Authority**

A.1 The Registration Authority shall be an organization actively participating in the work of the subcommittee concerned with coding. In particular a technical officer or officers of the Registration Authority shall attend the meetings of the subcommittee and of the working group(s) involved with the work on ISO/IEC 646, ISO/IEC 2022, ISO/IEC 4873, ISO/IEC 8859, ISO/IEC 10646, and on other coding standards where required.

A.2 The Registration Authority shall maintain an up-to-date list of the parties interested in receiving the International Register. New registrations and any other pertinent communication concerning the register shall be sent to all persons or organizations on this list. The Registration Authority may request from time to time that the interested parties confirm their continuing interest in receiving new registrations and may drop from the list those having not confirmed such interest.

A.3 The Registration Authority shall maintain an explanatory document called "Practice of the Registration Authority" available upon request to all interested parties. It shall specify the presentation requirements for applications for registration, for example fonts for the code table, terminology, identification of unused positions, etc., so as to ensure a uniform presentation of all registrations, thus making comparison among them easier.

Annex B (normative)

International Register

B.1 Registration Documents

B.1.1 Layout

The International Register (IR) shall be issued in loose-leaf and electronic formats. Each registration shall comprise the following parts, as applicable, depending on the type of registration.

NOTE: A registration should be made available in electronic format, preferably PDF.

B.1.1.1 Cover page

The cover page shall list:

- the type of registration;
- the registration number;
- the date of registration;
- the allocated escape sequence;
- a short name for the character or character set;
- a short description;
- the Sponsoring Authority;
- the origin or originator of the character or character set;
- a general indication of the intended field of application;
- as appropriate, a statement that the Sponsoring Authority withdrew the registration.

Where applicable, the standard(s) of which the coded character set is a part shall be mentioned in the short description or under "origin".

B.1.1.2 Code tables

B.1.1.2.1 Graphic character sets

The layout of the code table shall be that given in annex E.1, E.2, and E.3. For multiple-byte sets, multiple code tables of 16 rows by 16 columns shall be used (where appropriate).

B.1.1.2.2 Control functions

For C0 sets the layout of the tables shall be that given in annex E.4. For C1 sets the two-character escape sequences of type ESC F_s shall be listed

for 7-bit coding. For 8-bit coding, the table shall be that given in annex E.5.

B.1.1.3 Character names

B.1.1.3.1 The next pages of registrations of graphic character sets shall list all code positions in the code table and indicate the name of the character allocated to each position. The next pages of registrations of control character sets shall list the control functions of the set indicating their name and definition for each position.

B.1.1.3.2 Unused positions shall bear the mention "(This position shall not be used)". In interchange the presence of the bit combinations corresponding to these positions shall be an error condition.

NOTE: Unused columns may be omitted in the list of character names.

B.1.1.3.3 Short notes may be added to the registrations of graphic character sets only where absolutely required for the understanding of the registration.

B.1.1.3.4 "Combining characters" (as defined in ISO/IEC 2022) shall be identified as such in a note.

B.1.2 Use with other registered sets

If a registered set is intended for use in combination with one or more other registered sets, this shall be indicated.

B.1.3 Subsets and supersets

If a registered set is intentionally a subset or a superset of one or more other registered sets, this shall be indicated.

B.1.4 Revised standards

When a registered set is based on a standard that is subsequently revised, an additional page to the original registration shall be issued to identify the new registration.

B.1.5 Complete coding systems

Registration of complete coding systems other than those of ISO/IEC 2022 may, but need not, comprise only the cover page. The cover page shall indicate whether the return escape sequence ESC 2/5 4/0 applies.

Registration of a complete coding system can be registered only if:

- the proposed registration identifies the publicly available document that describes the complete coding system, or
- the proposed registration includes the code table and list of character names.

If the registration does not include the code table and list of character names, the cover page shall indicate where a publicly available document describing the complete coding system can be obtained.

NOTE: A complete coding system may be a coded character set which is not in accordance with ISO/IEC 2022.

B.1.6 Identical sets

If a new application for registration contains a set of characters identical with an already-registered set, it shall not be registered, as its set will already have been identified by an escape sequence. Two sets are deemed to be identical if

- the number of characters is the same;
- the names of the characters are the same according to the terminology of the Registration Authority;
- the same code positions (values) are used for the same characters;
- both sets are of the same type, in particular both a C0 or a C1 set;
- the definitions of control characters are functionally equivalent (a more restricted definition is not considered equivalent);
- graphic characters have the same geometric shape apart from aesthetic variations between fonts;
- any “non-spacing characters” or “combining characters” are in the same positions.

B.1.7 Repertoire

For graphic character sets, the registration specifies only the characters of the set and their coded representations, as shown in the code table of the registration. It does not specify a repertoire of characters which can be obtained by combining the characters of the set, for example by means of sequences of BACKSPACE and “nonspacing characters” (for example, as defined in ISO/IEC 6937) or by means of sequences of base characters and “combining characters” (as defined

in ISO/IEC 2022).

B.2 Allocation of final characters

Final characters shall be allocated by the Registration Authority in ascending order. This allocation will only be made immediately prior to publication of the registration, that is, after completion of all procedural steps.

No final character(s) can be reserved for future applications.

A final character once allocated to a registered character or character set can never be re-allocated to another character or character set.

B.3 Withdrawn registrations

When a registration has been withdrawn in accordance with clause 9 of ISO/IEC 2375, the Registration Authority shall inform all interested parties by issuing a new page of the International Register after the date of withdrawal. The withdrawn registration shall remain in the International Register but the new cover page shall state that the Sponsoring Authority withdrew the registration.

B.4 Multiple registrations for the same application

B.4.1 Provided that an identical registration does not exist, any Sponsoring Authority is entitled to apply for registration of a coded character set for a given application, for example a programming language or a natural language, whether or not a prior registration exists for the same application, even if the prior registration originates from a national or International Standard.

B.4.2 The fact that a registration for exactly the same field of application exists cannot be a reason for objection to the new registration.

B.5 Valid grounds for appeals

B.5.1 The valid grounds for an appeal against a decision of the Registration Authority or a forthcoming publication of a registration application are listed in clause 12.1.2.

B.5.2 Appeals based on other reasons shall be considered invalid and shall be disregarded. In particular the following objections shall be considered invalid:

- there is one or more registrations with

identically the same field of application;

- the coded character set in the proposed registration is incompatible with International Standards, whether or not a character from these International Standards is registered;
- an allegation is made that that the technical content of the registration does not achieve its alleged purpose;
- the “origin” field contains the name of a commercial organization or a trade mark;
- editorial comments are rejected by the Registration Authority.

B.5.3 A Sponsoring Authority may have requirements for its support in addition to those of ISO/IEC 2375. Additional requirements are the responsibility of each Sponsoring Authority and not by the Registration Authority.

B.6 Identification of Registration

A reference to an existing registration should be made by using the prefix “ISO-IR” followed by a space and the registration number.

Examples:

ISO-IR 16

for the particular ISO/IEC 646 version for the Portuguese language registered on 1976-12-30.

ISO-IR 48

for the set of control functions registered on 1981-07-15.

NOTE: An exception to this would be where the origin field specifies a national or international standard. For example, “ISO/IEC 8859-14” is preferred to “ISO-IR 199”.

Annex C (normative)

Criteria for the allocation of ESC F_s sequences

C.1 ISO/IEC 2022 provides for a very limited number of ESC F_s sequences. Priority in the allocation of ESC F_s sequences will be given to control functions used for general code extension purposes.

C.2 Other candidates for ESC F_s representation should be of a general nature with broad applicability. The action of such control functions should be largely independent of the graphic or control character sets invoked at the time.

C.3 The control function should be logically independent from other control functions, except if it forms one half of a complementary pair, for example in an ON/OFF action.

C.4 Only the subcommittee concerned with coding shall be the Sponsoring Authority for single control functions represented by ESC F_s . Any candidate for such allocation shall first be submitted to this subcommittee as the Sponsoring Authority for escape sequences other than ESC F_s .

C.5 Any proposal for a new ESC F_s sequence shall include (a) a complete definition of the control function with an indication of the overall environment in which it will be used, and (b) justification for the need for a specially efficient coding of the control function.

Annex D (normative)

The Registration Authority's Joint Advisory Committee (JAC)

D.1 The subcommittee concerned with coding shall set up a Joint Advisory Committee of five members.

D.2 The RA-JAC shall consist of a representative of the Registration Authority and four other members elected by P-members of the subcommittee. These members may be members of the subcommittee or members of one or more bodies with a liaison relationship to the subcommittee. The members of the RA-JAC shall be appointed or confirmed at each plenary meeting of the subcommittee.

NOTE: The RA-JAC may consult relevant interested bodies and organizations, including liaisons. Examples of such organizations valid at the time of publication of this International Standard are: the Unicode Consortium and JTC1 SC2/WG2/IRG.

D.3 The task of the RA-JAC shall be as follows.

D.3.1 The RA-JAC shall review each application for registration according to clause 7.

D.3.2 The RA-JAC shall consider appeals received by the Registration Authority.

D.3.3 The RA-JAC shall act as mediator between the Registration Authority and the appealing parties.

D.3.4 The Registration Authority shall yield if four-fifths of the members of the RA-JAC consider the appeal justified.

D.3.5 The RA-JAC shall, when necessary, require the Sponsoring Authority to edit the documents to be submitted to a vote according to clause 10.3.

Annex E
(normative)

Layout of code tables

E.1 7-bit graphic character sets: G0 set

				b ₇	0	0	0	0	1	1	1	1		
				b ₆	0	0	1	1	0	0	1	1		
				b ₅	0	1	0	1	0	1	0	1		
					0	1	2	3	4	5	6	7		
b ₄	b ₃	b ₂	b ₁											
0	0	0	0	0										0
0	0	0	1	1										1
0	0	1	0	2										2
0	0	1	1	3										3
0	1	0	0	4										4
0	1	0	1	5										5
0	1	1	0	6										6
0	1	1	1	7										7
1	0	0	0	8										8
1	0	0	1	9										9
1	0	1	0	10										A
1	0	1	1	11										B
1	1	0	0	12										C
1	1	0	1	13										D
1	1	1	0	14										E
1	1	1	1	15										F
					0	1	2	3	4	5	6	7	hex	

E.2 7-bit graphic character sets: G1 set

				b ₇	0	0	0	0	1	1	1	1		
				b ₆	0	0	1	1	0	0	1	1		
				b ₅	0	1	0	1	0	1	0	1		
					0	1	2	3	4	5	6	7		
b ₄	b ₃	b ₂	b ₁											
0	0	0	0	0										0
0	0	0	1	1										1
0	0	1	0	2										2
0	0	1	1	3										3
0	1	0	0	4										4
0	1	0	1	5										5
0	1	1	0	6										6
0	1	1	1	7										7
1	0	0	0	8										8
1	0	0	1	9										9
1	0	1	0	10										A
1	0	1	1	11										B
1	1	0	0	12										C
1	1	0	1	13										D
1	1	1	0	14										E
1	1	1	1	15										F
					0	1	2	3	4	5	6	7	hex	

E.3 8-bit graphic character sets:

				b ₈	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1
				b ₇	0	0	0	0	1	1	1	1	0	0	0	0	1	1	1	1
				b ₆	0	0	1	1	0	0	1	1	0	0	1	1	0	0	1	1
				b ₅	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1
					00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15
b ₄	b ₃	b ₂	b ₁																	
0	0	0	0	00															0	
0	0	0	1	01															1	
0	0	1	0	02															2	
0	0	1	1	03															3	
0	1	0	0	04															4	
0	1	0	1	05															5	
0	1	1	0	06															6	
0	1	1	1	07															7	
1	0	0	0	08															8	
1	0	0	1	09															9	
1	0	1	0	10															A	
1	0	1	1	11															B	
1	1	0	0	12															C	
1	1	0	1	13															D	
1	1	1	0	14															E	
1	1	1	1	15															F	
					0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
																				hex

E.4 7- and 8-bit C0 control function sets

					b ₇	0	0			
					b ₆	0	0			
					b ₅	0	1			
					0		1			
b ₄	b ₃	b ₂	b ₁							
0	0	0	0	0						0
0	0	0	1	1						1
0	0	1	0	2						2
0	0	1	1	3						3
0	1	0	0	4						4
0	1	0	1	5						5
0	1	1	0	6						6
0	1	1	1	7						7
1	0	0	0	8						8
1	0	0	1	9						9
1	0	1	0	10						A
1	0	1	1	11						B
1	1	0	0	12						C
1	1	0	1	13						D
1	1	1	0	14						E
1	1	1	1	15						F
					0		1		hex	

					b ₈	0	0			
					b ₇	0	0			
					b ₆	0	0			
					b ₅	0	1			
					00		01			
b ₄	b ₃	b ₂	b ₁							
0	0	0	0	00						0
0	0	0	1	01						1
0	0	1	0	02						2
0	0	1	1	03						3
0	1	0	0	04						4
0	1	0	1	05						5
0	1	1	0	06						6
0	1	1	1	07						7
1	0	0	0	08						8
1	0	0	1	09						9
1	0	1	0	10						A
1	0	1	1	11						B
1	1	0	0	12						C
1	1	0	1	13						D
1	1	1	0	14						E
1	1	1	1	15						F
					0		1		hex	

E.5 C1 control function sets

				b ₈	1	1		
				b ₇	0	0		
				b ₆	0	0		
				b ₅	0	1		
					08	09		
b ₄	b ₃	b ₂	b ₁					
0	0	0	0	00				0
0	0	0	1	01				1
0	0	1	0	02				2
0	0	1	1	03				3
0	1	0	0	04				4
0	1	0	1	05				5
0	1	1	0	06				6
0	1	1	1	07				7
1	0	0	0	08				8
1	0	0	1	09				9
1	0	1	0	10				A
1	0	1	1	11				B
1	1	0	0	12				C
1	1	0	1	13				D
1	1	1	0	14				E
1	1	1	1	15				F
					8	9	hex	

Annex F
(informative)

Flowchart showing the registration process

(to be supplied)

Annex G
(informative)

Example registration

See following pages.

TYPE: 47-character graphic character set	REGISTRATION NUMBER: XXX DATE OF REGISTRATION:
ESCAPE SEQUENCE	G0: ESC 02/08 02/01 F G1: ESC 02/09 02/01 F G2: ESC 02/10 02/01 F G3: ESC 02/11 02/01 F C0: C1:
NAME Georgian alphabet coded character set for bibliographic information interchange	
DESCRIPTION A set of 47 graphic characters for use for Georgian and related languages and Caucasian linguistics. This registration gives UCS mappings where available. Character names presented here are the name as it appears in ISO 10586; these are italicized where the corresponding name appears differently in ISO/IEC 10646 and the UCS name is given in parentheses.	
SPONSOR NSAI (National Standards Authority of Ireland)	
ORIGIN: National Library of Ireland character set Georgian-B	
FIELD OF UTILIZATION Communication and processing of text for bibliographic citations, including their annotations, in Georgian and related languages in the Georgian (<i>mxedruli</i>) script.	

				b ₇	0	0	0	0	1	1	1	1		
				b ₆	0	0	1	1	0	0	1	1		
				b ₅	0	1	0	1	0	1	0	1		
					0	1	2	3	4	5	6	7		
b ₄	b ₃	b ₂	b ₁											
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	1	1	0	0	0	0	0	0	0	0	0	1
0	0	1	0	2	0	0	0	0	0	0	0	0	0	2
0	0	1	1	3	0	0	0	0	0	0	0	0	0	3
0	1	0	0	4	0	0	0	0	0	0	0	0	0	4
0	1	0	1	5	0	0	0	0	0	0	0	0	0	5
0	1	1	0	6	0	0	0	0	0	0	0	0	0	6
0	1	1	1	7	0	0	0	0	0	0	0	0	0	7
1	0	0	0	8	0	0	0	0	0	0	0	0	0	8
1	0	0	1	9	0	0	0	0	0	0	0	0	0	9
1	0	1	0	10	0	0	0	0	0	0	0	0	0	A
1	0	1	1	11	0	0	0	0	0	0	0	0	0	B
1	1	0	0	12	0	0	0	0	0	0	0	0	0	C
1	1	0	1	13	0	0	0	0	:	ᄒ	ᄒ	ᄒ	ᄒ	D
1	1	1	0	14	0	0	0	0	.	ᄑ	ᄑ	ᄑ	ᄑ	E
1	1	1	1	15	0	0	0	0	∴	ᄎ	ᄎ	ᄎ	ᄎ	F
				0	1	2	3	4	5	6	7	hex		

Pos.	Name	Note
04/00	(This position shall not be used)	
04/01	(This position shall not be used)	
04/02	(This position shall not be used)	
04/03	(This position shall not be used)	
04/04	(This position shall not be used)	
04/05	(This position shall not be used)	
04/06	(This position shall not be used)	
04/07	(This position shall not be used)	
04/08	(This position shall not be used)	
04/09	(This position shall not be used)	
04/10	(This position shall not be used)	
04/11	(This position shall not be used)	
04/12	(This position shall not be used)	
04/13	<i>GEORGIAN FULL STOP</i> (ARMENIAN FULL STOP)	U+0589
04/14	<i>GEORGIAN COMMA</i> (GREEK ANO TELEIA)	U+0387
04/15	GEORGIAN PARAGRAPH SEPARATOR	U+10FB
05/00	GEORGIAN LETTER AN	U+10D0
05/01	GEORGIAN LETTER BAN	U+10D1
05/02	GEORGIAN LETTER GAN	U+10D2
05/03	GEORGIAN LETTER DON	U+10D3
05/04	GEORGIAN LETTER EN	U+10D4
05/05	GEORGIAN LETTER VIN	U+10D5
05/06	GEORGIAN LETTER ZEN	U+10D6
05/07	GEORGIAN LETTER HE	U+10F1
05/08	GEORGIAN LETTER TAN	U+10D7
05/09	GEORGIAN LETTER IN	U+10D8
05/10	GEORGIAN LETTER KAN	U+10D9
05/11	GEORGIAN LETTER LAS	U+10DA
05/12	GEORGIAN LETTER MAN	U+10DB
05/13	GEORGIAN LETTER NAR	U+10DC
05/14	GEORGIAN LETTER HIE	U+10F2
05/15	GEORGIAN LETTER ON	U+10DD

Pos.	Name	Note
06/00	GEORGIAN LETTER PAR	U+10DE
06/01	GEORGIAN LETTER ZHAR	U+10DF
06/02	GEORGIAN LETTER RAE	U+10E0
06/03	GEORGIAN LETTER SAN	U+10E1
06/04	GEORGIAN LETTER TAR	U+10E2
06/05	GEORGIAN LETTER UN	U+10E3
06/06	GEORGIAN LETTER WE	U+10F3
06/07	GEORGIAN LETTER PHAR	U+10E4
06/08	GEORGIAN LETTER KHAR	U+10E5
06/09	GEORGIAN LETTER GHAN	U+10E6
06/10	GEORGIAN LETTER QAR	U+10E7
06/11	GEORGIAN LETTER SHIN	U+10E8
06/12	GEORGIAN LETTER CHIN	U+10E9
06/13	GEORGIAN LETTER CAN	U+10EA
06/14	GEORGIAN LETTER JIL	U+10EB
06/15	GEORGIAN LETTER CIL	U+10EC
07/00	GEORGIAN LETTER CHAR	U+10ED
07/01	GEORGIAN LETTER XAN	U+10EE
07/02	GEORGIAN LETTER HAR	U+10F4
07/03	<i>GEORGIAN LETTER JAN</i> (GEORGIAN LETTER JHAN)	U+10EF
07/04	GEORGIAN LETTER HAE	U+10F0
07/05	GEORGIAN LETTER HOE	U+10F5
07/06	GEORGIAN LETTER FI	U+10F6
07/07	<i>GEORGIAN LETTER SHVA</i>	
07/08	<i>GEORGIAN LETTER ELIFI</i>	
07/09	<i>GEORGIAN LETTER TURNED GAN</i>	
07/10	<i>MODIFIER LETTER GEORGIAN NAR</i>	
07/11	<i>GEORGIAN LETTER AIN</i>	
07/12	(This position shall not be used)	
07/13	(This position shall not be used)	
07/14	(This position shall not be used)	
07/15	(This position shall not be used)	

Annex H
(informative)

**Principal differences between this fourth
edition of ISO/IEC 2375 (2000-xx-xx) and the
third edition of ISO 2375 (1985-11-01)**

- Clauses have been renumbered.
- A new clause 8 “Review procedure” has been added.
- Clause 12 has been consolidated and simplified (but has the same content).
- Layouts of the code tables are no longer specified in annex B by reference to external standards but are instead presented in annex E.
- The term “non-spacing character” has been updated to the term “combining character” in B.1.1.3, with reference to ISO/IEC 2022.
- The possibility to attach code tables and character names to registrations of complete coding systems has been added to B.1.5. In such cases a publicly-available document, describing the coding system, is not now needed.