Editor's notes to CLI Datatypes WD5 - SC22/WG11 N245 wd5.enotes

Raply to: Ed Barkmeyer Doc. No.: SC22/WG11 N245 3 May 1991 X3T2/91-110

Bldg 220 Room A127 Mational Institute of

Gaithersburg, MD 20899 Standards & Technology U.S.A.

+1 (301) 975-3528

Common Language-Independent Datatypes Editor's Notes for Working Draft 5

comments were, however, resolved. resolution of the SC22 ballot comments (SC22 N906). Not all such in SC22 (as SC22 N842), and WD5 contains all changes required by designated WG11 N190 (X3T2/90-211), per committee decisions of WG11 (September, 1990 and January, 1991). WD4 was circulated for CD ballot Working draft 5 is a revision of CLI Datatypes working draft 4,

The Outstanding Issues section remains in the draft until all officially raised issues have been resolved. The Outstanding Issues beyond the Committee Draft stage. list must be empty and removed before the document is progressed

changes clause-by-clause and the source of those changes. Section B below, Annotations to Changes, identifies individual

disposition of each comment. documents resolved by the committee since the release of WD.4 and the Section C below, Disposition of Comments, identifies all comment

The major changes from Working Draft 4 are:

productions for individual datatypes, has been considerably revised. direct compliance to support a specific list of datatypes and The datatype definition syntax, and consequently many of the The compliance rules have been revised to require partial

detailed, although the text of this (in clause 6) should be regarded generators. The proper contents of this list is an open Issue (2). c. The effect of type properties on mapping requirements is now

Abbreviated references

document number wherever they are applied. Abbreviated references are used for the following documents, which recommend many individual All comment documents are referenced by both WG11 and X3T2

The n is the number of the French comment.

[US] refers to SC22 N906, comments on the CD ballot, from USA. [FR n] refers to SC22 N906, comments on the CD ballot, from France.

editor was directed to introduce into WD4 (committee decision, 6/90) X3T2/90-293 (WG11 N???) and it is the expansion which is here and was unable to do. [N176] refers to a Greengrass proposal (WG11 N176) which the Greengrass expanded on the proposal in

incorporated. [N196] refers to NG11 N196 from Mike Sykes.

[N208] refers to WG11 N208, the resolution of several comment

documents by WG11 in September, 1990.

March, 1991, RPC IDN working draft. [IDN] refers to changes made to accommodate alignment with the

B. Annotations to Changes

formatting changes. which did not change, and to change-bar certain paragraphs because software felt compelled to change-bar all cross-references, even those in the document margins. The editor apologizes that his text processing of the committee, all changes from WD4 are indicated by "change bars" In keeping with the view that the CLID has become a standing document

- Resolution of Outstanding Issues in WD4:
- Distinguished datatypes and generators. Partially resolved, reformulated in WD5
- Required datatypes and generators. Open, requires collaboration with RPC community.
- Pragmata/Attributes. Required, Resolved Issue 21.
- Required, Resolved Issue 22.
- CLID/CLIPC/RPC shall use a common syntax. Syntax. Resolved Issue 23.
- Ordering of CharacterString. Partly resolved, reformulated in WD5. Outstanding Issue 3.
- Outstanding Issue 4.
- . Null values of Pointer. Yes. Resolved Issue 24.
- User-defined datatypes and generators. Reformulated for proposed IDN. Outstanding Issue 5.
- Outstanding Issues in WD5:
- Slightly revised from WD4 Issue 1.
- Carried over from ND4 Issue 2.
- Reformulated from WD4 Issue 6.
- Carried over from WD4 Issue 7. Reformulated from WD4 Issue 9.
- Formally added by committee 9/90, and unresolved ballot
- comments. [N196] [US] [FR 39, 40, 42, 43, 44, 45].
- Unresolved ballot comment. Unresolved ballot comment. [FR 15]
- Unresolved ballot comment. [FR 34]
- ballot comment. [FR 36] [IDN] 10. Alignment issue with RPC, alignment issue with LCAS, and
- (N221), Greengrass (N232), and Hamilton/Treat (N219). 11. Unresolved ballot comments. [FR 41, 51], supported by Yellin
- Global changes

to that described by the current IDN draft, except for the following: is believed, however, that the language described thereby is identical is, for several reasons, not identical to the current IDN draft. It Major revision to the syntax to match proposed IDN. The grammar a. array-index supports index-type, not present in the IDN.

otherwise desirable. datatype-declaration and generator-declaration could not be

prevent having to rewrite Annex D in this draft. The feature may be

attribute-value-spec allows the equal-sign (-) character, to

Editor's notes to CLI Datatypes WD3 - SC22/WUII P 43

wd5.enotes

S to avoid the introduction of IDN "infinity" which does not generalize implications. The IDN syntax does not support the CLID concepts. non-numeric datatypes. lowerbound, upperbound and select-range syntax was made uniform,

changed to the IDN syntax without committee decision on the semantic

exponent added to real-literal.

of ND4 limit-spec. semantics similar to the "limit-spec" in MD4, to support the semantics "max" and "min" subtypes changed to "size" with syntax and

h. inclusion in the CLID of many intermediate productions needed to associate CLID semantic notions with syntactic objects, resulting in syntactic limitations on special cases to support the semantics. time-type changed to support WG11 semantic changes.

in the draft IDN, both being convenient derivatives of classical BNF. change requires a rewrite of clause 4, which was not available. While these should be aligned at all levels in the dIS, the notational The syntax notation used in the CLID also differs from that used

parameters of declared procedures and procedure-types - the IDM symbols defined-generators, while the word "argument" always refers to the expanded to the corresponding English word, as <walue-expr> to "valuethe IDN non-terminals, although in some cases the IDN abbreviation was were replaced accordingly. symbols always refer to the parameters of defined-datatypes and MD4 and MD5, the words "parameter" and "parametric" appearing in expression". The IDN <type-spec> was uniformly replaced by the ND4 "datatype", as being more consistent with the semantics of CLID. Where possible, non-terminal symbols retained the same spelling as

Specific changes:

Foreword.

Reference for PHIGS added. [FR 4]

outward mapping alone is never sufficient; in the current view, the inward discussed in committee jointly with RPC (1/91). The former text emphasized the outward mapping; the change emphasizes the inward mapping. The mapping may be. [Ed.] Revised the paragraphs on use of the standard to support the model Revised to correct the name of JTC1. [Ed.]

Explanation that Notes are not normative added. [FR 6]

- semantics and program semantics. Scope. Example added to explain the difference between language [FR 9]
- 2. Normative Kererence.
 OSI-Object-Id (B.9). [Ed.] Normative References. ISO 8824 and 9836 added because of
- primitive datatype redefined. [US] generated internal datatype added. [FR 10] pragma changed to attribute and redefined. Definitions: mapping added. [FR 10] generated primitive datatype added. variable added, to support Pointer [Ed.] [IDN]
- 4.1. Syntax. Minor editorial changes. [FR 12]
- Many clarifications added to support the IDN. [Ed.] any-character defined. [FR 13]
- Compliance. Note extended, per committee discussion of [FR 3].
- 5.1 Direct compliance. Note 3 added, per committee discussion of [FR 3].

from Mack.

- comment (b) in WG11 N197. [N208] 5.2. Rewritten following committee discussion (9/90) of Tanner's
- 5.3 Note 2. revised to define "generic". [FR 10]
- "Relationships" changed to "properties" (see 6.3) NOTE moved to 6.3. [FR 1]
- 6.2 Added statement that a value belongs to only one datatype. (Rabin, in committee, 1/91)
- NOTE moved from 6.1. 6.3 Value Relationships merged with 6.4 Datatype Properties. Herger and mapping requirements derived from [N176].

 Description of the abstract computational model added. Associated [FR 1]
- 6.3.1 "Equivalence" changed to "Equality". meanings.) (The word "equivalent" is used frequently in the text with other "Properties" changed to "rules", to avoid confusion [Ed.] Happing requirements added. [N176] [FR 20]
- 6.3.2 Ordering Mapping requirements added. "Properties" changed to "rules", to avoid confusion [Ed.] Mapping requirements added. [N176]
- Mapping requirements added. [N176]
- 6.3.4 (former 6.4.1) Cardinality. Computational notion described. Mapping requirements added. [N176] [FR 1]
- 6.3.5 (former 6.4.2) Dense. Computational notion described. Mapping requirements added. [N176] [FR 1]
- 6.3.6 (former 6.4.3) Numeric. Mapping requirements added. [N176
- 6.5 renumbered 6.4.
- 6.5 (former 6.6) Note/example added to explain the need for characterizing operations. (Committee response to [FR 19]).
- 6.7 renumbered 6.6.
- Datatypes (general). Paragraph added to defend the notation for values. [FR 11] "datatype-designator" introduced to accommodate attributes [IDN].
- datatype designator. [FR 23] 7.1. Description of "syntax" in the template changed to refer to Definition of operation descriptions added. Pseudo-definition of Equal deleted, per committee decision (1/91).
- 7.1.1. Boolean. Equal added, per committee decision (1/91)
- 7.1.2. State.

References to "equivalence" changed to Equal, per committee decision Syntax changes. [IDN] [FR 25]

Editor's notes to CLI Datatypes WD5 - SC22/WG11 N245

(1/91). [FR 27]

7.1.3. Enumerated.

Syntax changes. [IDN] [FR 25]

"Equal added, per committee decision (1/91).
"Enumerated" in the operations expanded to a type reference. [Ed.]

cases to "character set". [N208] following N196. Editorial change "alphabet" to "repertoirs" and in some

explain the raison d'etre of Annex E. [Ed. per ISO directives. Equal added, per committee decision (1/91). "Character" in the operations expanded to a type reference. Note 2 added to relate CLID to the "registration problem" and

Example added. [FR 28]

7.1.5. Ordinal. Equal added, per committee decision (1/91).

7.1.6. Time.

avoid confusion. [N208], following Sykes in WG11 N196. required changing the syntactic object "resolution" to "unit-type" to Editorial changes to change "accuracy" to "resolution", which [FR 30]

time-zones, [N196, N204, N208]. Reference to UTC added to satisfy the Sykes comment on Change "designating" to "whose values are".

Extend and Round re-worded to improve clarity. [FR 31] Equal added, per committee decision (1/91).

7.1.7. Bit. Equal added, per committee decision (1/91).

7.1.8. Integer.

Equal added, per committee decision (1/91).

7.1.9. Rational.

Measure removed, per committee decision (1/91). Equal added, per committee decision (1/91).

7.1.10. Scaled.

Equal added, per committee decision (1/91).

A new Note 1 added to expand on the former Note 4. [FR 32] Definition of scaled-literal (value) added and Note 6 added. Note 3 reworded. [FR 35] radix**factor changed to radix** (- factor) uniformly. [Ed.] [FR 34]

7.1.11. Real.

this was supplied by the editor, and is not necessarily either correct This required specification of the meaning of relative-error. Host of or consistent. Syntax change, including the relative-error parameter. [IDN]

Equal added, per committee decision (1/91). Heasure removed, per committee decision (1/91). Note 2 added, per committee decision (1/91). Definition of real-literal (value) added. (FR 36)

7.1.12 Complex.

this was supplied by the editor, and is not necessarily either correct Syntax change, including the relative-error parameter. [IDN] This required specification of the meaning of relative-error. Host of or consistent.

others. [Ed.] Definition of complex-literal modified to match the style of the Measure removed, per committee decision (1/91). Equal added, per committee decision (1/91). [FR 37]

wd5.enotes

7.1.13. Null. The null-value changed to "nil" [N195, N208].

Equal defined properly. [Ed.]

resulted from keystroke error). 7.1.14 Undefined. Disposition in doubt - no changes. (change bars

7.1.15 Private.

7.1.16 Procedure.

"functions" changed to "algorithms" and "terminating" relegated Major syntax change with numerous consequences. [IDN]

to Note 1. [FR 46] "Equals" changed to "Equal" [Ed.]

Note 2 added, deferring to the CLIPC to define the concept of Apply.

Major syntax change. [IDN]

7.2.2 Selected renamed Selecting, for symmetry with Excluding. [Ed.] Syntax generalized, per committee decision (1/91).

7.2.3 Excluding. New. [US]

Syntax and semantics derived from those of Selected.

7.2.4 Extended. former 7.2.3.

was no longer true. Second sentence of the Note removed. In view of Excluding, it [Ed.]

7.2.5 Size subtype. New.

CharacterString and BitString types. Size also meets the requirement for a means of limiting the size of Introduced to conform to the handling of limits in the IDN syntax. [IDN [FR 55]

7.2.6 Explicit subtypes. Properties corrected. [Ed.] former 7.2.4.

Syntax changes in the example in Note 3. Reference to the description of operations added.

7.3.1. Choice.

committee decision (1/91). Rewritten to describe Choice as a "discriminated union", per

Add value denotation. [FR 53]

7.3.2 Record.

Add value denotation. Correct "values" to "named values". [FR 49] [FR 53]

7.3.3. Pointer.

Null-value added. (su)

of a value" is used frequently in the document in its more common mathematical meaning, which is not the meaning here. [Yellin, WG11 N221] "Instance" changed to "variable", because the term "instance

7.3.4. Set.

avoid the problem of infinite sets. Complement operation removed and replaced by Difference, to Add value denotation. [FR 53] Limits syntax and semantics moved to "Size" subtype. [IDN] Committee decision (1/91).

Limits syntax and semantics moved to "Size" subtype.

Editor's notes 'n CLI Datatypes WD3 - SC22/WUII N'43

Add value denotation. [FR 53]

7.3.6 Bag. Limits syntax and semantics moved to "Size" subtype. [IDN] and value denotation. [FR 53]

7.3.7 Array.

Array generalized to multidimensional. Major syntactic change with numerous side effects. Notes 1,2 replace former Note, explaining the change. Example replaced. Notes 3 and 4 added to defend choices (committee, 1/91). [IDM]

7.3.8 Table. Add value denotation. Limits syntax and semantics moved to "Size" subtype. [IDN] [FR 53]

7.3.9 Declared-generator-types. Syntax changes and corresponding wording changes. [IDN]

7.4 Declared-datatypes. Syntax changes and corresponding wording changes. [IDN]

8.1 Datatype-declarations. Syntax changes and corresponding wording changes. [IDN]

8.2 Generator-declarations. Syntax changes and corresponding wording changes.

8.3 Value-declarations. Major syntax change and corresponding re-wording.

Mappings. no changes.

.

Rewritten.

Attributes. (formerly "Pragmata").

[IDN] [US]

Null removed. [su]

A.2. Array added. [US]

B.3. BitString. (WG11 N200). [N208] [FR 54] Corrected list of operations inherited from List, per Pickett

set". [N208] following Sykes (WG11 N196). B.4. CharacterString. Changed "alphabet" to "repertoire" and in some cases to "character

decision (9/90). [N208] [FR 54] (WG11 M200). Note 3 added to define "concatenate" per committee Corrected list of operations inherited from List, per Pickett

resolution (9/90) of collating sequence issues raised in N196. [N208] Definition of InOrder changed and Note 1 revised per committee

B.7 Interval (new). Added after committee discussion of [N196].

B.8 Octet (new) . The text is supplied by the editor and is tentative.

The text is supplied by the editor and is tentative. B.9 OSI-Object-Id (new) . Added to satisfy RPC requirement for the type. [IDN]

H text is supplied by the editor and is tentative Added by committee decision, to support RPC (1/90).

wd5.enotes Recommended Representation Attributes (formerly "Recommended Pragmata").

Major change in format and terminology. [IDN] The few substantive changes are identified below. Floating-point. (Burch, private communication).

D.8. Alignment. Added sync-point "both". [FR 56]

Missing text at end supplied.

Annex F. Draft Syntax for the IDN. replaces Collected Syntax. [IDN]

on "file objects", arising from [FR 22]. Annex G. Issue 20. Paragraph added to reflect committee consensus

Disposition of Comments

The document describes the disposition of the comments. Indicated in N208 have been made to ND5. N208 from WG11: resolution of comments N196, N197, N200, N204. All changes

JTC1/SC22 N906, Ballot comments on Proposal to Register CLI Datatypes WD4 as a Committee Draft.

France:

recommendation that the model should be defined is accepted. revisions to 6.4. The intended model is an "abstract computational model". See

Accept ed.

accept ed.

Accept ed.

not accepted. The paragraph was rewritten.

accepted. ISO directives say that Notes are not normative.

this standard and future addenda, while it is hoped that Clauses 7 the relationships between Compliance and Annex A to be carefully described. Annexes B and C contain the datatypes which are less placing it in clause 5, to avoid unintentional implications and allow datatype set in Annex A was to locate it in a single place and avoid normative or informative. The reason for consolidating the "minimum" contents of Annexes B and C may change considerably over drafts of "fundamental" than those in Clauses 7 and 8. It is expected that the and 0 will remain largely unchanged. ISO requires Annexes to indicate whether they are

8. accepted.

accepted

only occurrence. "generic mapping" is now explained in the Note which contains accepted, references to "generic datatype" have been removed.

now given in clause 7. Value notations for all datatypes but Private. Procedure, and Pointer are given. accepted in principle. The rationale for value notations is

not accepted. The unnecessary phrase was struck

Editor's notes to CLI Datatypes WD5 - SC22/WG11 N245 wd5.enotes

- accepted
- circulation of this document, although not in MD5. 14. agreed. Informative annexes to be provided before further
- No consensus. This is Outstanding Issue 7.
- the following places: It is expected that datatype definitions will occur in at least
- the CLID Annexes
- standards defining service interfaces standards containing the outward mappings of programming languages
- users using the Interface Definition Notation for the CLIPC/RPC. the CLI Procedure Calling and Remote Procedure Calling standards
- other user applications

private to a particular user, it is not necessary for it to be shared, will share a common IDN description - a kind of "local standard" case e, it is expected that all users of the same procedure interface understanding of the name and meaning of the defined-datatype. and if it is not private, then one of the means a-e should be sought. ensuring common understanding. In all of cases a-d, the reference to a STANDARD ensures common In case f, if the application is

but in general, this situation is probably grounds for a defect report application. A work-around for this should be provided in the CLIPC/RPC, of datatypes, except when conflicting standards are used in the same be avoided in the general case, but it does not affect the interchange expected in cases b, c and e as well. This is unfortunate and cannot hand, definitions of different datatypes with the same name can be grounds for modifying Annexes B and C of the CLID itself. On the other The committee recognizes that, over time, multiple definitions of a common datatype will occur in cases b and c. This would certainly be for the standards in question.

procedures. See Outstanding Issues 2 and 8. that Boolean should not be a member of the minimum list, implying that argued that COBOL must provide a datatype which can be mapped into minimum list may become the maximum list from which argument datatypes used to define the interfaces to standard services. In essence, the commonality among language datatypes, especially where they may be have a minimum list, in order to achieve the greatest possible part in the definition of procedure interfaces, it is necessary to required to contain Boolean. But to the extent that mappings play a the language, and thus the "outward mapping of COBOL" should not be CLI datatypes for the purpose of identifying the datatype semantics of programming languages should not be required to support any particular contents of Annex A are still unresolved. The committee agreed that Boolean for standard procedure calls. for standard procedures may be chosen. In this sense, it can be it should be avoided in defining interfaces to ISO standard no consensus. The functionality of outward mappings and the Alternatively, it can be argued

general than intended, and therefore less acceptable - it was proposed and discarded in discussing Brown's commentary on WD3 (WG11 N172, N191). a set or structure, which is inappropriate. The word "object" is more for translation of the eventual standard. The word "element" implies French equivalent is not obvious, and this then is an important matter in both mathematical and computational discourse to have exactly the sense in which it is used in the CLID. It may be that the proper rejected. The word "value" is, in English at least, commonly used

19. accepted in principle. The rationale for character 'ng operations

- "equality" in MDS and certain related editorial changes were made. not clear what is wanted. The term "equivalence" was changed to
- considerably revised in WD5. 21. accepted. The Note and the definition of dense have been
- rejected. This point is addressed in Resolved Issue 20.
- accepted
- 24. accept ed.
- 25. accept ed. The production was in 8.3.
- rejected. The production is on page 40.
- 27. accepted in principle. Equal is now defined for every datatype.
- however, that this is a part of Outstanding Issue 1. There is a difference in the characterizing operations. Not e
- accepted in principle. Several changes made to 7.1.6.
- Yes, but that is deprecated. See 7.1.10 Note 1.
- Yes, and that is preferred. See 7.1.10 Note 1.
- Unresolved. The value notation problem is part of Issue 9.
- Accepted. The Note has been reworded
- Unresolved. This is a part of Outstanding Issue 10.
- Measure has been removed. "Dense" has been redefined
- Accepted. Reworded
- No consensus. Outstanding Issue 6.
- Rejected. Resolved Issue 10. (But see outstanding issue 6.)
- Pointer can be Null. Accepted.
- . . Is Pointer primitive? Unresolved. Outstanding issue 11.
- 42-45. No consensus. Outstanding Issue 6.
- 6. accept ed.
- No, but Choice has been considerably revised.
- accepted. Is the new text satisfactory?
- accept ed.
- Unresolved. See Outstanding Issue 11.
- corresponding to t' 'viom of Choice. In practice Sets are ordered rejected. Sele s a necessary characterizing operation

by some implementation-dependent algorithm and some form of Select is a supported operation.

- but Private, Pointer and Procedure. accepted. Value notations are now provided for everything
- 54. accepted.
- 55. not accepted. Resolved by limits subtype from IDN.
- 56. accept ed.
- 57. accept ed.
- 58. agreed, but it is not available at this time.
- provided. agreed, an informative annex containing one mapping will be
- agreed, see response to 59

United States:

that therefore this document is suitable for registration as a CD. the outstanding issues must be resolved before this document can be With regard to the U.S. principal objection, the committee agrees that have been resolved to the satisfaction of the U.S. delegation. scope of the document, namely the inclusion of mappings and pragmata. The outstanding issues which might have significantly affected the which is that envisaged for the eventual International Standard, and elements in the scope of the work item, and is presented in a form consensus of the committee that the document does include all main processed BEYOND the Committee Draft stage. Nevertheless, it is the

Specific bulleted comments:

- Add Array to A.2. accepted.
- Remove Null. No consensus. This is outstanding issue 6.
- Remove Null from A.1. accepted.
- Keep mappings. accepted.
- Annotation mechanism. accepted.
- b. Module concept. Not accepted. This is an IDN problem which goes beyond the scope and needs of the CLID itself. There is agreement that the CLID syntax will be compatible with that of the IDN.
- Null value of Pointer. accepted.
- Add "exclude" subtype. accepted.
- change 3.32. accepted.
- 9 add definitions. datatype identifier. rejected. Does not appear in the draft. data interchange format. rejected. Does not appear in the draft.